

Invitation To Bid Howard County RFB 2021001 "2021 Sealcoat"

The Howard County Auditor will accept sealed bids until 10:00 AM on January 7, 2021. This bid requires prequalification with Howard County Road and Bridge Department, specifications may be obtained at that office, 3604 Old Colorado City Road, Big Spring, Texas 79720. The work is to supply labor, materials and equipment to sealcoat various county roads.

Bids may be mailed to the Howard County Auditor, at P.O. Box 1949, Big Spring, Texas 79721-1949 or delivered to the Auditor's Office, Room 202, Howard County Courthouse. **Mark Sealed Envelope "RFB2021001"**

Bids will be presented to the Commissioner's Court at 3:30 PM January 11th for their consideration. The Court reserves the right to reject any or all bids.

Jackie Olson-Howard County Auditor



December 15, 2020

RE: Information for Bidding Howard County RFB 2021001 "Sealcoat"

Dear Prospective Contractor,

Howard County Road & Bridge thanks you for your interest in our Howard County RFB 2021001. In order to bid this Project you must be prequalified with the Road & Bridge Department. After reviewing the attached plans if you are interested in bidding please contact me for the prequalification questionnaire. The questionnaire must be returned to us a minimum of 5 days before the bid is due, in order for us to review. We will be taking bids now through January 7, 2021, 10:00 A.M. Your information packet, and specifications are attached. If you have any questions please feel free to contact me at (432) 264-2208 or brian.klinksiek@howardcountytexas.gov

Sincerely,

A handwritten signature in dark ink, appearing to read 'Brian J. Klinksiek'. The signature is written in a cursive, flowing style.

Brian J. Klinksiek P.E., D.R.

Invitation To Bid Howard County RFB 2021001 "2021 Sealcoat"

The Howard County Auditor will accept sealed bids until 10:00 AM on January 7, 2021. This bid requires prequalification with Howard County Road and Bridge Department, specifications may be obtained at that office, 3604 Old Colorado City Road, Big Spring, Texas 79720. The work is to supply labor, materials and equipment to sealcoat various county roads.

Bids may be mailed to the Howard County Auditor, at P.O. Box 1949, Big Spring, Texas 79721-1949 or delivered to the Auditor's Office, Room 202, Howard County Courthouse. **Mark Sealed Envelope "RFB2021001"**

Bids will be presented to the Commissioner's Court at 3:30 PM January 11th for their consideration. The Court reserves the right to reject any or all bids.

Jackie Olson-Howard County Auditor

NOTICE TO BIDDERS RFB 2021001

1. Bids are to be submitted on this form. Be sure to include all pages 1-3. Each bid shall be placed in an envelope, sealed and properly identified with the bid title and delivered to the County Auditor's Office before 10:00 A.M., Thursday, January 11, 2021. Late bids will not be considered under any circumstances. Mark Bids "RFB 2021001".
2. This is a bid to provide materials, labor and equipment to provide a completed project to Howard County. Bidders must be prequalified through the Howard County Road & Bridge Engineer to be opened. Contact Brian Klinksiek, P.E. at (432)-264-2208 to obtain this prequalification. All item must meet 2014 TxDOT Standard Specification. Bid Bond or Check (5% of Bid), and Payment / Performance Bonds are required. Once awarded the County will send the bidder a contract. Insurance coverage limits shall not be less than:
\$ 1,000,000.00 General Aggregate
\$ 1,000,000.00 Products Completed Operations
\$ 1,000,000.00 Personal & Advertising Injury
\$ 1,000,000.00 Each Occurrence
\$ 100,000.00 Fire Damage (Any one Fire)
3. All work shown must be completed on or before September 15, 2021. Traffic control is subsidiary to the various items, however the safety of the traveling public of the utmost importance. Unless authorized in writing by the Howard County Road & Bridge Engineer, the open season for the application of Sealcoat is May 15 to September 30. Sunday work will be only allowed with written permission from the engineer.
4. The quantities in the proposal are approximate. The quantities of work and materials may be increased or decreased as considered necessary to complete the work as planned and contemplated.
5. The County is exempt from Federal Excise Tax, State Tax and Local Tax. Do not include tax in bid. If it is determined that tax was included in the bid, it will not be included in the tabulation or any awards and will be deleted from subsequent invoices.
6. Bids cannot be altered or amended after opening time. Any alterations made before opening time must be signed by the bidder or his agent. No bid can be withdrawn after the opening time without approval of the Commissioners' Court based on reasonable acceptable reason.
7. The County will evaluate the bids and make awards for supplies, materials, services and equipment on the basis of the lowest and best bid, which meet the specifications. Awarded bid will be paid for out of current county funds.
8. The County reserves the right to accept or reject all or any part of any bid and award the bid to best serve the interest of the County.
9. By signing and executing this bid, the bidder certifies and represents to the County that bidder has not offered, conferred or agreed to confer any pecuniary benefit or other thing of value for the receipt of special treatment, advantage, information, recipient's decision, opinion, recommendation, vote or any other exercise of discretion concerning this bid.

NOTICE TO BIDDERS

10. Bidder further certifies and represents that bidder has not violated any State, Federal, Local Law regulations or ordinance relating to bribery, improper influence, collusion, discrimination or other similar crimes and all items or services provided or delivered under and awarded shall conform hereto.
11. Bid unit price on quantity specified, extend and show total. In case of errors in extension, unit price shall govern.
12. Unless otherwise noted, bid prices must be firm for acceptance 60 days from opening date of bid.
13. Howard County Coahoma Independent School District and the City of Coahoma have programed amounts for this project. The Howard County Engineer will represent all governments. All entities reserve the right to add or remove roads after the bid to remain within the programed amounts. These adjustments will be made by change order to adjust quantities only and agreed to by both parties.

DISCLOSURE OF CERTAIN RELATIONSHIPS

Effective January 1, 2006, Chapter 176 of the Texas Local Government Code requires that any vendor or person considering doing business with a local government entity disclose in the Questionnaire Form CIQ, the vendor or person's affiliation or business relationship that might cause a conflict of interest with a local government entity. By law, this questionnaire must be filed with the County Clerk of Howard County no later than the 7th business day after the date the person becomes aware of facts that require the statement to be filed. See Section 176.006, Local Government Code. A person commits an offense if the person violates Section 176.006, Local Government Code. An offense under this section is a Class C misdemeanor.

A copy of the law is available at:

<https://statutes.capitol.texas.gov/Docs/LG/htm/LG.176.htm>

Frequently ask questions are available at:

<https://www.county.org/TAC/media/TACMedia/Legal/Legal%20Publications%20Documents/2019-Disclosure-of-Certain-Business-Relationships.pdf>

The forms for reporting are available at:

<https://www.ethics.state.tx.us/data/forms/conflict/CIQ.pdf>

By submitting a response to this request, the vendor represents that it is in compliance with the requirements of Chapter 176 of the Texas Local Government Code.

Please turn completed forms to the Howard County Auditor's Office located at 300 Main, Room 202 Big Spring, TX or mail to P.O. Box 1949, Big Spring, TX 79721.

HOWARD COUNTY ROAD & BRIDGE DEPARTMENT PLANS OF PROPOSED COUNTY ROAD IMPROVEMENT

LIMITS: VARIOUS LOCATIONS WITHIN HOWARD COUNTY
Precincts 2, 3 & 4 FOR THE CONSTRUCTION OF SEALCOAT
CONSISTING OF APPLICATION OF ASPHALT, AGGREGATE, & TRAFFIC CONTROL

Project Length: 126978 Feet
Project Length: 24.05 Miles



Equations: None
Exceptions: None
Railroad X-ings: None

- 1 Title Sheet
- 2 General Notes
- 3 Estimated Quantities
- 4 Precinct #1 Map & Quantities
- 5 Precinct #2 Map & Quantities
- 6 Precinct #3 Map & Quantities
- 7 Precinct #4 Map & Quantities
- 8 City of Coahoma Map & Quantities
- 9 Coahoma ISD Map & Quantities
- 10-21 BC (1)-14 Through BC (12)-14 *
- 22 TCP (1-2) - 18 *

The standard sheets specifically identified above with an (*) have been selected by me or under my responsible supervision as being applicable to this project.

Brian J. Klinksek
Brian J. Klinksek, P.E.
12/11/2020
Date



Specifications adopted by the Texas Department of Transportation, November 1, 2014 and specification items listed and dated as follows, shall govern on this project:

Final Plans

Date Work Began: _____
Date Work Was Completed: _____
Date Work Was Accepted: _____
Final Contract Cost: _____

Final Plan Certification

Project was built according to the plans and specifications. These final plans represent the work done and the quantities shown thereon and on the final estimate are final quantities.

12/14/2020

Brian J. Klinksek
Brian Klinksek, P.E. Recommended for Letting

Date

12/14/2020

John Cline
John Cline, County Judge, Approved for Letting

Date

12/14/2020

Eddilisa Ray
Eddilisa Ray, Precinct #1, Approved for Letting

Date

12/14/2020

Craig Bailey
Craig Bailey, Precinct #2, Approved for Letting

Date

Jimmie Long
Jimmie Long, Precinct #3, Approved for Letting


Date

12/14/2020

John Cline
John Cline, Precinct #4, Approved for Letting

Date

12/14/2020



Locator Map



Title Sheet

Project #	Precinct	Sheet #
2021001	2, 3 & 4	1

General Notes

All pages of the bid package must be initiated or signed as indicated for a bid to be considered complete. This package has 3 pages

All items reference the Texas Department of Transportation 2014 English Specification Book

Bids will be opened at 10:00 AM January 7, 2021, in the Howard County Auditor's Office. Final acceptance of bids will made be during the regular session of Howard County Commissioner's Court at 3:30 PM January 11, 2021.

In order to qualify to have a bid read the contractor must prove that they have the knowledge and capability to perform the work described herein. Provide the Howard County Road & Bridge (HC R&B) Engineer with a list of personnel, their experience, and references from recent jobs. Traffic control is of the utmost importance for the safety of the traveling public of Howard County. Documentation on traffic control certifications must also be provided. The Engineer will supply to the Auditor a list of all contractors meeting the qualification process before the bid opening. If a contractor has worked for Howard County Road & Bridge within the last 8 years they may request placement on the list based solely on their previous work without the need for documentation.

Delineate stockpiles located in the right of way with 42" cones at 75 foot on center or as approved in writing by the Engineer. Failure to meet this requirement will impact payment of Material on Hand. Stockpiles should maintain a 7 foot clear zone from the edge of pavement. Stockpile placed on TxDOT right of way must conform to the Abilene district stockpile procedure to qualify for payment of Material on hand.

The Engineer has secured stockpile locations and will assist the contractor in locating these locations. These locations are noted on the plans. If the Contractor sees the need for additional stockpile locations the Engineer is willing to assist in locating and securing additional sites. The Contractor is not limited to these locations and may find their own alternate locations. Howard County is not responsible for cleaning these locations and any material left there must be delivered to the Howard County Road & Bridge Yard in Big Spring prior to final payment being made

A Preconstruction conference shall be held at the Howard County Road & Bridge Office, located at 3604 Old Colorado City Road, in order to establish starting date and location. A written notice to proceed will be given at this conference and work may then commence.

Payment for Material on Hand will be allowed. Contractor must submit the supplier's invoice to the Road & Bridge Engineer's office. Road & Bridge will verify quantity in place within Howard County and check for proper traffic control before submitting the invoice to be paid. Materials so submitted and paid become the property of Howard County.

Unless authorized in writing by the Howard County Road & Bridge Engineer, the open season for the application of asphalt is May 1 to September 15. Sunday work will only be allowed with written permission from the engineer.

Howard County has programed \$849,000.00 for the 2021 Sealcoat. The City of Coahoma has programed \$60,000.00 for their portion of the 2021 Sealcoat. Coahoma Independent School District has programed \$73, 000.00 for the 2021 Sealcoat. The quantities in the proposal are approximate. The quantities of work and materials may be increased or decreased as considered necessary to complete the work as planned and contemplated.

Item 316-0003 SEALCOAT COUNTY ROADS (PB Grade 4 Flexible Asphalt)

Aggregate will conform to TxDOT Item 302 Type PB Grade 4. Suggested application rate will be between 100 to 110 SY/CY. Adjustment may be made in field with the agreement of the Engineer.

Asphalt will conform to TxDOT Item 300.2.B: (AC-20-5Tr or AC-15-P) or Item 300.2.I: A-R Binder. Suggested application rate will be between 0.25 to 0.45 Gal/Sy. Adjustment may be made in field with the agreement of the Engineer

Item 316-0004 SEALCOAT COUNTY ROADS (PB Grade 4 Flexible Asphalt)(Strip Seal)

Aggregate will conform to TxDOT Item 302 Type PB Grade 4. Suggested application rate will be between 100 to 110 SY/CY. Adjustment may be made in field with the agreement of the Engineer.

Asphalt will conform to TxDOT Item 300.2.B: (AC-20-5Tr or AC-15-P) or Item 300.2.I: A-R Binder. Suggested application rate will be between 0.25 to 0.45 Gal/Sy. Adjustment may be made in field with the agreement of the Engineer

Item 316-0005 SEALCOAT COUNTY ROADS (PB Grade 3 Flexible Asphalt)

Aggregate will conform to TxDOT Item 302 Type PB Grade 3. Suggested application rate will be between 90 to 100 SY/CY. Adjustment may be made in field with the agreement of the Engineer.

Asphalt will conform to TxDOT Item 300.2.B: (AC-20-5Tr or AC-15-P) or Item 300.2.I: A-R Binder. Suggested application rate will be between 0.55 to 0.75 Gal/Sy. Adjustment may be made in field with the agreement of the Engineer

INTERSECTIONS:


Howard County Road & Bridge maintains an excellent working relationship with the TxDOT Howard County Maintenance Section. By agreement with TxDOT Howard County will shoot inverted prime and or sealcoat up to main lane/shoulder of TxDOT maintained roadways. This is corrective action due to neglect of these areas. It is possible that both agencies will cover the same intersection in the same year. We understand that traffic will have turning motion at those locations, however it is The Road & Bridge Engineer's intention to shoot the intersections and quantities were included as noted. Therefore a \$500.00 penalty will be assessed along with removal of intersection quantities for each intersection not inverted primed and or sealcoated.




General Notes

Project #	Precinct	Sheet #
2021001	2, 3 & 4	2

Location	Estimated Pay Quantities		Estimated Length Quantities		Estimated Cost
	316-0003 SEALCOAT COUNTY ROADS (PB Grade 4 Flexible Asphalt) (SY)	33E-1003 SEALCOAT COUNTY ROADS (PB Grade 4 Flexible Asphalt) (Strip Seal) (SY)	316-0005 SEALCOAT COUNTY ROADS (PB Grade 3 Flexible Asphalt) (SY)	Length of Sealed roadways (Feet) (Miles)	
Precinct #1	-	-	-	-	\$ -
Precinct #2	-	-	197,493	78,566	\$ 560,880.12
Precinct #3	-	10,337	6,917	14,708	\$ 46,520.48
Precinct #4	-	-	84,722	33,704	\$ 240,610.48
Coahoma	23,182	-	-	0	\$ 59,114.10
CISD	28,106	-	-	0	\$ 71,670.30
Total	51,288	10,337	289,132	126,978	\$ 978,795.48



TYPICAL STATE INTERSECTION
DETAIL



TYPICAL INTERSECTION DETAIL




Date 12-11-2020
BRIAN J. KLINKSIECK P.E.



Estimated Quantities

Project #	Precinct	Sheet #
2021001	2, 3 & 4	3

[illegible]

Sheet Notes

★ ★



Must be delineated

100

© 2020		Howard County Road & Bridge
Precinct #2 Map & Quantities		
Project #	Precinct Sheet #	
2021001	2,3 & 4	
	5	


[illegible]

BARRICADE AND CONSTRUCTION (BC) STANDARD SHEETS GENERAL NOTES:

- The Barricade and Construction Standard Sheets (BC sheets) are intended to show typical examples for placement of temporary traffic control devices, construction pavement markings, and typical work zone signs. The information contained in these sheets meet or exceed the requirements shown in the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- The development and design of the Traffic Control Plan (TCP) is the responsibility of the Engineer.
- The Contractor may propose changes to the TCP that are signed and sealed by a licensed professional engineer for approval. The Engineer may develop, sign and seal Contractor proposed changes.
- The Contractor is responsible for installing and maintaining the traffic control devices as shown in the plans. The Contractor may not move or change the approximate location of any device without the approval of the Engineer.
- Geometric design criteria contained in manuals such as the American Association of State Highway and Transportation Officials (AASHTO), "A Policy on Geometric Design of Highways and Streets," the TxDOT "Roadway Design Manual" or engineering judgment.
- When projects about, the Engineer(s) may omit the END ROAD WORK, TRAFFIC FINES DOUBLE, and other advance warning signs if the signing would be redundant and the work areas appear continuous to the motorists. If the adjacent project is completed first, the Contractor shall erect the necessary warning signs as shown on these sheets, the TCP sheets or as directed by the Engineer. The BEGIN ROAD WORK NEXT X MILES sign shall be revised to show appropriate work zone distance.
- The Engineer may require duplicate warning signs on the median side of divided highways where median width will permit and traffic volumes justify the signing.
- All signs shall be constructed in accordance with the details found in the "Standard Highway Sign Designs for Texas," latest edition. Sign details not shown in this manual shall be shown in the plans or the Engineer shall provide a detail to the Contractor before the sign is manufactured.
- The temporary traffic control devices shown in the illustrations of the BC sheets are examples. As necessary, the Engineer will determine the most appropriate traffic control devices to be used.
- As shown on BC(2), the OBEY WARNING SIGNS STATE LAW sign, STAY ALERT TALK OR TEXT LATER (see Sign Detail G20-10T) and the WORK ZONE TRAFFIC FINES DOUBLE sign with plaque shall be erected in advance of the CSJ limits. However, the TRAFFIC FINES DOUBLE sign will not be required on projects consisting solely of mobile operation work, such as striping or milling edge line rumble strips. The BEGIN ROAD WORK NEXT X MILES, CONTRACTOR and END ROAD WORK signs shall be erected at or near the CSJ limits.
- Except for devices required by Note 10, traffic control devices should be in place only while work is actually in progress or a definite need exists.
- The Engineer has the final decision on the location of all traffic control devices.
- Inactive equipment and work vehicles, including workers' private vehicles must be parked away from travel lanes. They should be as close to the right-of-way line as possible, or located behind a barrier or guardrail, or as approved by the Engineer.

WORKER SAFETY APPAREL NOTES:


- Workers on foot who are exposed to traffic or to construction equipment within the right-of-way shall wear high-visibility safety apparel meeting the requirements of ISEA "American National Standard for High-Visibility Apparel," or equivalent revisions, and labeled as ANSI 107-2004 standard performance for Class 2 or 3 risk exposure. Class 3 garments should be considered for high traffic volume work areas or night time work.



COLORS:
FLUORESCENT
BACKGROUND
BLACK
BORDER
AND
LEGEND

ORANGE
FLUORESCENT
BACKGROUND
BLACK
LEGEND,
AND
SYMBOL

3.0" Radius, 1.25" Border, 0.75" Incident, Black on Yellow
[STAY ALERT] Font: D
3.0" Radius, 1.25" Border, 0.75" Incident, Black on Orange
[TALK OR TEXT LATER] Font: C specified length;



SIGN DETAIL (G20-10T)

Only pre-qualified products shall be used. The "Compliant Work Zone Traffic Control Devices List" (CWZTCD) describes pre-qualified products and their sources and may be found on-line at the web address given below or by contacting:

Texas Department of Transportation
Traffic Operations Division - TE
Phone (512) 416-3118

THE DOCUMENTS BELOW CAN BE FOUND ON-LINE AT
<http://www.txdot.gov>

COMPLIANT WORK ZONE TRAFFIC CONTROL DEVICES LIST (CWZTCD)
DEPARTMENTAL MATERIAL SPECIFICATIONS (DMS)
MATERIAL PRODUCER LIST (MPL)
ROADWAY DESIGN MANUAL - SEE "MANUALS (ONLINE MANUALS)"
STANDARD HIGHWAY SIGN DESIGNS FOR TEXAS (SHSD)
TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (TMUTCD)
TRAFFIC ENGINEERING STANDARD SHEETS

SHEET 1 OF 12



BARRICADE AND CONSTRUCTION GENERAL NOTES AND REQUIREMENTS

BC(1)-14

FILED	NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007
NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007
NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007
NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007
NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007	NOV 14 2007

TYPICAL CONSTRUCTION WARNING SIGN SIZE AND SPACING

SIZE		Sign Number or Series	Conventional Road	Expressway/ Freeway	SPACING
Sign	Posted Speed				
CH21	30	CH21	48" x 48"	48" x 48"	100'
CH22	35	CH22	48" x 48"	48" x 48"	120'
CH23	40	CH23	48" x 48"	48" x 48"	160'
CH24	45	CH24	48" x 48"	48" x 48"	240'
CH25	50	CH25	48" x 48"	48" x 48"	320'
CH26	55	CH26	48" x 48"	48" x 48"	400'
CH27	60	CH27	48" x 48"	48" x 48"	500'
CH28	65	CH28	48" x 48"	48" x 48"	600'
CH29	70	CH29	48" x 48"	48" x 48"	700'
CH30	75	CH30	48" x 48"	48" x 48"	800'
CH31	80	CH31	48" x 48"	48" x 48"	900'
CH32	85	CH32	48" x 48"	48" x 48"	1000'

For typical sign spacings on divided highways, expressways and freeways, see Part 6 of the Texas Manual on Uniform Traffic Control Devices (TMUTCD) typical application diagrams or TSP Standard Sheets.

Minimum distance from work area to first advance warning sign nearest the work area and/or distance between each additional sign.

GENERAL NOTES

- Special or larger size signs may be used as necessary.
- Distance between signs should be increased as required to have 1500 feet advance warning.
- Distance between signs should be increased as required to have 1/2 mile or more advance warning.
- 35" x 35" "ROAD WORK AHEAD" (CH20-10) signs may be used on low volume crossroads at the discretion of the Engineer. See Note 2 under "Typical Location of Crossroad Signs".
- Only diamond shaped warning sign sizes are indicated.
- See sign size listing in "TMUTCD". Sign legends or the "Standard Highway Sign Designs for Texas" manual for complete list of available sign design sizes.

LEGEND

—	Type 3 Barricade
—	Channelizing Devices
—	Sign
X	See Typical Construction Warning Sign Size and Spacing chart or the TMUTCD for sign spacing requirements.

SHEET 2 OF 12

Texas Department of Transportation

BARRICADE AND CONSTRUCTION PROJECT LIMIT

BC (2) - 14

FILED: 2021-11-10 PM 1:00:00

DATE: 2021-11-10

TIME: 1:00:00

BY: [Signature]

FOR: [Signature]

PROJECT: [Signature]


DATE: 2021-11-10

TIME: 1:00:00

BY: [Signature]

FOR: [Signature]

PROJECT: [Signature]




CSJ LIMITS AT T-INTERSECTION

- The Engineer will determine the types and location of any additional traffic control devices, such as a flagger and accompanying signs, or other signs, that should be used when work is being performed at or near an intersection.
- If construction closes the road at a T-intersection the Contractor shall place the "CONTRACTOR NAME" (CH20-51) sign behind the Type 3 Barricade (CH20-10) and "ROAD WORK NEXT X MILES" (CH20-10) sign. The "ROAD WORK NEXT X MILES" (CH20-10) sign shall be replaced by the detour sign called for in the plans.

WORK AREAS IN MULTIPLE LOCATIONS WITHIN CSJ LIMITS


- The typical advance signing on a crossroad approach should be a "ROAD WORK AHEAD" (CH20-10) sign and a "ROAD WORK" (CH20-11) sign.
- The Engineer may use the reduced size 35" x 35" "ROAD WORK AHEAD" (CH20-10) sign mounted back to back with the reduced size 35" x 35" "END ROAD WORK" (CH20-12) sign on low volume crossroads (see Note 4 under "Typical Construction Warning Sign Size and Spacing"). See the "Standard Highway Sign Designs for Texas" manual for sign details. The Engineer may omit the advance warning signs on low volume crossroads. The Engineer will determine whether a road is low volume. This information shall be shown on the plans.
- Based on existing field conditions, the Engineer/Inspector may require additional signs such as FLAGGER AHEAD, LOOSE GRAVEL, or other appropriate signs. When additional signs are required, these signs will be considered part of the minimum requirements. The Engineer/Inspector will determine the proper location and spacing of any sign not shown on the BC sheets, Traffic Control Plan sheets or the Work Area Plan sheets.
- The Engineer/Inspector will determine whether a road is low volume. This information shall be shown on the plans.
- Additional traffic control devices may be placed elsewhere in the plans for higher volume crossroads.
- When work occurs in the intersection area, appropriate traffic control devices, as shown elsewhere in the plans or as determined by the Engineer/Inspector, shall be in place.



WORK AREAS IN MULTIPLE LOCATIONS WITHIN CSJ LIMITS

- When extended distances occur between minimal work spaces, the Engineer/Inspector should ensure additional "ROAD WORK AHEAD" (CH20-10) signs are placed in advance of these work areas to remind drivers they are still in the project area. See the applicable TSP sheets for exact location and spacing of signs and channelizing devices.
- When work occurs in the intersection area, appropriate traffic control devices, as shown elsewhere in the plans or as determined by the Engineer/Inspector, shall be in place.

SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING DOWNSTREAM OF THE CSJ LIMITS




CSJ LIMITS AT T-INTERSECTION

- The Engineer will determine the types and location of any additional traffic control devices, such as a flagger and accompanying signs, or other signs, that should be used when work is being performed at or near an intersection.
- If construction closes the road at a T-intersection the Contractor shall place the "CONTRACTOR NAME" (CH20-51) sign behind the Type 3 Barricade (CH20-10) and "ROAD WORK NEXT X MILES" (CH20-10) sign. The "ROAD WORK NEXT X MILES" (CH20-10) sign shall be replaced by the detour sign called for in the plans.

WORK AREAS IN MULTIPLE LOCATIONS WITHIN CSJ LIMITS


- The typical advance signing on a crossroad approach should be a "ROAD WORK AHEAD" (CH20-10) sign and a "ROAD WORK" (CH20-11) sign.
- The Engineer may use the reduced size 35" x 35" "ROAD WORK AHEAD" (CH20-10) sign mounted back to back with the reduced size 35" x 35" "END ROAD WORK" (CH20-12) sign on low volume crossroads (see Note 4 under "Typical Construction Warning Sign Size and Spacing"). See the "Standard Highway Sign Designs for Texas" manual for sign details. The Engineer may omit the advance warning signs on low volume crossroads. The Engineer will determine whether a road is low volume. This information shall be shown on the plans.
- Based on existing field conditions, the Engineer/Inspector may require additional signs such as FLAGGER AHEAD, LOOSE GRAVEL, or other appropriate signs. When additional signs are required, these signs will be considered part of the minimum requirements. The Engineer/Inspector will determine the proper location and spacing of any sign not shown on the BC sheets, Traffic Control Plan sheets or the Work Area Plan sheets.
- The Engineer/Inspector will determine whether a road is low volume. This information shall be shown on the plans.
- Additional traffic control devices may be placed elsewhere in the plans for higher volume crossroads.
- When work occurs in the intersection area, appropriate traffic control devices, as shown elsewhere in the plans or as determined by the Engineer/Inspector, shall be in place.



WORK AREAS IN MULTIPLE LOCATIONS WITHIN CSJ LIMITS

- When extended distances occur between minimal work spaces, the Engineer/Inspector should ensure additional "ROAD WORK AHEAD" (CH20-10) signs are placed in advance of these work areas to remind drivers they are still in the project area. See the applicable TSP sheets for exact location and spacing of signs and channelizing devices.
- When work occurs in the intersection area, appropriate traffic control devices, as shown elsewhere in the plans or as determined by the Engineer/Inspector, shall be in place.


SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING DOWNSTREAM OF THE CSJ LIMITS



TYPICAL APPLICATION OF WORK ZONE SPEED LIMIT SIGNS

Work zone speed limits shall be regulatory, established in accordance with the "Procedures for Establishing Speed Zones," and approved by the Texas Transportation Commission, or by City Ordinance when within Incorporated City Limits.

Reduced speeds should only be posted in the vicinity of work activity and not throughout the entire project. Regulatory work zone speed signs (R2-1) shall be removed or covered during periods when they are not needed.



GUIDANCE FOR USE:

LONG/INTERMEDIATE TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit should be included on the design of the traffic control plans when restricted geometries with a lower design speed are present in the work zone and modification of the geometries to a higher design speed is not feasible.

Long/Intermediate Term Work Zone Speed Limit signs, when approved as described above, should be posted and visible to the motorist when work activity is present. Work activity may also be defined as a change in the roadway that requires a reduced speed for motorists to safely negotiate the work area, including:

- a) rough road or damaged pavement surface
- b) substantial alteration of roadway geometries (diversions)
- c) construction detours
- d) grade
- e) width
- f) other conditions readily apparent to the driver

As long as any of these conditions exist, the work zone speed limit signs should remain in place.

SHORT TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit may be included on the design of the traffic control plans when workers or equipment are not behind concrete barrier, when work activity is within 10 feet of the traveled way or actually in the traveled way.

Short Term Work Zone Speed Limit signs should be posted and visible to the motorists only when work activity is present. When work activity is not present, signs shall be removed or covered. (See Removing or Covering on BC(4)).

GENERAL NOTES

1. Regulatory work zone speed limits should be used only for sections of construction projects where speed control is of major importance.
2. Regulatory work zone speed limit signs shall be placed on supports at a 7 foot minimum mounting height.
3. Speed zone signs are illustrated for one direction of travel and are normally posted for each direction of travel.
4. Frequency of work zone speed limit signs should be:
 - A. 40 mph and greater 0.2 to 2 miles
 - B. 35 mph and less 0.2 to 1 mile
5. Regulatory speed limit signs shall have black legend and border on a white reflective background (See "Reflective Sheeting" on BC(4)).
6. Fabrication, erection and maintenance of the "ADVANCE SPEED LIMIT" (WB-51 sign), "WORK ZONE" (Q20-50P) plaque and the "SPEED LIMIT" (R2-1) signs shall not be paid for directly, but shall be considered subsidiary to Item 502.
7. Turning signs from view, laying signs over or down will not be allowed, unless as otherwise noted under "REMOVING OR COVERING" on BC(4).
8. Techniques that may help reduce traffic speeds include but are not limited to:
 - A. Low enforcement.
 - B. Flagger stationed next to sign.
 - C. Portable changeable message sign (PCMS).
 - D. Low-power, channel radar transmitter.
 - E. Speed monitor trailers or signs.
9. Speeds shown on details above are for illustration only. Work Zone Speed Limits should only be posted as approved for each project.
10. For more specific guidance concerning the type of work, work zone conditions and factors impacting allowable regulatory construction speed zone reduction see TxDOT Form #1204 in the TxDOT e-form system.

SHEET 3 OF 12



**BARRICADE AND CONSTRUCTION
WORK ZONE SPEED LIMIT**

BC(3)-14

FILED	BC-14-000	ON 12/07	REV 12/07	ON 12/07
DATE	12/07	NOVEMBER 2002	DATE	12/07
BY	9-07	8-14	BY	12
POST	12/07	12/07	POST	12/07
REVISION	9-07	8-14	REVISION	12/07
DATE	12/07	12/07	DATE	12/07

[illegible][illegible]

The image contains two technical drawings of octagonal paddles. The top drawing is a 'STOP' paddle with dimensions: overall width 24", overall height 24", hole diameter 6" C, hole offset 10" from the left and bottom edges, and a 10° chamfer at the bottom corners. The bottom drawing is a 'SLOW' paddle with dimensions: overall width 24", overall height 24", hole diameter 6" C, hole offset 10" from the left edge, and a 10° chamfer at the bottom corners. Both drawings include a note: 'Background - driving black'.

1. STOP/SLOW paddles are the primary method to control traffic at a crossing. The STOP/SLOW paddle size should be 24" x 24" as detailed below.

2. When used at night, the STOP/SLOW paddle must be retroreflectORIZED.

3. STOP/SLOW paddles may be attached to a staff with a minimum length of 6" to the bottom of the sign.

4. The STOP or SLOW paddle faces shall only be as specifically inserted in Section 6E.03 Hand Signaling Devices in the MUTCOD.

1. Permanent signs are used to give notice of traffic laws or regulations, call attention to conditions that are potentially hazardous to traffic operations, show route designations, destinations, distances, distances, services, points of interest, and other geographical, recreational, or cultural information. Permanent signs are used to provide information about the highway route and are normally installed on a roadway without construction.
2. When permanent regulatory or warning signs conflict with work zone conditions, the removal or the permanent signs until the permanent sign message matches the roadway condition.
3. When the permanent signs are moved and relocated due to construction purposes, they shall be visible to motorists at all times.
4. If existing signs are to be relocated on their original supports, they shall be installed on a temporary basis as shown on the S&D Street Signs. Signs shall be removed from the original supports and stored on the S&D Street Signs. This work should be paid for under the appropriate pay item for relocating existing signs.
5. If permanent signs are to be removed and relocated using temporary supports, the Contractor shall use the S&D Street Signs as shown on the S&D Street Signs. The signs shall meet the required mounting heights shown on the S&D Street Signs or the S&D Street Signs. This work should be paid for under the appropriate pay item for relocating existing signs.
6. Any sign or traffic control device that is struck or damaged by the Contractor shall be replaced by the Contractor at no cost to the State. The Contractor shall be responsible for the Contractor to ensure proper guidance for the motorists. This will be subsidiary to Item 502.

1. Contractor shall install and maintain signs in a straight and plumb condition and/or as directed by the Engineer.
2. Wooden sign posts shall be painted white.
3. All fences shall NOT be used as sign supports.
4. Erection shall be installed in accordance with the plans or as directed by the Engineer. Signs shall be used to regulate, warn, and control traffic.
5. The Contractor may furnish either the sign design shown in the plans or in the "Standard Highway Sign Designs for Texas" (SHSD). The Engineer/Inspector may require the Contractor to furnish other work zone signs that are shown in the TxDOT but may have been omitted from the plans. Any variation in the plans shall be documented by written agreement between the Engineer and the Contractor & Responsible Person. All changes must be documented by the Engineer and Contractor initials and date the signed upon changes.
6. The Contractor shall furnish all sign supports listed in the "Compliant Work Zone Traffic Control Device List" (CWTCD). The Contractor shall install the sign support in accordance with the manufacturer's recommendations. If there is a question regarding installation procedures, the Contractor shall furnish the Engineer a copy of the manufacturer's installation recommendations so the Engineer can verify the correct installation.
7. The Contractor is responsible for installing signs on approved supports and replacing signs with damaged or cracked substrates and/or damaged or marred reflective sheeting as directed by the Engineer/Inspector.
8. Identification markings may be shown only on the back of the sign supports.
9. For identification shall be 1 inch.
10. Identification shall be 1 inch.
11. Identification shall be 1 inch.
12. Identification shall be 1 inch.
13. Identification shall be 1 inch.
14. Identification shall be 1 inch.
15. Identification shall be 1 inch.
16. Identification shall be 1 inch.
17. Identification shall be 1 inch.
18. Identification shall be 1 inch.
19. Identification shall be 1 inch.
20. Identification shall be 1 inch.
21. Identification shall be 1 inch.
22. Identification shall be 1 inch.
23. Identification shall be 1 inch.
24. Identification shall be 1 inch.
25. Identification shall be 1 inch.
26. Identification shall be 1 inch.
27. Identification shall be 1 inch.
28. Identification shall be 1 inch.
29. Identification shall be 1 inch.
30. Identification shall be 1 inch.
31. Identification shall be 1 inch.
32. Identification shall be 1 inch.
33. Identification shall be 1 inch.
34. Identification shall be 1 inch.
35. Identification shall be 1 inch.
36. Identification shall be 1 inch.
37. Identification shall be 1 inch.
38. Identification shall be 1 inch.
39. Identification shall be 1 inch.
40. Identification shall be 1 inch.
41. Identification shall be 1 inch.
42. Identification shall be 1 inch.
43. Identification shall be 1 inch.
44. Identification shall be 1 inch.
45. Identification shall be 1 inch.
46. Identification shall be 1 inch.
47. Identification shall be 1 inch.
48. Identification shall be 1 inch.
49. Identification shall be 1 inch.
50. Identification shall be 1 inch.
51. Identification shall be 1 inch.
52. Identification shall be 1 inch.
53. Identification shall be 1 inch.
54. Identification shall be 1 inch.
55. Identification shall be 1 inch.
56. Identification shall be 1 inch.
57. Identification shall be 1 inch.
58. Identification shall be 1 inch.
59. Identification shall be 1 inch.
60. Identification shall be 1 inch.
61. Identification shall be 1 inch.
62. Identification shall be 1 inch.
63. Identification shall be 1 inch.
64. Identification shall be 1 inch.
65. Identification shall be 1 inch.
66. Identification shall be 1 inch.
67. Identification shall be 1 inch.
68. Identification shall be 1 inch.
69. Identification shall be 1 inch.
70. Identification shall be 1 inch.
71. Identification shall be 1 inch.
72. Identification shall be 1 inch.
73. Identification shall be 1 inch.
74. Identification shall be 1 inch.
75. Identification shall be 1 inch.
76. Identification shall be 1 inch.
77. Identification shall be 1 inch.
78. Identification shall be 1 inch.
79. Identification shall be 1 inch.
80. Identification shall be 1 inch.
81. Identification shall be 1 inch.
82. Identification shall be 1 inch.
83. Identification shall be 1 inch.
84. Identification shall be 1 inch.
85. Identification shall be 1 inch.
86. Identification shall be 1 inch.
87. Identification shall be 1 inch.
88. Identification shall be 1 inch.
89. Identification shall be 1 inch.
90. Identification shall be 1 inch.
91. Identification shall be 1 inch.
92. Identification shall be 1 inch.
93. Identification shall be 1 inch.
94. Identification shall be 1 inch.
95. Identification shall be 1 inch.
96. Identification shall be 1 inch.
97. Identification shall be 1 inch.
98. Identification shall be 1 inch.
99. Identification shall be 1 inch.
100. Identification shall be 1 inch.
101. Identification shall be 1 inch.
102. Identification shall be 1 inch.
103. Identification shall be 1 inch.
104. Identification shall be 1 inch.
105. Identification shall be 1 inch.
106. Identification shall be 1 inch.
107. Identification shall be 1 inch.
108. Identification shall be 1 inch.
109. Identification shall be 1 inch.
110. Identification shall be 1 inch.
111. Identification shall be 1 inch.
112. Identification shall be 1 inch.
113. Identification shall be 1 inch.
114. Identification shall be 1 inch.
115. Identification shall be 1 inch.
116. Identification shall be 1 inch.
117. Identification shall be 1 inch.
118. Identification shall be 1 inch.
119. Identification shall be 1 inch.
120. Identification shall be 1 inch.
121. Identification shall be 1 inch.
122. Identification shall be 1 inch.
123. Identification shall be 1 inch.
124. Identification shall be 1 inch.
125. Identification shall be 1 inch.
126. Identification shall be 1 inch.
127. Identification shall be 1 inch.
128. Identification shall be 1 inch.
129. Identification shall be 1 inch.
130. Identification shall be 1 inch.
131. Identification shall be 1 inch.
132. Identification shall be 1 inch.
133. Identification shall be 1 inch.
134. Identification shall be 1 inch.
135. Identification shall be 1 inch.
136. Identification shall be 1 inch.
137. Identification shall be 1 inch.
138. Identification shall be 1 inch.
139. Identification shall be 1 inch.
140. Identification shall be 1 inch.
141. Identification shall be 1 inch.
142. Identification shall be 1 inch.
143. Identification shall be 1 inch.
144. Identification shall be 1 inch.
145. Identification shall be 1 inch.
146. Identification shall be 1 inch.
147. Identification shall be 1 inch.
148. Identification shall be 1 inch.
149. Identification shall be 1 inch.
150. Identification shall be 1 inch.
151. Identification shall be 1 inch.
152. Identification shall be 1 inch.
153. Identification shall be 1 inch.
154. Identification shall be 1 inch.
155. Identification shall be 1 inch.
156. Identification shall be 1 inch.
157. Identification shall be 1 inch.
158. Identification shall be 1 inch.
159. Identification shall be 1 inch.
160. Identification shall be 1 inch.
161. Identification shall be 1 inch.
162. Identification shall be 1 inch.
163. Identification shall be 1 inch.
164. Identification shall be 1 inch.
165. Identification shall be 1 inch.
166. Identification shall be 1 inch.
167. Identification shall be 1 inch.
168. Identification shall be 1 inch.
169. Identification shall be 1 inch.
170. Identification shall be 1 inch.
171. Identification shall be 1 inch.
172. Identification shall be 1 inch.
173. Identification shall be 1 inch.
174. Identification shall be 1 inch.
175. Identification shall be 1 inch.
176. Identification shall be 1 inch.
177. Identification shall be 1 inch.
178. Identification shall be 1 inch.
179. Identification shall be 1 inch.
180. Identification shall be 1 inch.
181. Identification shall be 1 inch.
182. Identification shall be 1 inch.
183. Identification shall be 1 inch.
184. Identification shall be 1 inch.
185. Identification shall be 1 inch.
186. Identification shall be 1 inch.
187. Identification shall be 1 inch.
188. Identification shall be 1 inch.
189. Identification shall be 1 inch.
190. Identification shall be 1 inch.
191. Identification shall be 1 inch.
192. Identification shall be 1 inch.
193. Identification shall be 1 inch.
194. Identification shall be 1 inch.
195. Identification shall be 1 inch.
196. Identification shall be 1 inch.
197. Identification shall be 1 inch.
198. Identification shall be 1 inch.
199. Identification shall be 1 inch.
200. Identification shall be 1 inch.
201. Identification shall be 1 inch.
202. Identification shall be 1 inch.
203. Identification shall be 1 inch.
204. Identification shall be 1 inch.
205. Identification shall be 1 inch.
206. Identification shall be 1 inch.
207. Identification shall be 1 inch.
208. Identification shall be 1 inch.
209. Identification shall be 1 inch.
210. Identification shall be 1 inch.
211. Identification shall be 1 inch.
212. Identification shall be 1 inch.
213. Identification shall be 1 inch.
214. Identification shall be 1 inch.
215. Identification shall be 1 inch.
216. Identification shall be 1 inch.
217. Identification shall be 1 inch.
218. Identification shall be 1 inch.
219. Identification shall be 1 inch.
220. Identification shall be 1 inch.
221. Identification shall be 1 inch.
222. Identification shall be 1 inch.
223. Identification shall be 1 inch.
224. Identification shall be 1 inch.
225. Identification shall be 1 inch.
226. Identification shall be 1 inch.
227. Identification shall be 1 inch.
228. Identification shall be 1 inch.
229. Identification shall be 1 inch.
230. Identification shall be 1 inch.
231. Identification shall be 1 inch.
232. Identification shall be 1 inch.
233. Identification shall be 1 inch.
234. Identification shall be 1 inch.
235. Identification shall be 1 inch.
236. Identification shall be 1 inch.
237. Identification shall be 1 inch.
238. Identification shall be 1 inch.
239. Identification shall be 1 inch.
240. Identification shall be 1 inch.
241. Identification shall be 1 inch.
242. Identification shall be 1 inch.
243. Identification shall be 1 inch.
244. Identification shall be 1 inch.
245. Identification shall be 1 inch.
246. Identification shall be 1 inch.
247. Identification shall be 1 inch.
248. Identification shall be 1 inch.
249. Identification shall be 1 inch.
250. Identification shall be 1 inch.
251. Identification shall be 1 inch.
252. Identification shall be 1 inch.
253. Identification shall be 1 inch.
254. Identification shall be 1 inch.
255. Identification shall be 1 inch.
256. Identification shall be 1 inch.
257. Identification shall be 1 inch.
258. Identification shall be 1 inch.
259. Identification shall be 1 inch.
260. Identification shall be 1 inch.
261. Identification shall be 1 inch.
262. Identification shall be 1 inch.
263. Identification shall be 1 inch.
264. Identification shall be 1 inch.

1. The bottom of Long-Term/Intermediate-term signs shall be at least 7 feet, but not more than 9 feet, above the paved surface, except as shown for supplemental plaques mounted below other signs.
2. The bottom of Short-Term/Short Duration signs shall be a minimum of 1 foot above the pavement surface but no more than 2 feet above the pavement surface.
3. Long-Term/Intermediate-term Signs may be installed in lieu of Short-Term/Short Duration Signing.
4. Short-Term/Short Duration signs shall be used only during daylight and shall be removed at the end of the workday or raised to the top of the sign structure.
5. Supplemental Long-Term/Intermediate-term signs shall be mounted at least 7 feet, but not more than 9 feet, above the paved surface regardless of work duration.
6. The Contractor shall furnish the sign sizes shown on BC (2) unless otherwise shown in the plans or as directed by the Engineer.

SIZE OF SIGNS

SLOW SUBSTRATES

1. The Contractor shall ensure the sign substrate is installed in accordance with the manufacturer's recommendations for the type of sign support that is being used. The CRTAC lists each substrate and what types of signs can be used on each.
2. All wooden individual sign panels (featuring two or more plaques) shall have one or more plywood cleats, 1/2" thick by 6" wide, fastened to the back of the sign and extending fully across the sign. The cleat shall be attached to the back of the sign using wood screws that do not penetrate the face of the sign panel. The screws shall be placed on both sides of the cleat and spaced at 6 inches.

1. All signs shall be retroreflective and constructed of meeting the color and retro-reflectivity requirements of MMS-8300 for rigid signs or MMS-8310 for roll-up signs. The web address for MMS specifications is shown on 8C(1).
2. White sheeting, meeting the requirements of MMS-8300 Type A, shall be used for signs with a white background.
3. Orange sheeting, meeting the requirements of MMS-8300 Type B₁ or type C₂, shall be used for rigid signs with orange backgrounds.

SIGN LETTERS

All sign letters and numbers shall be clear, and open rounded type characters (except letters as approved by the Federal Highway Administration) shall be used. Signs shall be "legible" (readable) for at least "normal". Signs, letters and numbers shall be of first class workmanship in accordance with Department Standards and Specifications.

REMOVING OR COVERING

- When signs are covered.
- The sign stationery or intermediate stationary signs installed on square metal tubing may be turned away from traffic 90 degrees whenever they are covered.
- The sign stationery or intermediate stationary signs installed on square metal tubing may be turned away from traffic 90 degrees whenever they are covered.
- The sign stationery or intermediate stationary signs installed on square metal tubing may be turned away from traffic 90 degrees whenever they are covered.

SIGN SUPPORT WEIGHTS

1. Where sign supports require the use of weights to keep from turning over, the use of sandbags with dry, consistency and should be used.
2. The sandbags will be tied shut to keep the sand from spilling out and to maintain a consistent weight.
3. Rock, concrete, iron, steel or other solid objects shall not be permitted for use as sign support weights.

Texas Department of Transportation

SHEET 4 OF 12

Open to Public
Div. 5
Standards

**BARRICADE AND CONSTRUCT
TEMPORARY SIGN NOTES**

BC (4) - 14

1. Sandbags shall be made of a durable material. The sandbags shall be made of a durable material. The sandbags shall be made of a durable material.
2. Sandbags shall be made of a durable material. The sandbags shall be made of a durable material. The sandbags shall be made of a durable material.
3. Sandbags shall be made of a durable material. The sandbags shall be made of a durable material. The sandbags shall be made of a durable material.
4. Sandbags shall be made of a durable material. The sandbags shall be made of a durable material. The sandbags shall be made of a durable material.
5. Sandbags shall be made of a durable material. The sandbags shall be made of a durable material. The sandbags shall be made of a durable material.
6. Sandbags shall be made of a durable material. The sandbags shall be made of a durable material. The sandbags shall be made of a durable material.
7. Sandbags shall be made of a durable material. The sandbags shall be made of a durable material. The sandbags shall be made of a durable material.
8. Sandbags shall be made of a durable material. The sandbags shall be made of a durable material. The sandbags shall be made of a durable material.
9. Sandbags shall be made of a durable material. The sandbags shall be made of a durable material. The sandbags shall be made of a durable material.

[illegible]

The Engineer may approve other messages not specifically covered here.)

100

Road/Lane/Ramp Closure List	Other Condition List

FREeway CLOSED X MILE	ROAD CLOSED AT SH XXXX	FRONTAGE ROAD CLOSED	SHOULDER CLOSED XXX FT	ROAD CLOSED AT FM XXXX	RIGHT X LANES CLOSED	RIGHT X LANES CLOSED	CENTER LANE CLOSED	NIGHT LANE CLOSURES	VARIOUS LANES CLOSED	WALL DRIVEWAY CLOSED	XXXXXXX BLVD CLOSED
					RIGHT X LANES CLOSED	RIGHT X LANES CLOSED	DAYTIME LANE CLOSURES	1--XX SOUTH EXIT LANE CLOSED	EXIT XXX CLOSED X MILE	X LANES CLOSED TUE - FRI	
					RIGHT LN CLOSED XXX FT	RIGHT LN CLOSED XXX FT	RIGHT LN CLOSED XXX FT	RIGHT LN TO BE CLOSED	RIGHT XXX CLOSED X MILE	RIGHT LN TO BE CLOSED	
					SH XXXX	SH XXXX	SH XXXX	SH XXXX	SH XXXX	SH XXXX	
					FLASHER XXX FT	FLASHER XXX FT	FLASHER XXX FT	FLASHER XXX FT	FLASHER XXX FT	FLASHER XXX FT	
					LANE NARROWS XXXX FT	LANE NARROWS XXXX FT	LANE NARROWS XXXX FT	LANE NARROWS XXXX FT	LANE NARROWS XXXX FT	LANE NARROWS XXXX FT	
					TWO-WAY TRAFFIC XX MILE	TWO-WAY TRAFFIC XX MILE	TWO-WAY TRAFFIC XX MILE	TWO-WAY TRAFFIC XX MILE	TWO-WAY TRAFFIC XX MILE	TWO-WAY TRAFFIC XX MILE	
					CONST TRAFFIC XXX FT	CONST TRAFFIC XXX FT	CONST TRAFFIC XXX FT	CONST TRAFFIC XXX FT	CONST TRAFFIC XXX FT	CONST TRAFFIC XXX FT	
					UNEVEN LANES XXXX FT	UNEVEN LANES XXXX FT	UNEVEN LANES XXXX FT	UNEVEN LANES XXXX FT	UNEVEN LANES XXXX FT	UNEVEN LANES XXXX FT	
					ROUGH ROAD XXXX FT	ROUGH ROAD XXXX FT	ROUGH ROAD XXXX FT	ROUGH ROAD XXXX FT	ROUGH ROAD XXXX FT	ROUGH ROAD XXXX FT	
					ROADWORK NEXT FRI-SUN	ROADWORK NEXT FRI-SUN	ROADWORK NEXT FRI-SUN	ROADWORK NEXT FRI-SUN	ROADWORK NEXT FRI-SUN	ROADWORK NEXT FRI-SUN	
					US XXX EXIT X MILES	US XXX EXIT X MILES	US XXX EXIT X MILES	US XXX EXIT X MILES	US XXX EXIT X MILES	US XXX EXIT X MILES	
					LANES SHIFT	LANES SHIFT	LANES SHIFT	LANES SHIFT	LANES SHIFT	LANES SHIFT	

* LANES SHIFT IN PHASE I must be used with STAY IN LANE IN PHASE I

* LANES SHIFT TO PHASE 1 MUST BE USED WITH STAY IN LANE IN PHASE 2;

Action to Take/Effect on Travel	Location	Warning
	list	list

FORM X LINES RIGHT	USE XXXXX RD EXIT	USE EXIT 1-XX X NORTH	USE 1-XX E TO I-XX N	WATCH FOR USE TRUCKS	EXPECT FOR DELAYS	PREPARE TO STOP	END SHOULDER USE	WATCH FOR WORKERS
MERGE RIGHT	DETOUR NEXT X EXITS	USE EXIT XXX	STAY ON US XXX SOUTH	TRUCKS FOR USE US XXX N	WATCH FOR TRUCKS	EXPECT DELAYS	REDUCE SPEED XXX FT	USE OTHER ROUTES
AT FM XXXX	BEFORE RAILROAD CROSSING	NEXT 1-XX X MILES	PAST US XXX EXIT	XXXXXXX TO XXXXXXX	US XXX TO FM XXXX			
SPEED LIMIT XX MPH	MAXIMUM SPEED XX MPH	MINIMUM SPEED XX MPH	ADVISORY SPEED XX MPH	RIGHT LANE EXIT	USE CAUTION	DRIVE TO SAFELY	DRIVE WITH CARE	
TUE-FRI XX AM- X PM	APR XX- XX X PM-X AM	BEGINS MONDAY	BEGINS MAY XX	MAY X-X XX PM - XX AM	NEXT FRI-SUN	XX AM TO XX PM	NEXT TUE AUG XX	TONIGHT XX PM- XX AM

See Application Guidelines Note 6.

1. Only 1 or 2 phrases are to be used on a POMS.
2. The 1st phrase (or both) should be selected from the "Road/One/Road Closure List" and the "Other Condition List".
3. A 2nd phrase can be selected from the "Action to Take/Effect on Travel, Location, General Warning, or Advance Notice Phrase List".

1. Only the first phase may be used on a PADS.
2. The first phase (or both) should be selected from the "Road/On-Ramp Closure List" and the "Other Condition List."
3. A 2nd phase can be selected from the "Action to Take/Effect on Travel, Location, General Warning, or Advance Notice."
4. A Location List is necessary only if a distance or location is not included in the first phase selected.
5. If two PADS are used in sequence, they must be separated by at least 10 minutes. The second PADS is limited to two phases.
6. The second phase should be understandable by the user.
7. For advance notice, the current date is within seven days of the actual work, advance notification should be posted 5 to 7 days of the work. Advance notification should be replaced 5 to 7 days of the work.

1. The words RIGHT, LEFT and ALL can be interchanged as appropriate.
2. Roadway designations NH, US, SH, RM and LP can be interchanged as appropriate.
3. EAST, WEST, NORTH and SOUTH for abbreviations E, W, N and S) can be interchanged as appropriate.
4. ROAD, HIGHWAY and FREWAY can be interchanged as appropriate.
5. ROAD, HIGHWAY and FREWAY may be interchanged on needed.
6. AFD may be used instead of distances if necessary.
7. FT and MI, MILE and MILES interchanged as appropriate.
8. TIME, BEFORE and AFTER may be interchanged as appropriate.
9. DIRECTIONAL HEAD can be eliminated from the message if a location point is used.

PCMS SIGNS WITHIN THE R.O.W. SHALL BE BEHIND GUARDRAIL OR CONCRETE BARRIER OR SHALL HAVE A MINIMUM OF FOUR (4) PLASTIC DRUMS PLACED PERPENDICULAR TO TRAFFIC ON THE UPSTREAM SIDE OF THE PCMS, WHEN EXPOSED TO ONE DIRECTION OF TRAFFIC. WHEN EXPOSED TO TWO WAY TRAFFIC, THE FOUR DRUMS BE PLACED WITH ONE DRUM AT EACH OF THE FOUR CORNERS OF THE

1. When full matrix PDS signs are used, the character height and legibility/visibility requirements shall be maintained as listed in Note 15 under "PORTABLE COMBUSTIBLE MESSAGE SIGNS" above.
2. When signs above, the "Fischer Symbol" (CSD-27), are represented graphically on the full matrix PDS sign and, with the approval of the Engineer, it shall maintain the legibility/visibility requirements listed above.
3. When signs above, the "Fischer Symbol" (CSD-27), are represented graphically on the full matrix PDS, they shall only supplement the use of the static sign represented, and shall not substitute for the static sign.
4. A full matrix PDS may be used to simulate a flashing arrow board provided it meets the visibility, flash rate and dimming requirements on BC(7), for the same sign review.

[illegible][illegible]

The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by T301 for any purpose and/or, however, T301 assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

371
371A

GENERAL NOTES

- For long term stationing work zones on freeways, drums shall be used as the primary channelizing device on freeways, drums should be used as the primary channelizing device on two-lane roads, drums should be used as the primary channelizing device on two-lane roads.
- For intermediate term stationing work zones on freeways, drums should be used as the primary channelizing device on freeways, drums should be used as the primary channelizing device on two-lane roads, drums should be used as the primary channelizing device on two-lane roads.
- For short term stationing work zones on freeways, drums are the preferred channelizing device but may be replaced in tapered, transitions and tangent sections by vertical panels, two-piece cones or one-piece cones as approved by the Engineer.
- Drums and all related materials shall comply with the requirements of the "Standard Specification for Traffic Control Devices" (MUTCD) and the "Traffic Control Devices List" (TCDL).
- Drums, bases, and related materials shall exhibit good workmanship and shall be free from objectionable marks or defects that would adversely affect their appearance or serviceability.
- Drums shall be replaced by the Engineer/Inspector. The replacement device must be an approved device.

GENERAL DESIGN REQUIREMENTS



- Pre-qualified plastic drums shall meet the following requirements:
 - Plastic drums shall be a two-piece design; the "body" of the drum shall be the top portion and the "base" shall be the bottom. The body shall be a minimum of 18 inches in height and the base shall be a minimum of 18 inches in height.
 - The body shall be a minimum of 18 inches in height and the base shall be a minimum of 18 inches in height.
 - Plastic drums shall be constructed of lightweight flexible, and noncombustible materials. The contractor shall not use metal drums or other materials.
 - Drums shall present a profile that is a minimum of 18 inches in height and the base shall be a minimum of 18 inches in height.
 - The top of the drum shall have a built-in handle for easy placement and removal. The handle shall be a minimum of 18 inches in height and the base shall be a minimum of 18 inches in height.
 - The exterior of the drum body shall have a minimum of four alternating orange and white reflective circular retroreflective stripes located on the front and back faces. The stripes shall be a minimum of 18 inches in height and the base shall be a minimum of 18 inches in height.
 - Bases shall have a maximum width of 36 inches, a maximum height of 4 inches, and a minimum of two footcandle of sufficient size to allow base to be held down while supporting the drum body from falling.
 - Drums shall be constructed of high-density polyethylene (HDPE) or other approved material.
 - Drum body shall have a maximum unballasted weight of 11 lbs.
 - Drum and base shall be marked with manufacturer's name and model number.

RETROREFLECTIVE SHEETING

- The stripes used on drums shall be constructed of sheeting meeting the color and retroreflectivity requirements of the "Traffic Control Devices List" (TCDL).
- The sheeting shall be suitable for use on and shall adhere to the drum surface such that, upon impact, the sheeting will not peel or flake off, leaving retroreflective material on the drum surface.


BALLAST

- Unballasted bases shall be large enough to hold up to 50 lbs. of sand, 35 lbs. minimum and 50 lbs. maximum. The ballast may be sand in one piece or three separate bags, each bag shall be 10 lbs. in weight. The ballast shall be placed in the drum body and shall be secured by the drum body. The ballast shall be placed in the drum body and shall be secured by the drum body.
- Bases with built-in ballast shall weigh between 40 lbs. and 50 lbs. A solid rubber base, 12 inches in diameter, shall be used for ballast on drums approved by the Engineer.
- The ballast shall not be heavy objects, water, or any material that would become hazardous to motorists, pedestrians, or workers when the drum is struck by a vehicle.
- When used in regions susceptible to freezing, drums shall have drainage holes in the base to allow water to drain out of the drum.
- Ballast shall not be placed on top of drums.
- Adhesives may be used to secure base of drums to pavement.




DIRECTION INDICATOR BARRICADE

- The Direction Indicator Barricade may be used in tapered, transitions, and other areas where specific directional features are required. The barricade shall be used in series to direct the driver through the transition and into the intended travel lane.
- The barricade shall be constructed of Type B or Type C, Orange retroreflective sheeting on a background of Type B or Type C, Orange retroreflective sheeting above a rail with Type A retroreflective sheeting in alternating 4\"/>



DETECTABLE PEDESTRIAN BARRICADES

- When existing pedestrian facilities are damaged, closed, or otherwise unusable, detectable pedestrian facilities shall be used. The barricade shall be used in series to direct the driver through the transition and into the intended travel lane.
- The barricade shall be constructed of Type B or Type C, Orange retroreflective sheeting on a background of Type B or Type C, Orange retroreflective sheeting above a rail with Type A retroreflective sheeting in alternating 4\"/>



Plywood, Aluminum or Metal sign substrates shall NOT be used on plastic drums

SIGNS, CHEVRONS, AND VERTICAL PANELS MOUNTED ON PLASTIC DRUMS

- Signs used on plastic drums shall be manufactured using substrates listed on the CDOT list.
- Chevrons and other signs shall be manufactured with an orange background and shall be manufactured with Type B or Type C, Orange retroreflective sheeting meeting the color and retroreflectivity requirements specified in the CDOT list.
- Vertical panels shall be manufactured with orange and white alternating meeting the requirements of DMS-4300 Type A Diagonal stripes on vertical panels shall slope down toward the intended travel lane.
- Other sign messages (text or symbols) may be used as approved by the Engineer. Sign dimensions shall not exceed 18 inches in width or 24 inches in height, except for the 18 series signs discussed in note 8 below.
- Signs shall be installed using a 1/2 inch bolt (minimum) through the washers, and one locking washer for each connection.
- Mounting bolts and nuts shall be fully engaged and adequately torqued. Bolts should not extend more than 1/2 inch beyond nuts.
- Chevrons may be placed on drums on the outside of curves, on merging tapers or on shifting tapers. When used in these locations they may be placed on every drum or spaced not more than one drum apart. Chevrons shall be placed on drums should be used on every drum or spaced not more than one drum apart.
- R-9, R-10, R-11 and R-12a Standard Closed signs which are 24 inches wide may be mounted on plastic drums, with approval of the Engineer.






SHEET 8 OF 12



BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC (8) - 14

FILED	30-14-09T	DATE	30-14-09T	BY	30-14-09T	17
REVISION	30-14-09T	DATE	30-14-09T	BY	30-14-09T	17
4-03 7-13	DATE	4-03 7-13	DATE	4-03 7-13	DATE	4-03 7-13
9-07 8-14	DATE	9-07 8-14	DATE	9-07 8-14	DATE	9-07 8-14



GENERAL NOTES

- Work Zone channelizing devices illustrated on this sheet may be installed in close proximity to traffic and are suitable for use on high or low speed roadways. The Engineer/Inspector shall ensure that spacing and placement is uniform and in accordance with the "Texas Manual on Uniform Traffic Control Devices" (TMUD).
- Channelizing devices shown on this sheet may have a 6" width, flared or tapered ends. The Engineer/Inspector shall ensure that the channelizing devices must be specified in the General Notes or other plan sheets.
- Channelizing devices on self-righting supports should be used in work zone areas where channelizing devices are frequently impacted by errant vehicles or vehicle related items making alignment of the channelizing devices difficult to maintain. Locations of these devices shall be marked and the "Compliant Work Zone Traffic Control Devices List" (CWZTD).
- The Contractor shall maintain devices in a clean condition and replace damaged, nonreflective, faded, or broken devices and bases as required by the Engineer/Inspector. The Contractor shall be required to maintain proper device spacing and alignment. Channelizing devices shall be placed on portable bases with a weight of minimum of 30 lbs.
- Pavement surfaces shall be prepared in a manner that ensures proper bonding between the adhesives, the fixed mount bases and the pavement surface.
- The adhesives shall be prepared and applied according to the manufacturer's recommendations.
- The removal and removal of channelizing devices shall not cause detrimental effects to the final pavement surfaces, including pavement surface discoloration or surface integrity. Drivable bases shall not be permitted on final pavement surfaces. The Engineer/Inspector shall approve all application and removal procedures of fixed bases.

Posted Speed	Formula	Minimum Top Lengths	Suggested Maximum Spacing of Channelizing Devices
10'	11'	12'	On a tangent
15'	165'	180'	30'
20'	225'	245'	35'
25'	285'	320'	40'
30'	345'	400'	45'
35'	405'	480'	50'
40'	465'	560'	55'
45'	525'	640'	60'
50'	585'	720'	65'
55'	645'	800'	70'
60'	705'	880'	75'
65'	765'	960'	80'
70'	825'	1040'	85'
75'	885'	1120'	90'
80'	945'	1200'	95'

XXX tower lengths have been rounded off.
L=Length of "tower" (ft.) width of offset (ft.)
S=posted Speed (mph)

SHEET 9 OF 12

TEXAS DEPARTMENT OF TRANSPORTATION

TRAFFIC CONTROL DIVISION

STANDARD

BC (9) - 14

BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

Project: 307-14-001 Date: 10/01/2002
Revision: 1
Drawn by: J. L. Smith
Checked by: J. L. Smith
Approved by: J. L. Smith
Quantity: 1000
Notes: 1. All dimensions are in feet and inches.
2. All dimensions are to the center of the device.
3. All dimensions are to the top of the device.
4. All dimensions are to the bottom of the device.
5. All dimensions are to the side of the device.
6. All dimensions are to the front of the device.
7. All dimensions are to the back of the device.
8. All dimensions are to the top of the device.
9. All dimensions are to the bottom of the device.
10. All dimensions are to the side of the device.
11. All dimensions are to the front of the device.
12. All dimensions are to the back of the device.

1. Refer to the Compliant Mark Zone Traffic Control Devices List (CH2TD) for details of the Type 3 Barricades and a list of all materials used in the construction of Type 3 Barricades.

2. Type 3 barricades shall be used at each end of construction projects closed to all traffic.
3. Type 4 barricades shall be used where roadways shall close in both directions of travel. The roadway should have stripes that slope down in the direction toward which traffic must turn in detouring. When both right and left turns are provided, the Chevron striping may slope downward in both directions from the center of the barricade. The stripes should be spaced at 10 foot intervals and should slope downward in both directions toward the center of roadway, creating a V-shape.
4. Striding of rolls, for the right side of the roadway, should slope downward to the left. For the left side of the roadway, striding should slope downward to the right.
5. Type 5 barricades shall be used where the roadway is closed to one direction of travel. The stripes should slope downward on the side of the roadway, striding across the barricade rolls. The maximum height of letters and/or company logos used for identification shall be 1".
6. Barricades shall not be placed parallel to traffic unless an adequate warning light signal shall be installed on barricades.
7. Warning lights shall not be installed on barricades.
8. Where barricades require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand is recommended. The sandbags will be tied shut to keep the sand from spilling out. The number of sandbags shall be determined by the weight of the barricade. For example, for a 100 lb. barricade, 10 sandbags will be required. The sandbags shall be placed on the bottom corner, covering one portion of a barricade rolls relative to the front. Rock, concrete, iron, steel or other solid objects will NOT be permitted. Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs. The sandbags shall be made of a heavy duty material that will resist tearing and puncturing. The sandbags shall not be used as wheel or support rollers. Rollers shall be made of a heavy duty material that will resist tearing and puncturing. The rollers shall not be used as supports for the device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners.
9. Barricades shall be placed on a firm, level surface. A conforming base shall be used where the surface is not firm, level or conforming. The base shall be placed on a firm, level surface. The base shall be placed on a firm, level surface. The base shall be placed on a firm, level surface.

9" nominal

Minimum width of Reflective Sheet 7 inches.


45°

6°


4' min., 8' max.



Stiffener may be inside or outside of support, but no more than 2 stiffeners shall be allowed on one bar/cable.

[illegible][illegible]

34




28" Cones shall have a minimum weight of 9 1/2 lbs.
42" 2-piece cones shall have a minimum weight of 30 lbs. including base.

1. Traffic cones and tubular markers shall be predominantly orange, and reflective bands shall be reflective white or yellow above.
2. One-piece cones have the body and base of the cone molded in one consolidated unit. Two-piece cones have a cone shaped body and a separate rubber base, or ballast, that is used to keep the device upright and in place.
3. Two-piece cones may have a flange or "lip" extending up to 6" above the minimum height of the cone.
4. Cones or tubular markers used at night shall have white or white and orange reflective bands as shown above. The reflective bands shall have a smooth, sealed surface and meet the requirements of Departmental Material Specification MS-8300 Type A.
5. Traffic marker markers are generally suitable for short duration and short-term stationary work as defined on 8C(4). These should not be used for intermediate-term or long-term stationary work unless personnel is on-site to maintain them in their proper upright position.
6. 42" two-piece cones, vertical panels or drums are suitable for all work zone work.
7. Cones or tubular markers used on each project should be of the same size and shape.

[illegible]

THIS DEVICE SHALL NOT BE USED ON
PROJECTS LET AFTER MARCH 2014.



1. This device is intended for use in a place of a vertical sign, to indicate the location of the edge of the travel lane. It is not intended to be used in transitions or tapers.
2. This device shall not be used to separate lanes of traffic (opposing or otherwise) or warn of curves.
3. This device is based on a 42 inch wide device, one with an alternate color of 2 inches wide, with a minimum of 2 inches between the corresponding 2 inch gap between bands. The color of the band should correspond to the color of the edge line (yellow for left edge line, white for right edge line) for which the device is substituted or for which it supplements. The reflectorized bands shall be retroreflective type 4 conforming to Departmental Material Specification M-8506, and the bands must weigh a minimum of 30 lbs.

BC(10)-14

FILES	Qc-14, Q90	SERIAL	DATE	TIME	BY	REMARKS
© TAOOI	November 2002	CONF	SECRET			
REVIEWS						
9-07 B-14				2021001	Various	
7-13				COUNTY	SHEET NO.	
				Howard	19	

1483230

1. The Contractor shall be responsible for maintaining work zone and existing pavement markings, in accordance with the standard specifications and special provisions, on all roadways open to traffic within the CSU limits and dimensions stated in the plans.
2. Color, pattern and dimensions shall be in conformance with the "Texas Manual on Uniform Traffic Control Devices" (TMUDCD).
3. Additional supplemental pavement marking details may be found in the plans or specifications.

Government must support the political will

5. All end-of-term markings are required on the plans, short-term markings shall conform with the MUTCD, the plans and details as shown on the Standard Plan Sheet TM270PM.
6. When standard pavement markings are not in place and the roadway is closed to traffic, DO NOT PASS signs shall be erected to mark the beginning and the end of the closed roadway. The DO NOT PASS sign shall be placed at the beginning of the section where sealing is permitted.
7. All work zone pavement markings shall be installed in accordance with Item 602, "Work Zone Pavement Markings."

RAISED PAVEMENT MARKERS

1. Raised pavement markers are to be placed according to the patterns on BC112).
2. All raised pavement markers used for work zone markings shall meet the requirements of Item 512, "RAISED PAVEMENT MARKERS" and Departmental Material Specification DMS-4200 or DMS-4300.

PREFABRICATED PAVEMENT MARKINGS

1. Removable prefabricated pavement markings shall meet the requirements of DMS-8241.
2. Non-removable prefabricated pavement markings (fell back) shall meet the requirements of DMS-8240.

MAINTAINING WORK ZONE PAVEMENT MARKINGS

1. The Contractor will be responsible for maintaining work zone pavement markings within the work limits.
2. Work zone pavement markings should be inspected in accordance with the Frequency and Reporting Requirements of work zone traffic control device inspections as required by Form 559.
3. The markings should provide a visible reference for a minimum of 300 feet before the work zone. The markings should be reflective when illuminated by oncoming low-beam headlights at night, unless sight distance is restricted by roadway geometric.
4. Markings failing to meet this criteria within the first 30 days after project start-up will be placed on the list of deficiencies on the Contractor as per Specification Item 602.

REMOVAL OF PAVEMENT MARKINGS


1. Permanent markings that are no longer applicable, could create confusion or prevent a motorist toward or into the closed portion of the roadway shall be removed or obliterated before the roadway is opened to traffic.
2. The above shall not apply to detours in place for less than three days, where flaggers and/or sufficient channelizing devices are used in lieu of markings to outline the detour route.
3. Permanent markings shall be removed to the fullest extent possible, so as not to leave a discernible markings. This shall be by any method approved by TxDOT Specification Item 677 for "Eliminating Existing Permanent Markings and Markers".
4. The removal of pavement markings may require resurfacing or seal coating portions of the roadway as described in Item 677.
5. Subject to the approval of the Engineer, any method that proves to be successful on a particular type pavement may be used.
6. Blot clearing may be used but will not be required unless specifically shown in the plans.
7. Over-painting of the markings SHALL NOT BE permitted.
8. Removal of raised pavement markers shall be as directed by the Engineer.

directly in accordance with Item 677, "ELIMINATING EXISTING PAVEMENT MARKINGS AND MARKERS," unless otherwise stated in the plans.

10. Block-out working tape may be used to cover conflicting existing markings for periods less than two weeks when approved by the Engineer.

2. All raised pavement markings used for work zone and Kings Grant Area the requirements of Item 672, "RAISED PAYMENT MARKERS" and Departmental

Temporary Flexible-Reflective Roadway Marker Tabs



Height of sheeting
is usually more than
1/4" and less than 1".

STAPLES OR NAILS SHALL NOT BE USED TO SECURE
TEMPORARY FLEXIBLE-REFLECTIVE ROADWAY MARKER
TABS TO THE PAVEMENT SURFACE

1. Temporary flexible reflective roadway marker tapes used on guideways shall meet the requirements of DMS-832.
2. Tapes derived on this sheet are to be inspected and accepted by the District Engineer or his representative. The following are the minimum quality requirements, however at the option of the Engineer, either "A" or "B" below may be imposed to assure quality before placement on the roadway.
 - A. Select five (5) or more tabs at random from each lot or shipment and submit to the Construction Division, Materials and Pavement Section to determine compliance completion.
 - B. Select five (5) tabs and perform the following tests. Affix five (5) tabs to a 12 inch wide strip of material on an asphaltic pavement in a straight line, leaving a medium size passenger vehicle or speed run over the markers with the front end rear tire at a speed of 35 to 40 miles per hour, four (4) times in each direction. No more than one (1) out of the five (5) reflective surfaces shall be lost or dislodged as a result of this test.
3. Small design variances may be noted between tab manufacturers.
4. See Standard Sheet WS1375M for tab placement on new pavements. See Standard Sheet WS1376M for tab placement on old pavements.

RAISED PAVEMENT MARKERS USED AS GUIDEMARKS


1. Rolled pavement markers used as guideposts shall be from the approved product list, and meet the requirements of DMS-4220.
2. All temporary construction raised pavement markers provided on a project shall be of the same manufacturer.
3. Adhesive for guideposts shall be bituminous material not applied or buried rubber pad for oil surfaces, or thermoplastic for concrete surfaces.

Guidemarks shall be designated as:
YELLOW - (two amber reflective surfaces with yellow body).
WHITE - (one silver reflective surface with white body).

DEPARTMENTAL MATERIAL SPECIFICATIONS	
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
TRAFFIC BOLLARDS	DMS-4300
EPoxy AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
PERMANENT PRE-ABRIGATED PAVEMENT MARKINGS	DMS-8240
TEMPORARY REMOVABLE, PRE-ABRIGATED PAVEMENT MARKINGS	DMS-8241
TEMPORARY FLEXIBLE, REFLECTIVE ROADWAY MARKER TABS	DMS-8242

A list of praqualified reflective raised pavement markers, non-reflective traffic boufons, roadway marker tabs and other pavement markings can be found at the Material Producer List web address shown on BC(1).

FILE: bc-14.dgn	2-98 9-07		2-98 9-07		2-98 9-07	
© 1997 February 1998	REV:106		REV:106		REV:106	
	DES	SEC1	JOB	DES	SEC1	JOB
	2024004	2024004	Various	2024004	2024004	Various
	20	20	20	20	20	20



LEGEND						
	Type 3 Barricade	■ ■	Channelizing Devices			
	Heavy Work Vehicle		Trailer Mounted Flashing Arrow Board			
	Sign		Traffic Flow			
	Flag		Flagpole			

TYPICAL USAGE				
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
	✓	✓		

GENERAL NOTES

1. Flares attached to signs where they are required.
2. All traffic control devices illustrated are REQUIRED.
3. A triangle symbol may be outlined when stated elsewhere in the plans, or for route maintenance work, when approved by the Engineer.
4. The DMS-4 "BE PROCEED" sign shall be installed after the STOP sign and before the STOP sign if posted.
5. The STOP sign shall be placed at least 100 feet from the intersection.
6. The STOP sign shall be placed at least 100 feet from the intersection.
7. The STOP sign shall be placed at least 100 feet from the intersection.
8. The STOP sign shall be placed at least 100 feet from the intersection.
9. The STOP sign shall be placed at least 100 feet from the intersection.
10. The STOP sign shall be placed at least 100 feet from the intersection.

TCP (1-2a)

1. R-2 "YIELD" sign traffic control may be used on projects with clearances that have adequate sight distances. For projects in urban areas, work zones should be no longer than one half city block. In rural areas on roadways with less than 2000 ADT, work zones should be no longer than 400 feet.
2. R-2 "YIELD" sign with R-2b "NO OVERTAKING TRAFFIC" plaque shall be placed on a support of a 7 foot minimum mounting height.
- TOP (1 - 2b)

TCP (1-20)

3. Flaggers should use battery packs or other means of communication to control traffic.
4. Flaggers should be trained to be aware of the ability of flaggers to communicate.
5. The work space is located near a horizontal or vertical curve, the buffer distances should be increased in order to maintain adequate stopping sight distance to the flagger and a queue of stopped vehicles (see table above).
6. Channelizing devices on the center-line may be omitted when a pilot car is leading traffic and approved by the State Traffic Engineer.
7. Flaggers should be trained to use stop/slow paddles to control traffic. Flags should be limited to emergency situations.

 **Texas Department of Transportation**
Traffic Operations Division Standard

**TRAFFIC CONTROL PLAN
ONE-LANE TWO-WAY
TRAFFIC CONTROL**

TCP(1-2)-18

	BILLS	TOL	2-18-09T	Date	CNT	SLOT	JOB	TOU	Dm	OIL	H/MAYDAY
						CONF	STATUS				
							December 1965				
							REVISED				
							4-08				
							2-12				
							2-18				
							Various				
							COUNTY				
							Howard				
							Sheet No.				
							22				