



November 24, 2020

RE: Invitation to Bid Howard County RFB 2020009 GRH CR 48

Dear Contractor,

Howard County Road & Bridge thanks you for your interest in our Howard County RFB 2020009. In order to bid this Project you must be prequalified with the Road & Bridge Department. After reviewing the attached plans if you are interested in bidding please contact me for the prequalification questionnaire. The questionnaire must be returned to us a minimum of 5 days before the bid is due, in order for us to review. We will be taking bids now through December 23, 2020, 10:00 A.M. Your Bid Packet and specifications will be sent in a separate email once your questionnaire is sent. If you have any questions please feel free to contact me at (432) 264-2208 or brian.klinksiek@howardcountytexas.gov

Sincerely,

A handwritten signature in green ink that reads 'Brian J. Klinksiek'.

Brian J. Klinksiek P.E., D.R.

Invitation To Bid Howard County RFB 2020009 GRH CR 48

The Howard County Auditor will accept sealed bids until 10:00 AM on December 23, 2020. This bid requires prequalification with Howard County Road and Bridge Department, specifications may be obtained at that office, 3604 Old Colorado City Road, Big Spring, Texas 79720. The work is to supply labor, materials and equipment to rehabilitate CR 48 from the FM 1584 to FM 669. Work includes reshaping ditches, widening subgrade, additional base, scarifying and shaping roadway, inverted prime & surface treatment.

Bids may be mailed to the Howard County Auditor, at P.O. Box 1949, Big Spring, Texas 79721-1949 or delivered to the Auditor's Office, Room 202, Howard County Courthouse. **Mark Sealed Envelope "RFB2020009"**

Bids will be presented to the Commissioner's Court at 3:30 PM December 28th for their consideration. The Court reserves the right to reject any or all bids.

Jackie Olson-Howard County Auditor

NOTICE TO BIDDERS RFB 2020009

1. Bids are to be submitted on this form. Be sure to include pages 1-3. Each bid shall be placed in an envelope, sealed and properly identified with the bid title and delivered to the County Auditor's Office before 10:00 A.M., Wednesday, December 23, 2020. Late bids will not be considered under any circumstances. Mark Bids "RFB 2020009".

This is a bid to provide materials, labor and equipment to provide a completed project to Howard County. Bidders must be prequalified through the Howard County Road & Bridge Engineer to be opened. Contact Brian Klinksiek, P.E. at (432)-264-2208 to obtain this prequalification. All item must meet 2014 TxDOT Standard Specification.

Bid Bond or Check (5% of Bid), and Payment / Performance Bonds are required. The successful bidder will be notified within 1 business day. The County will send the bidder a contract. Insurance coverage limits shall not be less than:

\$ 1,000,000.00 General Aggregate
\$ 1,000,000.00 Products Completed Operations
\$ 1,000,000.00 Personal & Advertising Injury
\$ 1,000,000.00 Each Occurrence
\$ 100,000.00 Fire Damage (Any one Fire)

2. All work shown must be completed on or before September 15, 2021. Unless authorized in writing by the Howard County Road & Bridge Engineer, the open season for the application of asphalt is May 1 to September 15. Sunday work will only be allowed with written permission from the engineer.
3. Traffic control is subsidiary to the various items, however the safety of the traveling public of the utmost importance. Project Signage (Name signs, etc.) are not required, except at Centerpoint Rd. However double fines may not be enforceable without work zone signage. The Contract is to make this determination and provide sign with current TxDOT Standards.
4. The quantities in the proposal are approximate. The quantities of work and materials may be increased or decreased as considered necessary to complete the work as planned and contemplated.
5. The County is exempt from Federal Excise Tax, State Tax and Local Tax. Do not include tax in bid. If it is determined that tax was included in the bid, it will not be included in the tabulation or any awards and will be deleted from subsequent invoices.
6. Bids cannot be altered or amended after opening time. Any alterations made before opening time must be signed by the bidder or his agent. No bid can be withdrawn after the opening time without approval of the Commissioners' Court based on reasonable acceptable reason.
7. The County will evaluate the bids and make awards for supplies, materials, services and equipment on the basis of the lowest and best bid, which meet the specifications. Awarded bid will be paid for out of current county funds.
8. The County reserves the right to accept or reject all or any part of any bid and award the bid to best serve the interest of the County.

NOTICE TO BIDDERS RFB 2020009

9. By signing and executing this bid, the bidder certifies and represents to the County that bidder has not offered, conferred or agreed to confer any pecuniary benefit or other thing of value for the receipt of special treatment, advantage, information, recipient's decision, opinion, recommendation, vote or any other exercise of discretion concerning this bid.
10. Bidder further certifies and represents that bidder has not violated any State, Federal, Local Law regulations or ordinance relating to bribery, improper influence, collusion, discrimination or other similar crimes and all items or services provided or delivered under and awarded shall conform hereto.
11. Bid unit price on quantity specified, extend and show total. In case of errors in extension, unit price shall govern.
12. Unless otherwise noted, bid prices must be firm for acceptance 60 days from opening date of bid.
13. Engineer's estimate for this project is \$ 804,773.72

Third page available only to prequalified bidders

DISCLOSURE OF CERTAIN RELATIONSHIPS

Effective January 1, 2006, Chapter 176 of the Texas Local Government Code requires that any vendor or person considering doing business with a local government entity disclose in the Questionnaire Form CIQ, the vendor or person's affiliation or business relationship that might cause a conflict of interest with a local government entity. By law, this questionnaire must be filed with the County Clerk of Howard County no later than the 7th business day after the date the person becomes aware of facts that require the statement to be filed. See Section 176.006, Local Government Code. A person commits an offense if the person violates Section 176.006, Local Government Code. An offense under this section is a Class C misdemeanor.

A copy of the law is available at:

<https://statutes.capitol.texas.gov/Docs/LG/htm/LG.176.htm>

Frequently ask questions are available at:

<https://www.county.org/TAC/media/TACMedia/Legal/Legal%20Publications%20Documents/2019-Disclosure-of-Certain-Business-Relationships.pdf>

The forms for reporting are available at:

<https://www.ethics.state.tx.us/data/forms/conflict/CIQ.pdf>

By submitting a response to this request, the vendor represents that it is in compliance with the requirements of Chapter 176 of the Texas Local Government Code.

Please turn completed forms to the Howard County Auditor's Office located at 300 Main, Room 202 Big Spring, TX or mail to P.O. Box 1949, Big Spring, TX 79721.


HOWARD COUNTY ROAD & BRIDGE DEPARTMENT PLANS OF PROPOSED COUNTY ROAD IMPROVEMENT

Project 2020009
For the Rehabilitation of CR 48 From FM 1584 to FM 669
Consisting of subgrade widening, base, scarifying & shaping, inverted prime, 1 course
surface treatment, and traffic control
Project Length: 21,167 Feet
Project Length: 4.01 Miles

- 1 Title Sheet
- 2 Typical Sections
- 3 General Notes
- 4 Estimated Quantities & Sequence of Work
- 5 Project Work Segments
- 6-17 BC (1)-14 Through BC (12)-14 *
- 18 TCP (1-2) - 18 *
- 19 Storm Water Pollution Prevention Plan (SW3P)
- 20 Environmental Permits, Issues and Commitments (EPIC)
- 21-23 EC(9)-16 Erosion Control logs

The standard sheets specifically identified above with an (*) have been selected by me or under my responsible supervision as being applicable to this project.

Brian J. Klinksieck P.E. 11/21/2020
Date



Locator Map

Final Plans
Date Work Began: _____
Date Work Was Completed: _____
Date Work Was Accepted: _____
Final Contract Cost: _____

Final Plan Certification
Project was built according to the plans and specifications. These final plans represent the work done and the quantities shown thereon, and on the final estimate are final quantities.

Brian J. Klinksieck 11/23/2020
Brian Klinksieck, P.E. Recommended for Letting Date
John Cline 11/23/2020
John Cline, County Judge, Approved for Letting Date
Eddilisa Ray, Precinct #1, Approved for Letting Date 11/23/2020
Craig Bailey, Precinct #2, Approved for Letting Date 11/23/2020
Rimmie Long, Precinct #3, Approved for Letting Date 11/23/2020
John Cline, Precinct #4, Approved for Letting Date 11/23/2020









Title Sheet

Project #	Precinct	Sheet #
2020009	4	1

Equations: None
Exceptions: None
Railroad X-ings: None

Specifications adopted by the Texas Department of Transportation, November 1, 2014 and specification items listed and dated as follows, shall govern on this project:



11-21-2020 Date
 Brian J. Klinksiek P.E.



Typical Sections

Project #	Precinct	Sheet #
2020009	4	2

General Notes

All pages of the bid package must be initialed or signed as indicated for a bid to be considered complete. This package has 3 pages

All items reference the Texas Department of Transportation 2014 English Specification Book

Bids will be opened at 10:00 AM December 23, 2020 in the Howard County Auditor's Office. Final acceptance of bids will be made during the regular session of Howard County Commissioner's Court at 3:30 PM December 28, 2020.

In order to qualify to have a bid read the contractor must prove that they have the knowledge and capability to perform the work described herein. Provide the Howard County Road & Bridge (HC R&B) Engineer with a list of personnel, their experience, and references from recent jobs. Traffic control is of the utmost importance for the safety of the traveling public of Howard County. Documentation on traffic control certifications must also be provided. The Engineer will supply to the Auditor a list of all contractors meeting the qualification process before the bid opening. If a contractor has worked for Howard County Road & Bridge within the last 8 years they may request placement on the list based solely on their previous work without the need for documentation.

Delineate stockpiles located in the right of way with 42" cones at 75 foot on center or as approved in writing by the Engineer. Failure to meet this requirement will impact payment of Material on Hand. Stockpiles should maintain a 7 foot clear zone from the edge of pavement. Stockpile placed on TxDOT right of way must conform to the Abilene district stockpile procedure to qualify for payment of Material on hand.

The Engineer has secured stockpile locations and will assist the contractor in locating these locations. These locations are noted on the plans. If the Contractor sees the need for additional stockpile locations the Engineer is willing to assist in locating and securing additional sites. The Contractor is not limited to these locations and may find their own alternate locations. Howard County is not responsible for cleaning these locations and any material left there must be delivered to the Howard County Road & Bridge Yard in Big Spring prior to final payment being made

A Preconstruction conference shall be held at the Howard County Road & Bridge Office, located at 3604 Old Colorado City Road, in order to establish starting date and location. A written notice to proceed will be given at this conference and work may then commence.

Payment for Material on Hand will be allowed. Contractor must submit the supplier's invoice to the Road & Bridge Engineer's office. Road & Bridge will verify quantity in place within Howard County and check for proper traffic control before submitting the invoice to be paid. Materials so submitted and paid become the property of Howard County.

Unless authorized in writing by the Howard County Road & Bridge Engineer, the open season for the application of inverted asphalt is May 1 to September 15. Sunday work will only be allowed with written permission from the engineer.

Unless authorized in writing by the Howard County Road & Bridge Engineer, the open season for the application of inverted prime is September 30 to May 15. Sunday work will only be allowed with written permission from the engineer.

Howard County has programed funds from the current fiscal year budget for the completion of this project. The quantities in the proposal are approximate. The quantities of work and materials may be increased or decreased as considered necessary to complete the work as planned and contemplated.

Item 247-6043 FL BS (CMP IN PLC)(TY A GR 3)(FINAL POS)

- Aggregate: Furnish uncontaminated materials of uniform quality that meet the requirements of the plans and specifications. Notify the Engineer of the proposed material sources and of changes to material sources. The Engineer may sample and test project materials at any time before compaction throughout the duration of the project to assure specification compliance
- Water: Howard County will make available its water stations for use by the contractor. Water for this project is located at the intersection of SH 350 & CR 35
- Compaction: Howard County will use a third party testing service to check the density of the work performed in accordance with the TxDOT testing schedule for this item.

Item 310-9000 RC 250, GR-5 INVERT PRIME

Aggregate will conform to Howard County Item 302M Type Grade 5. Suggested application rate will be between 120 to 130 SY/CY. Adjustment may be made in field with the agreement of the Engineer.

Asphalt will conform to TxDOT Item 300.2.B: (RC-250). Suggested application rate will be between 0.25 to 0.35 Gal/Sy. Adjustment may be made in field with the agreement of the Engineer

Item 316-6005 SEALCOAT COUNTY ROADS (PB Grade 3 Flexible Asphalt)

Aggregate will conform to TxDOT Item 302 Type PB Grade 3. Suggested application rate will be between 90 to 100 SY/CY. Adjustment may be made in field with the agreement of the Engineer.

Asphalt will conform to TxDOT Item 300.2.B: (AC-20-5Tr or AC-15-P) or Item 300.2.I: A-R Binder. Suggested application rate will be between 0.55 to 0.75 Gal/Sy. Adjustment may be made in field with the agreement of the Engineer

INTERSECTIONS:

Howard County Road & Bridge maintains an excellent working relationship with the TxDOT Howard County Maintenance Section. By agreement with TxDOT Howard County will shoot inverted prime and or sealcoat up to main lane/shoulder of TxDOT maintained roadways. This is corrective action due to neglect of these areas. It is possible that both agencies will cover the same intersection in the same year. We understand that traffic will have turning motion at those locations, however it is The Road & Bridge Engineer's intention to shoot the intersections and quantities were included as noted. Therefore a \$500.00 penalty will be assessed along with removal of intersection quantities for each intersection not inverted primed and or sealcoated.

Engineer's Estimate:

Howard County Road & Bridge Engineer's estimate is \$ 804,773.72




ANY TxDOT ROADWAY

TYPICAL STATE INTERSECTION DETAIL



General Notes

Project #	Precinct	Sheet #
2020009	4	3



11-21-2020 Date

Brian J. Klinskiesk P.E.
BRIAN J. KLINSKIESK

© 2020 **H** Howard County
Road & Bridge

Project Work Segments


Project #	Precinct	Sheet #
2020009	4	5

BARRICADE AND CONSTRUCTION (BC) STANDARD SHEETS GENERAL NOTES:


- The Barricade and Construction Standard Sheets (BC sheets) are intended to show typical examples for placement of temporary traffic control devices, construction pavement markings, and typical work zone signs. The information contained in these sheets meet or exceed the requirements shown in the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- The development and design of the Traffic Control Plan (TCP) is the responsibility of the Engineer.
- The Contractor may propose changes to the TCP that are signed and sealed by a licensed professional engineer for approval. The Engineer may develop, sign and seal Contractor proposed changes.
- The Contractor is responsible for installing and maintaining the traffic control devices as shown in the plans. The Contractor may not move or change the approximate location of any device without the approval of the Engineer.
- Geometric design criteria contained in manuals such as the American Association of State Highway and Transportation Officials (AASHTO), "A Policy on Geometric Design of Highways and Streets," the TxDOT "Roadway Design Manual" or engineering judgment.
- When projects about, the Engineer(s) may omit the END ROAD WORK, TRAFFIC FINES DOUBLE, and other advance warning signs if the signing would be redundant and the work areas appear continuous to the motorists. If the adjacent project is completed first, the Contractor shall erect the necessary warning signs as shown on these sheets, the TCP sheets or as directed by the Engineer. The BEGIN ROAD WORK NEXT X MILES sign shall be revised to show appropriate work zone distance.
- The Engineer may require duplicate warning signs on the median side of divided highways where median width will permit and traffic volumes justify the signing.
- All signs shall be constructed in accordance with the details found in the "Standard Highway Sign Designs for Texas," latest edition. Sign details not shown in this manual shall be shown in the plans or the Engineer shall provide a detail to the Contractor before the sign is manufactured.
- The temporary traffic control devices shown in the illustrations of the BC sheets are examples. As necessary, the Engineer will determine the most appropriate traffic control devices to be used.
- As shown on BC(2), the OBEY WARNING SIGNS STATE LAW sign, STAY ALERT TALK OR TEXT LATER (see Sign Detail G20-10T) and the WORK ZONE TRAFFIC FINES DOUBLE sign with plaque shall be erected in advance of the CSJ limits. However, the TRAFFIC FINES DOUBLE sign will not be required on projects consisting solely of mobile operation work, such as striping or milling edgeline rumble strips. The BEGIN ROAD WORK NEXT X MILES, CONTRACTOR and END ROAD WORK signs shall be erected at or near the CSJ limits.
- Except for devices required by Note 10, traffic control devices should be in place only while work is actually in progress or a definite need exists.
- The Engineer has the final decision on the location of all traffic control devices.
- Inactive equipment and work vehicles, including workers' private vehicles must be parked away from travel lanes. They should be as close to the right-of-way line as possible, or located behind a barrier or guardrail, or as approved by the Engineer.

WORKER SAFETY APPAREL NOTES:

- Workers on foot who are exposed to traffic or to construction equipment within the right-of-way shall wear high-visibility safety apparel meeting the requirements of ISEA "American National Standard for High-Visibility Apparel," or equivalent revisions, and labeled as ANSI 107-2004 standard performance for Class 2 or 3 risk exposure. Class 3 garments should be considered for high traffic volume work areas or night time work.



COLORS:
FLUORESCENT
BACKGROUND
BLACK
BORDER AND
LEGEND
ORANGE
FLUORESCENT
BACKGROUND
BLACK
LEGEND,
BORDER AND
SYMBOL



SIGN DETAIL (G20-10T)

Only pre-qualified products shall be used. The "Compliant Work Zone Traffic Control Devices List" (CWZTCD) describes pre-qualified products and their sources and may be found on-line at the web address given below or by contacting:

Texas Department of Transportation
Traffic Operations Division - TE
Phone (512) 416-3118

THE DOCUMENTS BELOW CAN BE FOUND ON-LINE AT
<http://www.txdot.gov>

COMPLIANT WORK ZONE TRAFFIC CONTROL DEVICES LIST (CWZTCD)
DEPARTMENTAL MATERIAL SPECIFICATIONS (DMS)
MATERIAL PRODUCER LIST (MPL)
ROADWAY DESIGN MANUAL - SEE "MANUALS (ONLINE MANUALS)"
STANDARD HIGHWAY SIGN DESIGNS FOR TEXAS (SHSD)
TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (TMUTCD)
TRAFFIC ENGINEERING STANDARD SHEETS

SHEET 1 OF 12

Texas Department of Transportation

BARRICADE AND CONSTRUCTION

GENERAL NOTES

AND REQUIREMENTS


BC(1)-14

FILED	NOV-14-2002	NOV 14 2002	NOV 14 2002	NOV 14 2002
NOV 14 2002	NOV 14 2002	NOV 14 2002	NOV 14 2002	NOV 14 2002
NOV 14 2002	NOV 14 2002	NOV 14 2002	NOV 14 2002	NOV 14 2002
NOV 14 2002	NOV 14 2002	NOV 14 2002	NOV 14 2002	NOV 14 2002

TYPICAL APPLICATION OF WORK ZONE SPEED LIMIT SIGNS

Work zone speed limits shall be regulatory, established in accordance with the "Procedures for Establishing Speed Limits," and approved by the Texas Transportation Commission, or by City Ordinance when within incorporated City Limits.

Reduced speeds should only be posted in the vicinity of work activity and not throughout the entire project. Regulatory work zone speed signs (R2-1) shall be removed or covered during periods when they are not needed.



GUIDANCE FOR USE:

LONG/INTERMEDIATE TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit should be included on the design of the traffic control plans when restricted geometrics with a lower design speed are present in the work zone and modification of the geometrics to a higher design speed is not feasible.

Long/Intermediate Term Work Zone Speed Limit signs, when approved as described above, should be posted and visible to the motorist when work activity is present. Work activity may also be defined as a change in the roadway that requires a reduced speed for motorists to safely negotiate the work area, including:

- a) rough road or damaged pavement surface
- b) substantial alteration of roadway geometrics (diversions)
- c) construction detours
- d) grade
- e) width
- f) other conditions readily apparent to the driver

As long as any of these conditions exist, the work zone speed limit signs should remain in place.

SHORT TERM WORK ZONE SPEED LIMITS


This type of work zone speed limit may be included on the design of the traffic control plans when workers or equipment are not behind concrete barrier, when work activity is within 10 feet of the traveled way or actually in the traveled way.

Short Term Work Zone Speed Limit signs should be posted and visible to the motorists only when work activity is present. When work activity is not present, signs shall be removed or covered. (See Removing or Covering on BC(4)).

GENERAL NOTES

1. Regulatory work zone speed limits should be used only for sections of construction projects where speed control is of major importance.
2. Regulatory work zone speed limit signs shall be placed on supports at a 7 foot minimum mounting height.
3. Speed zone signs are illustrated for one direction of travel and are normally posted for each direction of travel.
4. Frequency of work zone speed limit signs should be:
 - 40 mph and greater 0.2 to 2 miles
 - 35 mph and less 0.2 to 1 mile
5. Regulatory speed limit signs shall have black legend and border on a white reflective background (See "Reflective Sheet" on BC(4)).
6. Fabrication, erection and maintenance of the "ADVANCE SPEED LIMIT" (CH-5) sign, "WORK ZONE" (G20-5aP) plaque and the "SPEED LIMIT" (R2-1) signs shall not be paid for directly, but shall be considered subsidiary to item 502.
7. Turning signs from view, laying signs over or down will not be allowed, unless as otherwise noted under "REMOVING OR COVERING" on BC(4).
8. Techniques that may help reduce traffic speeds include but are not limited to:
 - A. Low enforcement.
 - B. Flagger stationed next to sign.
 - C. Portable changeable message sign (PCMS).
 - D. Low-power (dome) radar transmitter.
 - E. Speed monitor trailers or signs.
9. Speeds shown on details above are for illustration only. Work Zone Speed Limits should only be posted as approved for each project.
10. For more specific guidance concerning the type of work, work zone conditions and factors impacting allowable regulatory construction speed zone reduction see TxDOT Form #1204 in the TxDOT e-Form system.

SHEET 3 OF 12



BARRICADE AND CONSTRUCTION WORK ZONE SPEED LIMIT

BC(3)-14

FILED	BC-14.02M	ON TxDOT	ON TxDOT	ON TxDOT	ON TxDOT
REVISED	NOVEMBER 2002	REVISED	REVISED	REVISED	REVISED
DATE	9-07	DATE	8-14	DATE	7-13
BY	7-13	BY	7-13	BY	7-13
COUNTY	ROWLAND	COUNTY	ROWLAND	COUNTY	ROWLAND
SHEET NO.	5	SHEET NO.	5	SHEET NO.	5

shall not protrude above sign

WORK ZONE
TRAFFIC FINES DOUBLE
AHEAD

Sign supports shall extend more than 1 1/2" way up the back of the sign above the sign substrates.

Support shall not protrude above sign

FRONT ELEVATION
Wood, metal or Fiber Reinforced Plastic

FRONT ELEVATION
Wood

Nuts shall NOT be allowed. Each sign shall be attached directly to the sign support. Multiple signs shall not be joined or spliced by any means. Wood supports shall not be extended or repaired by splicing or other means.

1. Permanent signs are used to give notice of traffic laws or regulations, call attention to conditions that are potentially hazardous to traffic operations, show route designations, destination, distances, directions, services, points of interest, and other geographical, recreational, or cultural information. Drivers proceeding through work zones must follow the posted route.
2. Temporary signs are used to warn motorists of work zones and other route conditions that may affect traffic flow without construction. When permanent regulatory or warning signs conflict with work zone conditions, remove or cover the permanent signs until the permanent sign message matches the roadway condition.
3. Temporary signs are removed and relocated due to construction purposes. They shall be visible to motorists at all times.
4. If existing signs are to be relocated to their original supports, they shall be installed on archedway bases as shown on the S&P Standard sheets. The signs shall be removed from the existing supports and stored in the Contractor's storage yard. This work should be paid for under the appropriate pay item for relocating existing signs.
5. If permanent signs are to be removed and relocated using temporary supports, the Contractor shall use archway supports at all locations shown on the S&P Standard sheets. The signs shall be removed from the existing supports and stored in the Contractor's storage yard. This work should be paid for under the appropriate pay item for relocating existing signs.
6. Any sign or traffic control device that is struck or damaged by the Contractor shall be replaced by the Contractor at no cost to the State. The Contractor shall ensure proper guidance for the motorists. This will be subsidiary to Item 502.

1. STOP/SLOW postures are the primary method to control traffic by flagmen. The STOP/SLOW paddle size should be 24" x 24" as detailed below.
2. When used at night, the STOP/SLOW paddle must be illuminated by a light source.
3. STOP/SLOW postures may be attached to a staff with a minimum length of 6" to the bottom of the sign.
4. Any lights incorporated into the STOP or SLOW paddle faces shall only be as specifically described in Section BE-03 Hand Signaling Devices in the TMDb.

1. Contractor shall install and maintain signs in a straight and plumb condition and/or as directed by the Engineer.
2. Wooden sign posts shall be painted white.
3. Berr-Coates shall NOT be used as sign supports.
4. All signs shall be installed in accordance with the plans or as directed by the Engineer. Signs shall be used to regulate, warn, and control traffic.
5. The Contractor may furnish either the sign design shown in the plans or in the "Standard Highway Sign Designs for Texas" (SHSD). The Engineer/Inspector may require the Contractor to furnish other work zone signs that are shown in the MUTCD but may have been omitted from the plans. Any variation in the plans shall be documented by written agreement between the Engineer and the Contractor's Responsible Person. It is changed and approved by the Engineer and Contractor. Initial and date the agreed upon changes.
6. The Contractor shall furnish sign supports listed in the "Compliant Work Zone Traffic Control Device List" (CWTCDL). The Contractor shall install the sign support in accordance with the manufacturer's recommendations. If there is a question regarding installation procedures, the Contractor shall furnish the Engineer a copy of the manufacturer's installation recommendations so the Engineer can verify the correct installation.
7. The contractor is responsible for installing signs on approved supports and replacing signs with damaged or cracked substrates and/or damaged or mottled reflective sheeting as directed by the Engineer/Inspector.
8. Identification markings may be shown only on the back of the sign substrate.
9. The Contractor shall reflect the following wood posts, new or damaged wood sign posts shall not be sold:
 - a. **Vertical posts shall reflect by the "Texas Manual on Uniform Traffic Control Devices" (Part 6).**
10. The types of sign supports, sign mounting height, the size of signs, and the type of sign substrates can vary based on the type of work being performed. The Engineer is responsible for selecting the appropriate size sign for the type of work being performed. The Contractor is responsible for ensuring the sign support, sign mounting height and substrate meets manufacturer's recommendations in regard to cross-strength and duration of work requirements.
11. The Contractor shall maintain the work zone for a minimum of 3 days.
 - a. Unimproved one-lane stationery - work that occupies a location more than one daylight period up to 3 days, or nighttime work lasting more than one hour.
 - b. Short-term stationery - daytime work that occupies a location for more than 1 hour in a single daylight period.
 - c. Mobile work that moves continuously - work that occupies a location for up to approximately 15 minutes.
 - d. Mobile work that moves continuously - work that occupies a location for up to approximately 15 minutes.

1. The bottom of Long-term/Intermediate-term signs shall be at least 7 feet, but not more than 9 feet, above the paved surface, except as shown for supplemental plaques mounted below other signs.
2. The bottom of Short-term/Start-Duration signs shall be a minimum of 1 foot above the pavement surface but no more than 2 feet above the bottom of Long-term/Intermediate-term signs shall be used in lieu of Short-term/Start-Duration signing.
3. Long-term/Intermediate-term signs may be placed in lieu of Short-term/Start-Duration signing.
4. Short-term/Start-Duration signs shall be used only during day/night and shall be removed at the end of the workday or raised to appropriate Long-term/Intermediate-term sign height.
5. Regulatory signs shall be mounted at least 7 feet, but not more than 9 feet, above the paved surface regardless of work duration.

Signage shall comply with the sign sizes shown on BC (2) unless otherwise shown in the plans or as directed by the Engineer.

The Contractor shall ensure the OMTD is installed in accordance with the manufacturer's recommendations for the type of sign support that is being used. The OMTD lists each substrate that can be used on the different types and models of sign supports.

3. "Mesh" type materials are NOT an approved sign substrate, regardless of the tightness of the weave.

4. All wooden individual sign panels are fastened from 2 or more places shall have one or more plywood cleats, 1/2" thick by 6" wide, fastened to the back of the sign and installed fully across. The sign shall be placed on both sides of the sign and spaced at 5' intervals. Do not penetrate the faces of the sign. The sign shall be placed on both sides of the sign and spaced at 5' intervals. Do not penetrate the faces of the sign. The sign shall be placed on both sides of the sign and spaced at 5' intervals.

1. All signs shall be retroreflective and constructed of sheeting meeting the color and retro-reflectivity requirements of DMS-8300 for rigid signs or DMS-8310 for roll-up signs. The web address for DMS specifications is shown on BC111.
2. White sheeting, meeting the requirements of DMS-8300 Type A₁, shall be used for signs with a white background.
3. Orange sheeting, meeting the requirements of DMS-8300 Type B₂ or Type G₁, shall be used for rigid signs with orange backgrounds.

1. All sign letters and numbers shall be clear, and open rounded type uppercase alphabet letters as approved by the Federal Highway Administration (FHWA) and as published in the "Standard Highway Sign Design for Texas" manual. Signs, letters and numbers shall be of first class workmanship in accordance with Department Standards and Specifications.

1. When sign messages may be confusing or do not apply, the signs shall be removed or completely covered.
2. Long-term stationary or intermediate stationary signs installed on square metal tubing may be turned away from traffic 90 degrees when the sign message is not applicable. This technique may not be used for signs installed in the median of divided highways or near any intersection where the sign may be seen from approaching traffic.

3. Signs fabricated of wooden strips shall not be turned up or be angled to the roadway.
4. When signs are covered, the material used shall be opaque, such as heavy mil black plastic, or other materials which will cover the entire sign face and maintain their opaque properties under automobile headlights at night, without camouflaging the sign sheeting.
5. Burlap shall not be used to cover signs.

7. Signs and anchor studs shall be removed and holes backfilled upon completion of work.

1. Where sign supports require the use of weights to keep from turning over,

2. The sludge will be tried again to keep the same from getting and to maintain a constant weight.

for use as sign support weights.

Impact, Rubber (such as tire inner tubes) shall NOT be used.

ballast on portable sign supports. Sign supports designed and manufactured

7. Signals shall only be placed along or over the base support of the traffic control device and shall not be suspended above ground level or

along the length of the skids to weigh down the sign support.



sign support is placed on support

FLAGS ON SIGNS

FILE	DO	TXDOT	CA	TXDOT	SM	TXDOT
DO-14.dgm						


2. Flags may be used to draw attention to warning signs and shall be 16 inches square or larger and shall be orange or fluorescent

[illegible]




GROUND MOUNTED SIGN SUPPORTS

SKID MOUNTED WOOD SIGN SUPPORTS



Minimum Post Size	Number of Posts	Maximum Sq. Feet of Sign Face	Minimum Soil Embedment	Drilled Holes(s) Required
4 x 4	1	12	36"	NO
4 x 4	2	21	36"	NO
4 x 6	1	21	36"	YES
4 x 6	2	36	36"	YES



WHEN NOT IN USE, REMOVE THE PQMS FROM THE RIGHT-OF-WAY OR PLACE THE PQMS BEHIND BARRIER OR GUARDRAIL WITH SIGN PANEL TURNED PARALLEL TO TRAFFIC

Phase 1: Condition Lists Phase 2: Possible Component Lists

- | Phase 2: Possible Component Lists | | |
|---|------------------------|-------------------------------|
| Action to Take/Effect on Travel
List | Location
List | Warning
List |
| MERGE RIGHT | FORM X LINES RIGHT | SPEED LIMIT XX MPH |
| DETOUR NEXT X EXITS | USE XXXXX RD EXIT | MAXIMUM SPEED XX MPH |
| USE EXIT xxx | USE EXIT I-xxx NORTH | MINIMUM SPEED xx MPH |
| STAY ON US xxx SOUTH | USE I-xxx E TO I-xxx N | ADVISORY SPEED xx MPH |
| TRUCKS USE US xxx N | WATCH FOR TRUCKS | RIGHT LANE EXIT |
| WATCH FOR TRUCKS | EXPECT DELAYS | USE CAUTION |
| EXPECT DELAYS | PREPARE TO STOP | DRIVE SAFELY |
| REDUCE SPEED XXX FT | END SHOULDER USE | DRIVE WITH CARE |
| USE OTHER ROUTES | WATCH FOR WORKERS | |
| | | TUE-FRI
XX AM-X PM |
| | | APR XX-
XX AM
X PM-X AM |
| | | BEGINS MONDAY |
| | | BEGINS MAY XX |
| | | MAY X-X
XX PM -
XX AM |
| | | NEXT FRI-SUN |
| | | XX AM
TO
XX PM |
| | | NEXT TUE
AUG XX |
| | | TONIGHT
XX PM-
XX AM |

Phase 2: Possible Component Lists

Action to Take/Effect on Travel	Location	Warning	* Advance Notice List
MERGE RIGHT	FORM X LINES RIGHT	SPEED LIMIT XX MPH	TUE-FRI XX AM-X PM
DETOUR NEXT X EXITS	USE XXXXX RD EXIT	MAXIMUM SPEED XX MPH	APR XX-X PM-X AM
USE EXIT XXX	USE EXIT I-XX NORTH	MINIMUM SPEED XX MPH	BEGINS MONDAY
STAY ON US XXX SOUTH	USE I-XXX E TO I-XX N	ADVISORY SPEED XX MPH	BEGINS MAY XX
TRUCKS USE US XXX N	WATCH FOR TRUCKS	RIGHT LANE EXIT	MAY X-X XX PM-XX AM
WATCH FOR TRUCKS	EXPECT DELAYS	USE CAUTION	NEXT FRI-SUN
EXPECT DELAYS	PREPARE TO STOP	DRIVE SAFELY	XX AM TO XX PM
REDUCE SPEED XXX FT	END SHOULDER USE	DRIVE WITH CARE	NEXT TUE AUG XX
USE OTHER ROUTES	WATCH FOR WORKERS		TONIGHT XX PM-XX AM

*** See Application Guidelines Note 6.

WORDING ALTERNATIVES

1. The words RIGHT, LEFT and ALL can be interchanged as appropriate.
2. Roadway designations H₁, U₁, S₁, FM and LP can be interchanged as appropriate.
3. EAST, WEST, NORTH and SOUTH for abbreviations E, W, N and S) can be interchanged as appropriate.
4. ROAD, HIGHWAY and FREEWAY can be interchanged as appropriate.
5. AHEAD may be used instead of distances if necessary.
6. FT and MI, MILE and MILES interchanged as appropriate.
7. AT, BEFORE and PAST interchanged as needed.
8. LOCATION may be eliminated from the message if a location phrase is used.

- be maintained as listed in Note 15 under "PORTABLE
PDS sign and, with the approval of the Engineer,
use of the static sign represented, and shall not sub-
stantiate and dimming requirements on Bc(7), for the

[illegible]

loss rate and dimming requirements on BC(7), for the

SHEET 6 OF 12


Texas Department of Transportation
 Traffic Operations Division
 Standard

**BARRICADE AND CONSTRUCTION
PORTABLE CHANGEABLE
MESSAGE SIGN (PCMS)**

BC(6)-14


[illegible]

1. For long term stationery work zones on freeways, drums shall be used as the primary channelizing device.
2. For intermediate term stationery work zones on freeways, drums should be used as the primary channelizing device but may be replaced in tangent sections by vertical panels, or 42" two-piece cones. In tangent sections two-piece cones may be used with the approval of the Engineer but only for short term stationery work zones. In all cases to maintain the work zones in proper position and location.
3. For short term stationery work zones on freeways, drums are the preferred channelizing device but may be replaced in tangent, transition and tangent sections by vertical panels, two-piece cones or one-piece cones as approved by the Engineer.
4. Drums shall comply with the requirements of the "Current version of the Texas Manual on Uniform Traffic Control Devices" (TMUTCD) and the "Compliant Work Zone Traffic Control Devices List" (CBZTCD).
5. Drums, bases, and related materials shall exhibit good workmanship and shall not be damaged or deteriorated in any way that would adversely affect their appearance or serviceability.
6. The Contractor shall have a maximum of 24 hours to replace any plastic drums identified for replacement by the Engineer/Inspector. The replacement device must be an approved device.

1. Pre-reflectized plastic drums shall meet the following requirements:
 - a. The drum shall be constructed of a single piece of plastic with the "head" of the drum shall be the top portion and the "base" shall be the bottom.
 - b. The body and base shall "lock together" in such a manner that the body separates from the base when impacted by a vehicle traveling at a speed of 20 MPH or greater but prevents accidental separation due to normal handling and/or air turbulence created by passing vehicles.
 - c. The drum shall be constructed of a single piece of plastic, metal, or deformable materials. The Contractor shall NOT use metal drums or single piece plastic drums as channelization devices or sign supports.
 - d. Drums shall present a profile that is a minimum of 18 inches in width at the 35 inch height when viewed from any direction. The height of the drum shall be a minimum of 36 inches for 36 inches drums and a maximum of 42 inches.
 - e. The top of the drum shall have a built-in handle for easy pickup and shall be designed to drain water and not collect debris. The handle shall have a minimum of two widely spaced 9/16 inch diameter holes to facilitate draining of a warning light, warning reflector unit or approved alternative lighting device.
 - f. The exterior of the drum body shall have a minimum of four alternating orange and white retroreflective circumferential stripes not less than 4 inches nor greater than 8 inches in width. Any non-reflectORIZED space between any two adjacent stripes shall not exceed 2 inches in length.
 - g. Bases shall have a maximum width of 36 inches, a maximum height of 4 inches, and a minimum of two footmolds of sufficient size to allow base to be held down while separating the drum body from the base.
 - h. Plastic drums shall be constructed of ultra-violet stabilized, orange, plastic material.
 - i. Drums shall have a maximum unladen weight of 11 lbs.
 - j. The drum and base shall be marked with manufacturer's name and model number.

1. The strips used on drums shall be constructed of sheeting meeting the color and retroreflectivity requirements of Departmental Materials Specification DG-5300, or an equivalent material, and shall be applied in a staggered fashion to the drum face.
2. The sheeting shall be suitable for use on and shall adhere to the drum surface such that, upon vehicular impact, the sheeting shall remain adhered in-place and exhibit no delaminating, cracking, or loss of retroreflectivity other than that loss due to abrasion on the sheeting surface.


1. Unballasted bases shall be large enough to hold up to 50 lbs. of sand. This base, when filled with the ballast material, should weigh between 35 lbs. (minimum) and 50 lbs. (maximum). The ballast may be sand in one of three sandbags separate from the base, sand in a semi-filled plastic bag, or sand in a sandbag with a height of sandbag above pavement surface may not exceed 12 inches.
2. Bases with built-in ballast shall weigh between 40 lbs. and 50 lbs.
3. Built-in ballast can be constructed of an integral crumb rubber base or a solid rubber base.
4. Any type of base, designed to be used for ballast on drums approved for this type of ballast on the MDOT list, for the purpose of this rule, shall not be heavy objects, water, or any material that would become hazardous to motorists, pedestrians, or workers when the drum is struck by a vehicle.
5. Items used in regions susceptible to freezing, drums shall have drainage holes in the bottoms so that water will not collect and freeze becoming a hazard when struck by a vehicle.
6. Bases shall be made of a material that is not flammable or of drums.
7. Bases and drums shall be secured with a material that is not flammable. Adhesives may be used to secure base of drums to pavement.





DIRECTION INDICATOR BARRICADE

1. The Direction Indicator Barricade may be used in turns, transitions, and other areas where specific directional guidance to drivers is necessary.
2. The Direction Indicator Barricade should be used in series to direct the driver through the transition and into the intended travel lane.
3. The Direction Indicator Barricade shall consist of One-Direction or Two-Direction Barricade with reflective sheeting on a background of Type B or Type C Orange retroreflective sheeting above a rail with Type A retroreflective sheeting in alternating white and orange stripes sloping downward on an angle of 45 degrees. The barricade road users are to pass. Sheet types shall be as per MHS 8300.
4. Double arrows on the Direction Indicator Barricade will not be allowed.
5. Manufacturers are shown on the CRITCO List.

Barricade shall be as approved by the manufacturers instructions.



1. When existing or planned facilities are proposed, closed, or altered, the Department of Corrections shall determine if the existing or planned temporary facilities shall be detectable and include accessibility features consistent with the features present in the existing pedestrian facility, and if not, the Department of Corrections shall determine if the closed sidewalk, a device that is detectable by a person with a visual disability traveling with the aid of a long cane shall be placed across the full width of the closed sidewalk, and if not, the Department of Corrections shall determine if the above, longitudinal channelizing devices, some concrete barriers, and wood or chain link fencing with a continuous detectable siding can satisfactorily delineate a pedestrian crossing.
2. Tape, rope, or plastic chain strung between devices are not detectable, do not comply with the design standards in the Department of Transportation Manual for Traffic Control Devices for Buildings and Facilities (ADAAG) and should not be used as a control for pedestrian movements.
3. Warning lights shall not be attached to detectable pedestrian barriers.
4. Detectable pedestrian barricades may use 8" nominal barricade rails as shown on B.C.D. provided that the top rail is made of a material that is detectable by a person with a visual disability, such as polycarbonate, buffed, or shagbass.




SIGNS, CHEVRONS, AND VERTICAL PANELS MOUNTED ON PLASTIC DRUMS

1. Signs used on plastic drums shall be manufactured using substrates listed on the CMZC201.
2. Chevrons and other work zone signs with an orange background shall be manufactured with type B₁₀ or type C₁₀ (orange) and shall be mounted on the drums in accordance with the requirements of JMS-2000, "Sign Face Material," unless otherwise specified in the plans.
3. Vertical Panels shall be manufactured with orange and white diagonal stripes on Vertical Panels shall slope down toward the intended traveled lane.
4. Other sign messages (text or symbolic) may be used as approved by the Engineer. These signs shall be increased in height to 24 inches in width or 24 inches in height, except for the R9 series signs discussed in note a below.
5. Signs shall be installed using a 1/2 inch bolt (min/ins) and nut, two washers, and one locking washer for each connection.
6. Mounting bolts and nuts shall be fully engaged and adequately torqued. Bolts should not extend more than 1/2 inch beyond nuts.
7. Chevrons may be placed on drums on the outside of curves. When using posts or on drifting towers, when used in these locations they may be placed on every drum or spaced not more than every third drum. A minimum of three (3) drums should be used on each location called for in the plans.
8. R9a, R9-10, R9-11 and R9-12 Stenciled Closed Signs which are 24 inches wide may be mounted on plastic drums, with approval of the Engineer.

1. Work Zone channel in close proximity to speed roadways. placement is uniform Traffic Control

-
- Fixed Base of Approved, Adaptive
For use as a support for the



- [illegible]

[illegible]


1. Water bollarded systems used as barriers shall not be used solely to channelize road users, but also to protect the work space per the appropriate NCHRP 350 crashworthiness requirements based on roadway speed and barrier application.
2. Water bollarded systems used to channelize vehicular traffic shall be supplemented with retroreflective delineation on the roadway surface.
3. Water bollarded systems used as barriers shall be placed in accordance to application and installation requirements.
4. Specific to the device, and used only when shown on the MUTCD list.
5. When used as a water barrier, the bollarding system except in low speed (less than 45 mph) urban areas, when used on a road in a low speed urban area, the water shall be delineated and the water length shall be designed to optimize road user operations considering the available geometric conditions.
6. When water bollarded systems are used in high speed areas, they should be designed to provide the required clearance for the vehicle to pass the point outside the clear zone.

BC(9)-14


	DG-14, dgm	Bm	TxDOT	Cd	TxDOT	OWN	TxDOT	Dc	TxDOT
	© TxDOT November 2002	CONT	SCT	JOB				HOLDING	
	REVISIONS								
9-07	8-14	DIST		2620009			CB AB	SHEET NO.	
7-13				COUNTY					
				Howard				14	

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	


1. Spacing Traffic Lane Dividers (OTLD) are delineation devices designed to convert a normal one-way roadway section to two-way operation. OTLD's are used on temporary centerlines. The upward and downward arrows on the sign's face indicate the direction of traffic on either side of the divider. The device is secured to the top of the sign on one side and the other side of the sign is mounted by a vehicle impact or wind gust.
2. The OTLD may be used in combination with 42" cones or VPS.
3. Spacing between the OTLD shall not exceed 500 feet. 42" cones or VPS placed between the OTLD's shall not exceed 100 foot spacing.
4. The OTLD shall be orange with a black non-reflective legend. Spacing for the OTLD shall be retroreflective Type III or Type IV, conforming to Departmental Material Specification DMS-3300, and shall be reflective to the legend and all reflective components of DMS-3300.



Copyright Clearance Center



1. Vertical Curbs (VPs) are normally used to channelize traffic or divide opposing lanes of traffic.
2. VPs may be used in daytime or nighttime situations. They may be used on the edges of roadways, medians, and shoulders.
3. VPs may be used on the edges of roadways during the daytime and nighttime delineation is required. The Engineer/Inspector shall refer to the Roadway Design Manual Appendix B "Treatment of Pavement Drop-offs in VPs" for examples.
4. VPs for emergency use should be used in accordance with the following guidelines:
 - a. VPs should be mounted back to back. If used on the edge of cuts adjacent to two-way two lane roadways, stripes are to be reflective orange and reflective white and
 - b. VPs should be spaced at 200 foot intervals.
 - c. VPs are used on expressways and freeways or other high speed roadways, may have more than 270 square inches of retroreflective area facing traffic.
5. Self-erecting supports are available with portable base. They are used to channelize traffic, Traffic Control Devices List (TC2D20).
6. Sheeting for VPs shall be retroreflective Type A material conforming to Departmental Material Specification MS-83 unless noted otherwise.
7. The material used for reflective material on the vertical panel is 30 mils or greater, a single stripe of



1

Rigid or self-righting)

1. Refer to the Compliant Work Zone Traffic Control Devices List (CWZTCD) for details of the Type 3 Barricades and a list of all materials used in the construction of Type 3 Barricades.


- [illegible]

Diagram illustrating the cross-section of a reflective sheeting. The sheeting is shown with a 45-degree angle. The minimum width of the reflective sheeting is indicated as 7 inches.




Stiffener may be inside or outside of support, but no more than

Alternate




↓

[illegible]


shall be reflectorized orange and reflective white stripes on one side

Barricade striping should slant facing one-way traffic and both sides for two-way traffic.

- signs should be mounted on independent structures mounting height in center of roadway. The minimum of 10 feet behind Type 3 Barricade Advance signal shall be as specified above.



Alternate




1111


1




- Barcode



have a minimum weight of



proper upright position.
tical panels or drums are suit-




16

1

- increase number of plastic drums
side of approaching traffic
width makes it necessary, (min
and maximum of 4 drums)

YULE DEVICE



This device is based on a 4200 series controller card with four channels of striping pattern: four 4 inch

approximately 2.1 mm gap between the two plates, which correspond to the color of the white for right edgeline) for



FILE#	bg-14, d
-------	----------

WORK ZONE PAVEMENT MARKINGS

GENERAL

- The Contractor shall be responsible for maintaining work zone and existing pavement markings. In accordance with the standard specifications and special provisions, on all roadways open to traffic within the 531 limits unless otherwise stated in the plans.
- Color, patterns and dimensions shall be in conformance with the "Texas Manual on Uniform Traffic Control Devices" (TMUDC).
- Additional supplemental pavement marking details may be found in the plans or specifications.
- Pavement markings shall be installed in accordance with the TMUDC and as shown on the plans.
- When short term markings are required on the plans, short term markings shall conform with the TMUDC. The plans and details as shown on the Standard Plan Sheet M2(STPM).
- When standard pavement markings are not in place and the roadway is closed to traffic, the following shall apply:
 - When the beginning of the section where passing is prohibited and PASS WITH CARE signs at the beginning of sections where passing is permitted.
- All work zone pavement markings shall be installed in accordance with Item 652, "Work Zone Pavement Markings."

RAISED PAVEMENT MARKERS

- Raised pavement markers are to be placed according to the patterns on BC(12).
- All raised pavement markers used for work zone markings shall meet the requirements of Item 672, "RAISED PAVEMENT MARKERS" and Departmental Material Specification DMS-4200 or DMS-4300.

PREFABRICATED PAVEMENT MARKINGS

- Removable prefabricated pavement markings shall meet the requirements of DMS-8241.
- Non-removable prefabricated pavement markings (roll back) shall meet the requirements of DMS-8242.


MAINTAINING WORK ZONE PAVEMENT MARKINGS

- The Contractor will be responsible for maintaining work zone pavement markings within the work limits.
- Work zone pavement markings shall be inspected in accordance with the frequency and reporting requirements of work zone traffic control device inspections as required by Item 599.
- The markings should provide a visible reference for a minimum distance of 300 feet during normal daylight hours and 150 feet when illuminated by automobile low-beam headlights at night, unless sight distance is restricted by roadway geometrics.
- Markings failing to meet this criteria within the first 30 days after placement shall be replaced at the expense of the Contractor as per Specification Item 652.

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose and no responsibility is assumed by TxDOT for the consequences of any errors or omissions in this standard or for incorrect results or damages resulting from its use.

DATE: FILE:

Temporary Flexible-Reflective Roadway Marker Tabs



Height of sheeting is usually more than 1/4" and less than 1".

STAPLES OR NAILS SHALL NOT BE USED TO SECURE TEMPORARY FLEXIBLE-REFLECTIVE ROADWAY MARKER TABS TO THE PAVEMENT SURFACE

- Temporary flexible-reflective roadway marker tabs used as guidemarks shall meet the requirements of DMS-8242.
- Tabs detailed on this sheet are to be inspected and accepted by the Engineer or designated representative. Sampling and testing is not normally required, however at the option of the Engineer, either "A" or "B" below may be imposed to assure quality before placement on the roadway.
 - Select five (5) or more tabs at random from each lot or shipment and submit to the Construction Division, Materials and Pavement Section to determine specification compliance.
 - Select five (5) tabs at 24 inch intervals on an asphaltic pavement in a straight line. Using a medium size passenger vehicle or pickup, run over the markers with the front and rear tires at a speed of 35 to 40 miles per hour. Four (4) tests in each direction. No permanent (100% of the tabs) shall be lost or displaced. No tabs shall be lost or displaced as a result of this test.
- Small design variances may be noted between tab manufacturers.
- See Standard Sheet M2(STPM) for tab placement on new pavements. See Standard Sheet TPT(1) for tab placement on seal coat work.

RAISED PAVEMENT MARKERS USED AS GUIDEMARKS

- Raised pavement markers used as guidemarks shall be from the approved product list, and meet the requirements of DMS-4200.
 - All temporary construction raised pavement markers provided on a project shall be of the same manufacturer.
 - Adhesive for guidemarks shall be bituminous material not applied or buried rubber pad for all surfaces, or thermoplastic for concrete surfaces.
- Guidemarks shall be designated as:
 YELLOW - (two amber reflective surfaces with yellow body).
 WHITE - (one silver reflective surface with white body).


DEPARTMENTAL MATERIAL SPECIFICATIONS	
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
TRAFFIC BUTTONS	DMS-4300
EPOXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240
TEMPORARY REMOVABLE, PREFABRICATED PAVEMENT MARKINGS	DMS-8241
TEMPORARY FLEXIBLE, REFLECTIVE ROADWAY MARKER TABS	DMS-8242

A list of prequalified reflective raised pavement markers, non-reflective traffic buttons, roadway marker tabs and other materials and products are available on the Internet at: www.txdot.gov/traffic/markers

SHEET 11 OF 12


Texas Department of Transportation		Traffic Operations Division Standard	
BARRICADE AND CONSTRUCTION PAVEMENT MARKINGS			
BC(11)-14			
FILE#	00-14, 000	DATE	01/14/00
PROJECT	0000000000	SECTION	000
REVISION#	0000000000	COUNTY	000
DATE	01/14/00	SHEET NO.	11
11-02	8-14	HOWARD	15

PAVEMENT MARKING PATTERNS




Pattern A is the TxDOT Standard, however Pattern B may be used if approved by the Engineer. Prefabricated markings may be substituted for reflectorized pavement markings.


CENTER LINE & NO-PASSING ZONE BARRIER LINES FOR TWO-LANE, TWO-WAY HIGHWAYS



EDGE & LANE LINES FOR DIVIDED HIGHWAY




LANE & CENTER LINES FOR MULTILANE UNDIVIDED HIGHWAYS



TWO-WAY LEFT TURN LANE

STANDARD WORK ZONE PAVEMENT MARKINGS DETAILS




The diagram illustrates the layout of center and lane lines. It shows a series of rectangular markers representing the lines. The center line is labeled 'CENTER LINE OR LANE LINE'. The lane line is labeled 'LANE LINE'. The diagram includes dimensions for the line width (40' ± 1'), the spacing between lines (10', 30', 5'), and the material specifications (Type I-C or II-A-A, White or Yellow). The diagram also shows the placement of 'RAISED PAVEMENT MARKERS' and 'REFLECTIONIZED PLASTIC MARKERS'.

The diagram illustrates two types of raised pavement markings. The top type is labeled "Type I-C or I-C-R" and shows a series of rectangular markings with a width of 3" and a height of 9". The bottom type is labeled "Type I-C or I-C-R" and shows a series of rectangular markings with a width of 3" and a height of 9". The diagram also includes a dimension of 8" for the height of the markings.

**REMOVABLE MARKINGS
WITH RAISED
PAVEMENT MARKERS**

If raised pavement markers are used to supplement REMOVABLE markings, the markers shall be applied to the top of the tape at the approximate mid length of tape used for broken lines or at 20 foot spacing for solid lines. This allows an easier removal of raised pavement markers and tape.



Centerline only - not to be used on edge lines

SHEET 12 OF 12


Texas Department of Transportation
 Traffic Operations Division Standard

BARRICADE AND CONSTRUCTION PAVEMENT MARKING PATTERNS

BC(12)-14

Raised pavement markers used as standard pavement markings shall be from the approved products list and meet the requirements of Item 672 "RAISED PAVEMENT MARKERS."

FILE#	Bc-14, ddn	SIN	TAD001	SIN	TAD001	SIN	TAD001	SIN	TAD001
DATE	Febuary 1988	COUNT	SECT	JOB					CP 48
REVIEWS									
1-97	9-07								
2-98	7-13								
1-02	6-14	DIST	COUNTY		SHEET NO.		17		
		Howard							
105									

DISCLAIMER
The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

LEGEND		Channelizing Devices
Type 3 Barricade	■	Truck Mounted Attenuator (TMA)
Heavy Work Vehicle	■	Portable Channelizing Device (PCD)
Trailer Mounted Floating Arrow Board	■	Message Sign (MS)
Sign	■	Flag
Flag	■	Flag

Posted Speed	Minimum Taber Lengths	Suggested Maximum Spacing of Oncoming Traffic	Minimum Sign Spacing	Suggested Maximum Spacing of Oncoming Traffic	Minimum Sign Spacing
30	10' 11"	12'	On a	On a	On a
35	150'	165'	180'	30'	60'
40	205'	225'	245'	35'	70'
45	265'	295'	320'	40'	80'
50	325'	355'	380'	45'	90'
55	385'	415'	440'	50'	100'
60	445'	475'	500'	55'	110'
65	505'	535'	560'	60'	120'
70	565'	595'	620'	65'	130'
75	625'	655'	680'	70'	140'
80	685'	715'	740'	75'	150'
85	745'	775'	800'	80'	160'
90	805'	835'	860'	85'	170'
95	865'	895'	920'	90'	180'
100	925'	955'	980'	95'	190'

TYPICAL USAGE			
MOBILE	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
✓	✓	✓	✓

GENERAL NOTES

- Flags attached to signs where shown are required.
- All traffic control devices illustrated are required, except those denoted with the "optional" symbol, which may be substituted with the "optional" symbol.
- The "BE PREPARED TO STOP" sign may be installed after the "ONE LANE ROAD AHEAD" sign, but proper sign spacing shall be maintained.
- Sign spacing may be increased or decreased on additional "ONE LANE ROAD AHEAD" signs used if advance warning of the work zone is provided. The "ONE LANE ROAD AHEAD" sign may be used in advance of the work zone if the work zone is less than 100 feet long.
- Quality of the work, if workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and illuminated flashing lights.
- Channelizing devices shall be placed off the paved surface, next to those shown in order to protect wider work areas.


TCP (1-2a)

- R1-2 "YIELD" sign traffic control may be used on projects with approaches that have less than 200 ADT. The "YIELD" sign shall be placed on the approach to the work zone. The "YIELD" sign shall be placed on the approach to the work zone. The "YIELD" sign shall be placed on the approach to the work zone.
- R1-2 "YIELD" sign with R1-2a "ONCOMING TRAFFIC" plaque shall be placed on a support at a 7 foot minimum mounting height.

TCP (1-2b)

- Flagger should use two-way radios or other methods of communication to control traffic.
- Length of work space should be based on the ability of flaggers to communicate.
- If the work space is located near a horizontal or vertical curve, the buffer distance should be increased in order to maintain adequate stopping sight distance to the flagger.
- Channelizing devices on the center-line may be omitted when a pilot car is leading traffic and approved by the Engineer.
- Flagger should use 24" STOP/SLOW paddles to control traffic. Flags should be limited to emergency situations.

Texas Department of Transportation		Traffic Control Standard	
TRAFFIC CONTROL PLAN			
ONE-LANE TWO-WAY			
TRAFFIC CONTROL			
TCP (1-2) - 18			
FILED	2020-11-18	DATE	2020-11-18
PROJECT	2020009	CR	48
SECTION	2-12	DATE	2-12
BY	1-27	DATE	1-27
CHECKED	1-27	DATE	1-27
APPROVED	1-27	DATE	1-27



DISCLAIMER

The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: _____

FILE: _____




Storm Water Pollution Prevention Plan (SW3P)		Sequence of Construction Storm Water Management Activities	
Site Description CR 48 is located approximately 13.25 Miles North of Big Spring on FM 1584, in Howard County. Project Begins at FM 1584 and ends at FM 669. It is 4.01 Miles in length with 73% running through cultivated farm land.	Soil Stabilization Practices Temporary Seeding ☐ Permanent Planting, Sodding or Seeding ☐ Mulching ☒ Buffer Zones ☒ Preservation of Natural Resources	Activities 1 Install & Maintain Structural Devices 2 Perform Construction Work as Follows: A) clean & Shape Ditches B) excavate for widening C) Widen, reclaim, compact, shape, & pave roadway D) backfill pavement edges 3 When all construction activity is complete, site is stabilized & approved by the Road & Bridge Engineer, remove all temporary Structural Controls (HCR&B)	Professional Engineer STATE OF TEXAS BRIAN J. KLINSIEK 96664 PROFESSIONAL ENGINEER
Project Description Project will widen the existing pavement structure by 4 feet (2 foot on each side). Add an additional 2 inches of to existing. Road will be scarified, compacted, reshaped. Inverted prime and a one course surface treatment applied.	Structural Practices Silt Fence ☐ Hay Bales ☒ Rock Berms ☐ Erosion Control Logs ☐ Rock Bedding @ Construction Exits ☐ Timber Mats @ Construction Exits ☐ Sediment traps ☐ Sediment Basins ☐ Velocity Control Devices Other:	Maintenance: All Erosion And Sediment Controls Will Be Maintained In Good Working Order. If a Repair Is Necessary, It Will Be Done At The Earliest Date Possible, But No Later Than 7 Calendar Days After The Surrounding Exposed Ground Has Dried Sufficiently To Prevent Further Damage From Heavy Equipment. The Areas Adjacent To Creeks And Drainageways Shall Have Priority Followed By Devices Protecting Storm Sewer Inlets. An Inspection Will Be Performed By an HCR&B Inspector Once Every 7 Days. An Inspection And Maintenance Report Will Be Made Per Each Inspection. Based On The Inspection Results, The Controls Shall Be Revised Per The Inspection Report.	Date 11-21-2020 Brian J. Klinsiek, P.E.
Total Project Area Length= 21167 Width = 60 Total Project Area= 29.16 Acres Total Disturbed Area Length= 21167 Width = 40 Total Project Area= 19.44 Acres Existing soil condition & % of vegetative cover The existing soil is sandy loam and where vegetation is allowed it is a very good 90% coverage. See map above	Inspection: An Inspection Will Be Performed By an HCR&B Inspector Once Every 7 Days. An Inspection And Maintenance Report Will Be Made Per Each Inspection. Based On The Inspection Results, The Controls Shall Be Revised Per The Inspection Report.	Storm Water Pollution Prevention Plan (SW3P) Waste Materials, Sanitary Waste & Hazardous Waste Waste Materials are to be stored in a dumpster meeting all local solid waste requirements and disposed of at local dump. Sanitary waste will be collected in portable units by a licensed sanitary waste management contractor. Hazardous waste spills should be reported immediately to HCR&B (432) 270-4151	© 2020 Howard County Road & Bridge
Project # 2020009		Precinct 4	Sheet # 19


I. STORMWATER POLLUTION PREVENTION-CLEAN WATER ACT SECTION 402 TPDES TXR 150000: Stormwater Discharge Permit or Construction General Permit required for projects with 1 or more acres disturbed soil. Projects with any disturbed soil must protect for erosion and sedimentation in accordance with Item 506. List MSA Operator(s) that may receive discharges from this project. They may need to be notified prior to construction activities. 1 ☐ No Action required ☒ Action required. 2 ☐ No Action required ☒ Action required. Action Number: _____ 1 Prevent stormwater pollution by controlling erosion and sedimentation in accordance with TPDES Permit TXR 150000 2 Comply with the SW3P and revise when necessary to control pollution or as required by the Engineer. 3 Post Construction Site Notice (CSN) with SW3P information on or near the site, accessible to the public and TCEQ, EPA or other inspectors.	III. CULTURAL RESOURCES Refer to TxDOT Standard Specifications in the event historical issues or archaeological artifacts are found during construction. Upon discovery of archaeological artifacts (bones, burnt rock, flint, pottery, etc.) cease work in the immediate area and contact the Engineer immediately. Action Number: _____ 1 ☒ No Action required ☐ Action Required 2 _____ 3 _____ 4 _____	VI. HAZARDOUS MATERIALS OR CONTAMINATION ISSUES General (applies to all projects): Comply with the Hazard Communication Act (the Act) for personnel who will be working with hazardous materials by conducting safety meetings prior to beginning construction and making workers aware of potential hazards in the workplace. Ensure that all workers are provided with personal protective equipment appropriate for any hazardous materials used. Obtain and keep on-site Material Safety Data Sheets (MSDS) for all hazardous products used on the project, which may include, but are not limited to the following categories: Paints, acids, solvents, asphalt products, chemical additives, fuels and concrete curing compounds or additives. Provide protected storage, off bore ground and covered, for products which may be hazardous. Maintain product labeling as required by the Act. Maintain an adequate supply of on-site spill response materials, as indicated in the MSDS. In the event of a spill, take actions to mitigate the spill as indicated in the MSDS, in accordance with safe work practices, and contact the Spill Coordinator immediately. The Contractor shall be responsible for the proper containment and cleanup of all product spills. Contact the Engineer if any of the following are detected: - Unusual dead or distressed vegetation - Unidentified trash piles, drums, canisters, barrels, etc. - Undesirable smells or odors - Evidence of leaching or seepage of substances Does the project involve any bridge class structure rehabilitation or replacements (bridge class structures not including box culverts)? ☒ No, then no further action required ☒ Yes, then an abestos inspection by a qualified inspector required ☐ No Abestos found coordination with DSHS is complete. Paperwork available on request ☐ Yes Abestos found. Abatement plan is a part of this project. Any other evidence indicating possible hazardous materials or contamination discovered on site. Hazardous Materials or Contamination Issues Specific to this Project: 1 ☒ No Action required 2 ☐ Action required 3 _____	IV. VEGETATION RESOURCES Preserve native vegetation to the extent practical. Contractor must adhere to Construction Specification Requirements Specs 162, 164, 192, 193, 506, 730, 751, & 752 in order to comply with requirements for invasive species, beneficial landscaping, and tree/brush removal Action Number: _____ 1 ☒ No Action required ☐ Action Required 2 _____ 3 _____ 4 _____	V. FEDERAL LISTED, PROPOSED THREATENED, ENDANGERED SPECIES, CRITICAL HABITAT, STATE LISTED SPECIES, CANDIDATE SPECIES AND MIGRATORY BIRDS 1 _____ 2 _____ 3 _____ 4 _____ If any of the listed species are observed, cease work in the immediate area, do not disturb species or habitat and contact the Engineer immediately. The work may not remove active nests from bridges and other structures during nesting season of the birds associated with the nests. If coves or sinkholes are discovered, cease work in the immediate area, and contact the	VI. OTHER ENVIRONMENTAL ISSUES 1 ☒ No Action required 2 ☐ Action required 3 _____	LIST OF ABBREVIATIONS <table><tr><td>BMP</td><td>Best Management Practices</td><td>SPCC</td><td>Spill Prevention Control and Countermeasures</td></tr><tr><td>CGP</td><td>Construction General Permit</td><td>SW3P</td><td>Storm Water Pollution Prevention Plan</td></tr><tr><td>DSHS</td><td>Texas Department of State Health Services</td><td>PCN</td><td>Preconstruction Notice</td></tr><tr><td>FHWA</td><td>Federal Highway Administration</td><td>PSL</td><td>Project Specific Location</td></tr><tr><td>MOA</td><td>Memorandum of Agreement</td><td>TCEQ</td><td>Texas Commission of Environmental Quality</td></tr><tr><td>MOU</td><td>Memorandum of Understanding</td><td>TPDES</td><td>Texas Pollutant Discharge Elimination System</td></tr><tr><td>MS4</td><td>Municipal Separate Stormwater Sewer System</td><td>TPWD</td><td>Texas Parks & Wildlife Department</td></tr><tr><td>MBTA</td><td>Migratory Bird Treaty Act</td><td>TxDOT</td><td>Texas Department of Transportation</td></tr><tr><td>NWP</td><td>Nationwide Permit</td><td>T&E</td><td>Threatened & Endangered Species</td></tr><tr><td>NOT</td><td>Notice of Termination</td><td>USACE</td><td>U.S. Army Corps of Engineers</td></tr><tr><td>NOI</td><td>Notice of Intent</td><td>USFWS</td><td>U.S. Fish & Wildlife Service</td></tr></table>	BMP	Best Management Practices	SPCC	Spill Prevention Control and Countermeasures	CGP	Construction General Permit	SW3P	Storm Water Pollution Prevention Plan	DSHS	Texas Department of State Health Services	PCN	Preconstruction Notice	FHWA	Federal Highway Administration	PSL	Project Specific Location	MOA	Memorandum of Agreement	TCEQ	Texas Commission of Environmental Quality	MOU	Memorandum of Understanding	TPDES	Texas Pollutant Discharge Elimination System	MS4	Municipal Separate Stormwater Sewer System	TPWD	Texas Parks & Wildlife Department	MBTA	Migratory Bird Treaty Act	TxDOT	Texas Department of Transportation	NWP	Nationwide Permit	T&E	Threatened & Endangered Species	NOT	Notice of Termination	USACE	U.S. Army Corps of Engineers	NOI	Notice of Intent	USFWS	U.S. Fish & Wildlife Service
BMP	Best Management Practices	SPCC	Spill Prevention Control and Countermeasures																																															
CGP	Construction General Permit	SW3P	Storm Water Pollution Prevention Plan																																															
DSHS	Texas Department of State Health Services	PCN	Preconstruction Notice																																															
FHWA	Federal Highway Administration	PSL	Project Specific Location																																															
MOA	Memorandum of Agreement	TCEQ	Texas Commission of Environmental Quality																																															
MOU	Memorandum of Understanding	TPDES	Texas Pollutant Discharge Elimination System																																															
MS4	Municipal Separate Stormwater Sewer System	TPWD	Texas Parks & Wildlife Department																																															
MBTA	Migratory Bird Treaty Act	TxDOT	Texas Department of Transportation																																															
NWP	Nationwide Permit	T&E	Threatened & Endangered Species																																															
NOT	Notice of Termination	USACE	U.S. Army Corps of Engineers																																															
NOI	Notice of Intent	USFWS	U.S. Fish & Wildlife Service																																															
II. WORK IN OR NEAR STREAMS, WATERBODIES AND WETLANDS CLEAN WATER ACT SECTIONS 401 AND 404 USACE Permit required for filling, dredging, excavating or other work in any water bodies, rivers, creeks, streams, wetlands or wet areas. The Contractor must adhere to all of the terms and conditions associated with the following permit(s): ☒ No Permit required ☐ Nationwide Permit 14-PCN not Required (<1/10 acre water/wetland) ☐ Nationwide Permit 14-PCN Required (1/10 to 1/2 acre 1/3 in tidal waters) ☐ Individual 404 Permit ☐ Other Nationwide Permit required NWP# _____ Required Actions: List waters of the US permit applies to, location in project and check Best Management Practices planned to control erosion, sedimentation and post-project TSS. 1 _____ 2 _____ 3 _____ 4 _____ The elevation of the ordinary high water marks of any areas requiring work to be performed in the waters of the US requiring the use of a nationwide permit can be found on the Bridge Layouts.	BEST MANAGEMENT PRACTICES <table><tr><th>Erosion</th><th>Sediment</th><th>Post-Construction TSS</th></tr><tr><td>☐ Temporary Vegetation</td><td>☐ Silt Fence</td><td>☐</td></tr><tr><td>☐ Blankets / Matting</td><td>☐ Rock Dams</td><td>☐</td></tr><tr><td>☐ Mulch</td><td>☐ Erosion Control Logs</td><td>☐</td></tr><tr><td>☐ Sodding</td><td>☐ Triangular Filter Dike</td><td>☐</td></tr><tr><td>☐ Interceptor Swale</td><td>☐ Sand Bag Berm</td><td>☐</td></tr><tr><td>☐ Diversion Dike</td><td>☐ Straw Bale Dike</td><td>☐</td></tr><tr><td>☐ Erosion Control Logs</td><td>☐ Brush Berms</td><td>☐</td></tr><tr><td>☐ Erosion Control Compost</td><td>☐ Erosion Control Compost</td><td>☐</td></tr><tr><td></td><td>☐ Mulch Filter Dam & Sock</td><td>☐</td></tr><tr><td></td><td>☐ Compost Filter D&S</td><td>☐</td></tr><tr><td></td><td>☐ Sediment Basin</td><td>☐</td></tr></table>	Erosion	Sediment	Post-Construction TSS	☐ Temporary Vegetation	☐ Silt Fence	☐	☐ Blankets / Matting	☐ Rock Dams	☐	☐ Mulch	☐ Erosion Control Logs	☐	☐ Sodding	☐ Triangular Filter Dike	☐	☐ Interceptor Swale	☐ Sand Bag Berm	☐	☐ Diversion Dike	☐ Straw Bale Dike	☐	☐ Erosion Control Logs	☐ Brush Berms	☐	☐ Erosion Control Compost	☐ Erosion Control Compost	☐		☐ Mulch Filter Dam & Sock	☐		☐ Compost Filter D&S	☐		☐ Sediment Basin	☐													
Erosion	Sediment	Post-Construction TSS																																																
☐ Temporary Vegetation	☐ Silt Fence	☐																																																
☐ Blankets / Matting	☐ Rock Dams	☐																																																
☐ Mulch	☐ Erosion Control Logs	☐																																																
☐ Sodding	☐ Triangular Filter Dike	☐																																																
☐ Interceptor Swale	☐ Sand Bag Berm	☐																																																
☐ Diversion Dike	☐ Straw Bale Dike	☐																																																
☐ Erosion Control Logs	☐ Brush Berms	☐																																																
☐ Erosion Control Compost	☐ Erosion Control Compost	☐																																																
	☐ Mulch Filter Dam & Sock	☐																																																
	☐ Compost Filter D&S	☐																																																
	☐ Sediment Basin	☐																																																

GENERAL NOTES:

1. EROSION CONTROL LOGS SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS, OR AS DIRECTED BY THE ENGINEER.
2. LENGTHS OF EROSION CONTROL LOGS SHALL BE IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS AND AS REQUIRED FOR THE PURPOSE INTENDED.
3. UNLESS OTHERWISE DIRECTED, USE BIODEGRADABLE OR PHOTODEGRADABLE CONTAINMENT MESH ONLY WHERE LOG WILL REMAIN IN PLACE AS PART OF A VEGETATIVE SYSTEM. FOR TEMPORARY INSTALLATIONS, USE RECYCLABLE CONTAINMENT MESH.
4. FILL LOGS WITH SUFFICIENT FILTER MATERIAL TO ACHIEVE THE MINIMUM COMPACTED DIAMETER SPECIFIED IN THE PLANS WITHOUT EXCESSIVE SEPERATION.
5. SEPERATION SHALL BE 2" X 2" WOOD OR #3 REBAR, 2'-4" LONG, EMBEDDED SUCH THAT 2" PROTRUDES ABOVE LOG, OR AS DIRECTED BY THE ENGINEER.
6. DO NOT PLACE STAKES THROUGH CONTAINMENT MESH.
7. COMPOST CRADLE MATERIAL IS INCIDENTAL & WILL NOT BE PAID FOR SEPARATELY.
8. SANDBAGS USED AS ANCHORS SHALL BE PLACED ON TOP OF LOGS & SHALL BE OF SUFFICIENT SIZE TO HOLD LOGS IN PLACE.
9. TURN THE ENDS OF EACH ROW OF LOGS UPSLOPE TO PREVENT RUNOFF FROM FLOWING AROUND THE LOG.
10. FOR HEAVY RUNOFF EVENTS, ADDITIONAL UPSTREAM STAKES MAY BE NECESSARY TO KEEP LOG FROM FOLDING IN ON ITSELF.




PLAN VIEW



SECTION C-C


EROSION CONTROL LOG AT EDGE OF RIGHT-OF-WAY




DIAMETER MEASUREMENTS OF EROSION CONTROL LOGS SPECIFIED IN PLANS

SHEET 1 OF 3

		Design Division Standard	
Texas Department of Transportation			
TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES			
EROSION CONTROL LOG			
EC (9) - 16			
FILE: ec916	DATE: 09/16	DATE: 09/16	DATE: 09/16
BY: T-2007	BY: T-2007	BY: T-2007	BY: T-2007
REVISIONS	REVISIONS	REVISIONS	REVISIONS
NO.	DATE	BY	DESCRIPTION
1	09/16	09/16	09/16
2	09/16	09/16	09/16
3	09/16	09/16	09/16
4	09/16	09/16	09/16
5	09/16	09/16	09/16
6	09/16	09/16	09/16
7	09/16	09/16	09/16
8	09/16	09/16	09/16
9	09/16	09/16	09/16
10	09/16	09/16	09/16
11	09/16	09/16	09/16
12	09/16	09/16	09/16
13	09/16	09/16	09/16
14	09/16	09/16	09/16
15	09/16	09/16	09/16
16	09/16	09/16	09/16
17	09/16	09/16	09/16
18	09/16	09/16	09/16
19	09/16	09/16	09/16
20	09/16	09/16	09/16
21	09/16	09/16	09/16
22	09/16	09/16	09/16
23	09/16	09/16	09/16
24	09/16	09/16	09/16
25	09/16	09/16	09/16
26	09/16	09/16	09/16
27	09/16	09/16	09/16
28	09/16	09/16	09/16
29	09/16	09/16	09/16
30	09/16	09/16	09/16
31	09/16	09/16	09/16
32	09/16	09/16	09/16
33	09/16	09/16	09/16
34	09/16	09/16	09/16
35	09/16	09/16	09/16
36	09/16	09/16	09/16
37	09/16	09/16	09/16
38	09/16	09/16	09/16
39	09/16	09/16	09/16
40	09/16	09/16	09/16
41	09/16	09/16	09/16
42	09/16	09/16	09/16
43	09/16	09/16	09/16
44	09/16	09/16	09/16
45	09/16	09/16	09/16
46	09/16	09/16	09/16
47	09/16	09/16	09/16
48	09/16	09/16	09/16
49	09/16	09/16	09/16
50	09/16	09/16	09/16
51	09/16	09/16	09/16
52	09/16	09/16	09/16
53	09/16	09/16	09/16
54	09/16	09/16	09/16
55	09/16	09/16	09/16
56	09/16	09/16	09/16
57	09/16	09/16	09/16
58	09/16	09/16	09/16
59	09/16	09/16	09/16
60	09/16	09/16	09/16
61	09/16	09/16	09/16
62	09/16	09/16	09/16
63	09/16	09/16	09/16
64	09/16	09/16	09/16
65	09/16	09/16	09/16
66	09/16	09/16	09/16
67	09/16	09/16	09/16
68	09/16	09/16	09/16
69	09/16	09/16	09/16
70	09/16	09/16	09/16
71	09/16	09/16	09/16
72	09/16	09/16	09/16
73	09/16	09/16	09/16
74	09/16	09/16	09/16
75	09/16	09/16	09/16
76	09/16	09/16	09/16
77	09/16	09/16	09/16
78	09/16	09/16	09/16
79	09/16	09/16	09/16
80	09/16	09/16	09/16
81	09/16	09/16	09/16
82	09/16	09/16	09/16
83	09/16	09/16	09/16
84	09/16	09/16	09/16
85	09/16	09/16	09/16
86	09/16	09/16	09/16
87	09/16	09/16	09/16
88	09/16	09/16	09/16
89	09/16	09/16	09/16
90	09/16	09/16	09/16
91	09/16	09/16	09/16
92	09/16	09/16	09/16
93	09/16	09/16	09/16
94	09/16	09/16	09/16
95	09/16	09/16	09/16
96	09/16	09/16	09/16
97	09/16	09/16	09/16
98	09/16	09/16	09/16
99	09/16	09/16	09/16
100	09/16	09/16	09/16




PLAN VIEW




SECTION B-B


EROSION CONTROL LOG AT BACK OF CURB



REBAR STAKE DETAIL



PLAN VIEW



SECTION A-A

EROSION CONTROL LOG DAM



LEGEND

- CL-D EROSION CONTROL LOG DAM
- CL-BOC EROSION CONTROL LOG AT BACK OF CURB
- CL-ROW EROSION CONTROL LOG AT EDGE OF RIGHT-OF-WAY
- CL-SST EROSION CONTROL LOGS ON SLOPES STAKE AND TRENCHING ANCHORING
- CL-SSL EROSION CONTROL LOGS ON SLOPES STAKE AND LASHING ANCHORING
- CL-DI EROSION CONTROL LOG AT DROP INLET
- CL-CI EROSION CONTROL LOG AT CURB INLET
- CL-GI EROSION CONTROL LOG AT CURB & GRATE INLET

SEDIMENT BASIN & TRAP USAGE GUIDELINES

An erosion control log sediment trap may be used to filter sediment out of runoff draining from an undisturbed area.


Log Traps: The drainage area for a sediment trap should not exceed 10.5 acres. The trap capacity should be 1800 CF/Acre (0.5' over the drainage area).

Control logs should be placed in the following locations:

1. Within drainage ditches spaced as needed or min. 500' on center
2. Immediately preceding ditch inlets or drain inlets
3. Just before the drainage enters a water course
4. Just before the drainage leaves the right of way
5. Just before the drainage leaves the construction limits where drainage flows away from the project.



The logs should be cleaned when the sediment has accumulated to a depth of 1/2 the log diameter.

Cleaning and removal of accumulated sediment deposits is incidental and will not be paid for separately.



EROSION CONTROL LOG SPACING TABLE		LOG DIAMETER			
SLOPE		6"	8"	12"	18"
1:1 OR STEEPER		5'	10'	15'	20'
	2:1	10'	20'	30'	40'
3:1		15'	30'	45'	60'
	4:1 OR FLATTER	20'	40'	60'	80'

* ADJUSTMENTS CAN BE MADE FOR SOIL TYPE:
SOFT, LOAMY SOILS-ADJUST ROWS CLOSER TOGETHER;
HARD, ROCKY SOILS- ADJUST ROWS FARTHER APART



STAKE AND LASHING ANCHORING DETAIL

CL-75


STAKE AND TRENCH ANCHORING DETAIL

CL-55-73

TRENCH DEPTH TABLE

LOG DIAMETER	DEPTH
6"	2"
8"	3"
12"	4"
18"	5"

STAKE NOTCH DETAIL





CL-DI




CL-73



CL-71

NOTE: EROSION CONTROL LOGS USED AT CURB INLETS SHOULD ONLY BE USED IF THEY WILL NOT IMPEDE TRAFFIC OR FLOOD THE ROADWAY OR WHEN THE STORM SEWER SYSTEM IS NOT FULLY FUNCTIONAL.



CL-GT



SHEET 3 OF 3