



November 29, 2022

RE: Information for Bidding Howard County RFB 2023002 "Sealcoat"

Dear Prospective Contractor,

Howard County Road & Bridge thanks you for your interest in Howard County RFB 2023002. In order to bid this Project you must be prequalified with the Road & Bridge Department. After reviewing the attached plans if you are interested in bidding please contact me for the prequalification questionnaire. The questionnaire must be returned to us a minimum of 5 days before the bid is due, in order for us to review. We will be taking bids now through January 5, 2023, 10:00 A.M. Your information packet, and specifications will be sent after the review of the questionnaire. If you have any questions please feel free to contact me at (432) 264-2208 or brian.klinksiek@howardcountytexas.gov

Sincerely,

A handwritten signature in blue ink that reads 'Brian J. Klinksiek'.

Brian J. Klinksiek P.E., D.R.

Invitation To Bid Howard County RFB 2023002 "2023 Sealcoat"

The Howard County Auditor will accept sealed bids until 10:00 AM on January 5, 2023. This bid requires prequalification with Howard County Road and Bridge Department, specifications may be obtained at that office, 3604 Old Colorado City Road, Big Spring, Texas 79720. The work is to supply labor, materials and equipment to sealcoat various county roads.

Bids may be mailed to the Howard County Auditor, at P.O. Box 1949, Big Spring, Texas 79721-1949 or delivered to the Auditor's Office, Room 202, Howard County Courthouse. **Mark Sealed Envelope "RFB2023002"**

Bids will be presented to the Commissioner's Court at 3:30 PM January 9th for their consideration. The Court reserves the right to reject any or all bids.

Jackie Olson-Howard County Auditor

NOTICE TO BIDDERS RFB 2023002

1. Bids are to be submitted on this form. Be sure to include all pages 1-3. Each bid shall be placed in an envelope, sealed and properly identified with the bid title and delivered to the County Auditor's Office before 10:00 A.M., Thursday, January 5, 2023. Late bids will not be considered under any circumstances. Mark Bids "RFB 2023002".

This is a bid to provide materials, labor and equipment to provide a completed project to Howard County. Bidders must be prequalified through the Howard County Road & Bridge Engineer to be opened. Contact Brian Klinksiek, P.E. at (432)-264-2208 to obtain this prequalification. All item must meet 2014 TxDOT Standard Specification. **Bid Bond or Check (5% of Bid), and Payment / Performance Bonds are required.** The successful bidder will be notified within 1 business day. The County will send the bidder a contract. **Insurance coverage limits shall conform to the attached Exhibit A.**

2. All work shown must be completed on or before September 15, 2023. Traffic control is subsidiary to the various items, however the safety of the traveling public of the utmost importance. Unless authorized in writing by the Howard County Road & Bridge Engineer, the open season for the application of Sealcoat is May 15 to September 15. Sunday work will be only allowed with written permission from the engineer.
3. The quantities in the proposal are approximate. The quantities of work and materials may be increased or decreased as considered necessary to complete the work as planned and contemplated.
4. The County is exempt from Federal Excise Tax, State Tax and Local Tax. Do not include tax in bid. If it is determined that tax was included in the bid, it will not be included in the tabulation or any awards and will be deleted from subsequent invoices.
5. Bids cannot be altered or amended after opening time. Any alterations made before opening time must be signed by the bidder or his agent. No bid can be withdrawn after the opening time without approval of the Commissioners' Court based on reasonable acceptable reason.
6. The County will evaluate the bids and make awards for supplies, materials, services and equipment on the basis of the lowest and best bid, which meet the specifications. Awarded bid will be paid for out of current county funds.
7. The County reserves the right to accept or reject all or any part of any bid and award the bid to best serve the interest of the County.
8. By signing and executing this bid, the bidder certifies and represents to the County that bidder has not offered, conferred or agreed to confer any pecuniary benefit or other thing of value for the receipt of special treatment, advantage, information, recipient's decision, opinion, recommendation, vote or any other exercise of discretion concerning this bid.
9. Bidder further certifies and represents that bidder has not violated any State, Federal, Local Law regulations or ordinance relating to bribery, improper influence, collusion, discrimination or other similar crimes and all items or services provided or delivered under and awarded shall conform hereto.
10. Bid unit price on quantity specified, extend and show total. In case of errors in extension, unit price shall govern.

NOTICE TO BIDDERS

11. Unless otherwise noted, bid prices must be firm for acceptance 60 days from opening date of bid.
12. Howard County, and the City of Coahoma have programed amounts for this project. The Howard County Engineer will represent all governments. All entities reserve the right to add or remove roads after the bid to remain within the programed amounts. These adjustments will be made by change order to adjust quantities only and agreed to by both parties.
13. The Engineer's Estimate for the combine project is \$ 966,130.00

DISCLOSURE OF CERTAIN RELATIONSHIPS

Effective January 1, 2006, Chapter 176 of the Texas Local Government Code requires that any vendor or person considering doing business with a local government entity disclose in the Questionnaire Form CIQ, the vendor or person's affiliation or business relationship that might cause a conflict of interest with a local government entity. By law, this questionnaire must be filed with the County Clerk of Howard County no later than the 7th business day after the date the person becomes aware of facts that require the statement to be filed. See Section 176.006, Local Government Code. A person commits an offense if the person violates Section 176.006, Local Government Code. An offense under this section is a Class C misdemeanor.

A copy of the law is available at:

<https://statutes.capitol.texas.gov/Docs/LG/htm/LG.176.htm>

Frequently ask questions are available at:

<https://www.county.org/TAC/media/TACMedia/Legal/Legal%20Publications%20Documents/2019-Disclosure-of-Certain-Business-Relationships.pdf>

The forms for reporting are available at:

<https://www.ethics.state.tx.us/data/forms/conflict/CIQ.pdf>

By submitting a response to this request, the vendor represents that it is in compliance with the requirements of Chapter 176 of the Texas Local Government Code.

Please turn completed forms to the Howard County Auditor's Office located at 300 Main, Room 202 Big Spring, TX or mail to P.O. Box 1949, Big Spring, TX 79721.

EXHIBIT A

- A. Contractor shall, at all times during the term hereof, maintain such insurance coverage as may be required by County. All such insurance, including renewals, shall be subject to the approval of County for adequacy of protection and evidence of such coverage shall be furnished to County on Certificates of Insurance indicating such insurance to be in force and effect and providing that it will not be canceled during the performance of Work under this Agreement without thirty (30) calendar days prior written notice to County. Completed Certificates of Insurance shall be filed with County prior to the performance of services hereunder, provided however, that Contractor shall at any time upon request, file duplicate copies of the policies of such insurance with County.
- B. If in the judgment of County, prevailing conditions warrant the provision by Contractor of additional liability insurance coverage or coverage which is different in kind, County reserves the right to require the provision by Contractor of an amount of coverage different from the amounts or kind previously required and shall afford written notice of such change in requirements thirty (30) days prior to the date on which the requirements shall take effect. Should the Contractor fail or refuse to satisfy the requirement of changed coverage within thirty (30) days following County's written notice, this Agreement shall be considered terminated on the date that the required change in policy coverage would otherwise take effect.

General Conditions

The following condition shall apply to all insurance policies obtained by Contractor for the purpose of complying with this Agreement:

- 1) Named Insureds: All insurance policies required herein shall be drawn in the name of Contractor, with County, its council members, board and commission members, officials, agents, guests, invitees, consultants and employees named as additional insureds, except on Workers' Compensation coverage.
- 2) Waiver of Subrogation: Contractor shall require its insurance carrier(s), with respect to all insurance policies, to waive all rights of subrogation against County, its council members, board and commission members, officials, agents, guests, invitees, consultants and employees.
- 3) Certificates of Insurance: At or before the time of execution of this Agreement,

Contractor shall furnish County's Risk Manager with certificates of insurance as evidence that all of the policies required herein are in full force and effect and provide the required coverage and limits of insurance. All certificates of insurance shall clearly state that all applicable requirements have been satisfied. The certificates shall provide that any company issuing an insurance policy shall provide to County not less than thirty (30) days advance notice in writing of cancellation, non-renewal, or material change in the policy of insurance. In addition, Contractor and insurance company shall immediately provide written notice to County's Risk Manager upon receipt of notice of cancellation of any insurance policy, or of a decision to terminate or alter any insurance policy. Certificates of insurance and notices of cancellations, terminations, or alterations shall be furnished to:

County Engineer at 3604 Old Colorado City Rd, Big Spring Texas 79720.

- 4) Contractor's Liability: The procurement of such policy of insurance shall not be construed to be a limitation upon Contractor's liability or as a full performance on its part of the indemnification provisions of this Agreement. Contractor's obligations are, notwithstanding any policy of insurance, for the full and total amount of any damage, injury, or loss caused by or attributable to its activities conducted at or upon the premises. Failure of Contractor to maintain adequate coverage shall not relieve Contractor of any contractual responsibility or obligation.
- 5) Subcontractors' Insurance: Contractor shall cause each Subcontractor and Sub-Sub-Contractor of Contractor to purchase and maintain insurance of the types and in the amounts specified below. Contractor shall require Subcontractors and Sub-Subcontractors to furnish copies of certificates of insurance to the County Engineer evidencing coverage for each Subcontractor and Sub-Subcontractor.

Types And Amounts Of Insurance Required

Contractor shall obtain and continuously maintain in effect at all times during the term hereof, at Contractor's sole expense, insurance coverage as follows with limits not less than those set forth below:

- 1) Commercial General Liability: This policy shall be occurrence-type policy and shall protect Contractor and additional insureds against all claims arising from bodily injury, sickness, disease or death of any person (other than Contractor's employees) and damage to property of County or others arising out of the act or omission of Contractor or its agents and employees. This policy shall include completed operations, products liability, contractual coverage, broad form property coverage, explosion, collapse, underground, premises/operations, and independent contractors (to remain in force for two years after final payment). Coverage limits shall not be less than:

\$1,000,000.00 General Aggregate
\$1,000,000.00 Products Completed Operations
\$1,000,000.00 Personal & Advertising Injury
\$1,000,000.00 Each Occurrence
\$ 100,000.00 Fire Damage (Any one Fire)

- 2) Business Automobile Liability: This policy shall protect Contractor and the additional insureds against all claims for injuries to members of the public and damage to property of others arising from the use of motor vehicles and shall cover operation on and off the premises of all motor vehicles licensed for highway use, whether they are owned, non-owned or hired. Coverage limits shall not be less than:

\$1,000,000.00 Combined Single Limit

- 3) Workers' Compensation and Employer's Liability: If Contractor hires any employees, Contractor shall maintain Workers' Compensation and Employer's Liability insurance, which shall protect Contractor against all claims under applicable state workers' compensation laws and employer's liability. The insured shall also be protected against claim for injury, disease or death of employees which for any reason, may not fall within the provisions of a workers' compensation law. Coverage shall not be less than:

Statutory Amount	Workers' Compensation
\$ 500,000.00	Employer's Liability, Each Accident Employer's
\$ 500,000.00	Liability, Disease - Each Employee Employer's
\$ 500,000.00	Liability, Disease - Policy Limit

HOWARD COUNTY ROAD & BRIDGE DEPARTMENT PLANS OF PROPOSED COUNTY ROAD IMPROVEMENT

- 1 Title Sheet
- 2 General Notes
- 3 Estimated Quantities
- 4 Precinct #1 Map & Quantities
- 5 Precinct #2 Map & Quantities
- 6 Precinct #3 Map & Quantities
- 7 Precinct #4 Map & Quantities
- 8 City of Coahoma Map & Quantities
- 9-20 BC (1)-21 Through BC (12)-21 *
- 21 TCP (SC-1) - 22 *

The standard sheets specifically identified above with an (*) have been selected by me or under my responsible supervision as being applicable to this project.

Brian J. Klinksiek P.E.

Brian J. Klinksiek

11/28/2022

Date




Specifications adopted by the Texas Department of Transportation, November 1, 2014 and specification items listed and dated as follows, shall govern on this project:

Equations: None
Exceptions: None
Railroad X-ings: None

Project Length: 84001 Feet
Project Length: 15.91 Miles

LIMITS: VARIOUS LOCATIONS WITHIN HOWARD COUNTY
Precincts 1, 2, 3 & 4 FOR THE CONSTRUCTION OF SEALCOAT
CONSISTING OF APPLICATION OF ASPHALT, AGGREGATE, & TRAFFIC CONTROL



Locator Map

Final Plans

Date Work Began: _____
Date Work Was Completed: _____
Date Work Was Accepted: _____
Final Contract Cost: _____

Final Plan Certification

Project was built according to the plans and specifications. These final plans represent the work done and the quantities shown thereon and on the final estimate are final quantities.



Title Sheet

Project #	Precinct	Sheet #
2022001	1, 2, 3 & 4	1

General Notes

All pages of the bid package must be initialed or signed as indicated for a bid to be considered complete. This package has 3 pages

All Items reference the Texas Department of Transportation 2014 English Specification Book

Bids will be opened at **10:00 AM January 5, 2023** in the Howard County Auditor's Office. Final acceptance of bids will made be during the regular session of Howard County Commissioner's Court at **3:30 PM January 9 2023**.

In order to qualify to have a bid read the contractor must prove that they have the knowledge and capability to perform the work described herein. Traffic control is of the utmost importance for the safety of the traveling public of Howard County. Documentation on traffic control certifications must also be provided. If a contractor has worked for Howard County Road & Bridge within the last 8 years they may request placement on the list based solely on their previous work without the need for documentation. Contact the Howard County Road & Bridge (HC R&B) Engineer to receive a Contractor's Prequalification Questionnaire. The Questionnaire must be completed a minimum of 10 working days prior to bid for review. Contracting that meet the Prequalification are eligible to receive bid Forms.

Delineate stockpiles located in the right of way with 42" cones at 75 foot on center or as approved in writing by the Engineer. Failure to meet this requirement will impact payment of Material on Hand. Stockpiles should maintain a 7 foot clear zone from the edge of pavement. Stockpile placed on TxDOT right of way must conform to the Abilene district stockpile procedure to qualify for payment of Material on hand.

The Engineer has secured stockpile locations and will assist the contractor in locating these locations. These locations are noted on the plans. If the Contractor sees the need for additional stockpile locations the Engineer is willing to assist in locating and securing additional sites. The Contractor is not limited to these locations and may find their own alternate locations. Howard County is not responsible for cleaning these locations and any material left there must be delivered to the Howard County Road & Bridge Yard in Big Spring prior to final payment being made

A Preconstruction conference shall be held at the Howard County Road & Bridge Office, located at 3604 Old Colorado City Road, in order to establish starting date and location. A written notice to proceed will be given at this conference and work may then commence.

Payment for Material on Hand will be allowed. Contractor must submit the supplier's invoice to the Road & Bridge Engineer's office. Road & Bridge will verify quantity in place within Howard County and check for proper traffic control before submitting the invoice to be paid. Materials so submitted and paid become the property of Howard County.

Unless authorized in writing by the Howard County Road & Bridge Engineer, the open season for the application of asphalt is May 1 to September 15. Sunday work will only be allowed with written permission from the engineer.

Howard County has programmed \$900,000.00 for the 2023 Sealcoat. The City of Coahoma has programmed \$66,130.00 for their portion of the 2023 Sealcoat. The quantities in the proposal are approximate. The quantities of work and materials may be increased or decreased as considered necessary to complete the work as planned and contemplated.

Item 316-0003 SEALCOAT COUNTY ROADS (PB Grade 4 Flexible Asphalt)
Aggregate will conform to TxDOT Item 302 Type PB Grade 4. Suggested application rate will be between 100 to 110 SY/CY. Adjustment may be made in field with the agreement of the Engineer.
Asphalt will conform to TxDOT Item 300.2.B: (AC-20-5Tr or AC-15-P) or Item 300.2.I: A-R Binder. Suggested application rate will be between 0.40 to 0.48 Gal/Sy. Adjustment may be made in field with the agreement of the Engineer

Item 316-0004 SEALCOAT COUNTY ROADS (PB Grade 4 Flexible Asphalt)(Strip Seal)
Aggregate will conform to TxDOT Item 302 Type PB Grade 4. Suggested application rate will be between 100 to 110 SY/CY. Adjustment may be made in field with the agreement of the Engineer.
Asphalt will conform to TxDOT Item 300.2.B: (AC-20-5Tr or AC-15-P) or Item 300.2.I: A-R Binder. Suggested application rate will be between 0.25 to 0.38 Gal/Sy. Adjustment may be made in field with the agreement of the Engineer

Item 316-0005 SEALCOAT COUNTY ROADS (PB Grade 3 Flexible Asphalt)
Aggregate will conform to TxDOT Item 302 Type PB Grade 3. Suggested application rate will be between 90 to 100 SY/CY. Adjustment may be made in field with the agreement of the Engineer.
Asphalt will conform to TxDOT Item 300.2.B: (AC-20-5Tr or AC-15-P) or Item 300.2.I: A-R Binder. Suggested application rate will be between 0.55 to 0.75 Gal/Sy. Adjustment may be made in field with the agreement of the Engineer

INTERSECTIONS:


Howard County Road & Bridge maintains an excellent working relationship with the TxDOT Howard County Maintenance Section. By agreement with TxDOT Howard County will shoot inverted prime and or sealcoat up to main lane/shoulder of TxDOT maintained roadways. This is corrective action due to neglect of these areas. It is possible that both agencies will cover the same intersection in the same year. We understand that traffic will have turning motion at those locations, however it is The Road & Bridge Engineer's intention to shoot the intersections and quantities were included as noted. Therefore a \$500.00 penalty will be assessed along with removal of intersection quantities for each intersection not inverted primed and or sealcoated.




General Notes

Project #	Precinct	Sheet #
2022001	1, 2, 3 & 4	2

Location	Estimated Pay Quantities			Estimated Length Quantities		As Bid Cost
	316-0003 SEALCOAT COUNTY ROADS (PB Grade 4 Flexible Asphalt) (SY)	316-0004 SEALCOAT COUNTY ROADS (PB Grade 4 Flexible Asphalt) (Strip Seal) (SY)	316-0005 SEALCOAT COUNTY ROADS (PB Grade 3 Flexible Asphalt) (SY)	(Feet)	(Miles)	
Precinct #1			76,136	28,404	5.38	\$ 304,544.00
Precinct #2			79,050	29,578	5.6	\$ 316,200.00
Precinct #3			47,687	17,798	3.37	\$ 190,748.00
Precinct #4			22,122	8,221	1.56	\$ 88,488.00
Coahoma	21,682			-	0	\$ 66,130.10
Total	21,682		224,995	84,001	15.91	\$ 966,110.10



TYPICAL STATE INTERSECTION DETAIL



TYPICAL INTERSECTION DETAIL



11-28-2022

Date


Brian J. Klinksek
BRIAN J. KLINKSEK
P.E.

© 2020



Estimated Quantities

Project #	Precinct	Sheet #
2022001	1,2,3 & 4	3



MW #	Type	Reel	Start	Stop	Length	Width	Volume SF	Qty SF	Notes
P1-1	PB GR-3	Webb	Moore	Co-Op	2,610	24	75	7.035	1 Intersection w/ Moore School
P1-2	PB GR-3	Co-Op	Webb	US 87	2,500	24	75	6.742	1 Intersection w/ Webb
P1-3	PB GR-3	Blagaves	FM 2230	C/L	6500	24	92	17.425	1 Intersection w/ FM 2230
P1-4	PB GR-3	CR 9	FM 2212	FM 846	16,794	24	150	44.934	2 Intersections W/ FM 2230 & FM 2212
Project P1 Total					53,404			76.136	

Sheet Notes

- ★ Stockpile Location at the East end of the Knott Post Office (32.403346°N, 101.639809°W). This site is off HC ROW & no delineation is needed.
- This Stamped sheet was presented to the precinct commissioner for review of the proposed work for his/ her information on the date show below: 1/1/2018

the date show below:

Eddilisa Ray
Eddilisa Ray, Precinct #1
Date: 11-28-2022

Date: 11-28-2022



11-28-2022


Date _____

Brian J. Kinkser, PE

© 2020
H★
Howard County
Road & Bridge

Precinct #1 Map & Quantities

Project #	Precinct	Sheet #
2022001	1.2.3 & 4	4



he date show below:

A circular professional engineer seal for the State of Texas. The outer ring contains the text "STATE OF TEXAS" at the top and "PROFESSIONAL ENGINEER" at the bottom, separated by stars. In the center, there is a five-pointed star. Below the star, the name "BRIAN J. KLINKSIECK" is printed. To the right of the name, the license number "96664" is displayed.

Date _____

Bruce G. Clark, C.E.

★ Stockpile Location is at triangle Intersection of 11th Place & Midway Roads
This Location is on HC ROW.

Must be delineated

© 2020  Howard County
Road & Bridge

Precinct #2 Map & Quantities

Project #	Precinct Sheet #
2022001	1,2,3 & 5

BARRICADE AND CONSTRUCTION (BC) STANDARD SHEETS GENERAL NOTES:

1. The Barricade and Construction Standard Sheets (BC sheets) are intended to show typical examples for placement of temporary traffic control devices, construction pavement markings, and typical work zone signs. The information contained in these sheets meet or exceed the requirements shown in the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
2. The development and design of the Traffic Control Plan (TCP) is the responsibility of the Engineer.
3. The Contractor may propose changes to the TCP that are signed and sealed by a licensed professional engineer for approval. The Engineer may develop, sign and seal Contractor proposed changes.
4. The Contractor is responsible for installing and maintaining the traffic control devices as shown in the plans. The Contractor may not move or change the approximate location of any device without the approval of the Engineer.
5. Geometric design of lane shifts and detours should, when possible, meet the applicable design criteria contained in manuals such as the American Association of State Highway and Transportation Officials (AASHTO), "A Policy on Geometric Design of Highways and Streets," the TxDOT "Roadway Design Manual" or engineering judgment.
6. When projects about, the Engineer(s) may omit the END ROAD WORK, TRAFFIC FINES DOUBLE, and other advance warning signs if the signing would be redundant and the work areas appear continuous to the motorists. If the adjacent project is completed first, the Contractor shall erect the necessary warning signs as shown on these sheets, the TCP sheets or as directed by the Engineer. The BEGIN ROAD WORK NEXT X MILES sign shall be revised to show appropriate work zone distance.
7. The Engineer may require duplicate warning signs on the median side of divided highways where median width will permit and traffic volumes justify the signing.
8. All signs shall be constructed in accordance with the details found in the "Standard Highway Sign Designs for Texas," latest edition. Sign details not shown in this manual shall be shown in the plans or the Engineer shall provide a detail to the Contractor before the sign is manufactured.
9. The temporary traffic control devices shown in the illustrations of the BC sheets are examples. As necessary, the Engineer will determine the most appropriate traffic control devices to be used.
10. Where highway construction or maintenance work is being undertaken, other than mobile operations as defined by the Texas Manual on Uniform Traffic Control Devices, CSJ limit signs are required. CSJ limit signs are shown on BC(2). The OBEY WARNING SIGNS STATE LAW sign, STAY ALERT TALK OR TEXT LATER and the WORK ZONE TRAFFIC FINES DOUBLE sign with plaque shall be erected in advance of the CSJ limits. The BEGIN ROAD WORK NEXT X MILES, CONTRACTOR and END ROAD WORK signs shall be erected at or near the CSJ limits. For mobile operations, CSJ limit signs are not required.
11. Traffic control devices should be in place only while work is actually in progress or a definite need exists.
12. The Engineer has the final decision on the location of all traffic control devices.
13. Inactive equipment and work vehicles, including workers' private vehicles must be parked away from travel lanes. They should be as close to the right-of-way line as possible, or located behind a barrier or guardrail, or as approved by the Engineer.

WORKER SAFETY NOTES:

1. Workers on foot who are exposed to traffic or to construction equipment within the right-of-way shall wear high-visibility safety apparel meeting the requirements of ISEA "American National Standard for High-Visibility Apparel," or equivalent revisions, and labeled as ANSI 107-2004 standard performance for Class 2 or 3 risk exposure. Class 3 garments should be considered for high traffic volume work areas or night time work.
2. Except in emergency situations, flagger stations shall be illuminated when flagging is used at night.

COMPLIANT WORKZONE TRAFFIC CONTROL DEVICES

1. Only pre-qualified products shall be used. The "Compliant Work Zone Traffic Control Devices List" (CWZTCD) describes pre-qualified products and their sources.
2. Work zone traffic control devices shall be compliant with the Manual for Assessing safety Hardware (MASH).

THE DOCUMENTS BELOW CAN BE FOUND ON-LINE AT

<http://www.txdot.gov>

COMPLIANT WORK ZONE TRAFFIC CONTROL DEVICES LIST (CWZTCD)
DEPARTMENTAL MATERIAL SPECIFICATIONS (DMS)
MATERIAL PRODUCER LIST (MPL)
ROADWAY DESIGN MANUAL - SEE "MANUALS (ONLINE MANUALS)"
STANDARD HIGHWAY SIGN DESIGNS FOR TEXAS (SHSD)
TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (TMUTCD)
TRAFFIC ENGINEERING STANDARD SHEETS

SHEET 1 OF 12



BARRICADE AND CONSTRUCTION GENERAL NOTES AND REQUIREMENTS

BC(1)-21

FILED	BC-21-001	Nov 2002	Nov 2002	Nov 2002	Nov 2002
REVISED	7-1	Nov 2002	Nov 2002	Nov 2002	Nov 2002
REVISED	9-07	8-14	8-14	8-14	8-14
REVISED	5-10	5-21	5-21	5-21	5-21

TYPICAL CONSTRUCTION WARNING SIGN SIZE AND SPACING

Sign Number or Series	Conventional Road	Expressway/Freeway	Sign Δ Spacing "x"
CH20*			See Part 6 of the "Texas Manual on Uniform Traffic Control Devices"
CH21	48" x 48"	48" x 48"	30 (ADDITIONAL)
CH22			30
CH23			35
CH25			40
CH1, CH2, CH7, CH8, CH9, CH11, CH14	36" x 36"	48" x 48"	45
CH3, CH4, CH5, CH6, CH8-3, CH10, CH12	48" x 48"	48" x 48"	50
			55
			60
			65
			70
			75
			80
			1000
			*

* For typical sign spacings on divided highways, expressways and freeways, see Part 6 of the "Texas Manual on Uniform Traffic Control Devices".
 (TMUTCD) typical application diagrams or TCR Standard Sheets.
 Δ Minimum distance from work area to first advance warning sign nearest the work area and/or distance between each additional sign.

GENERAL NOTES

1. Special or larger size signs may be used as necessary.
2. Distance between signs should be increased as required to have 1500 feet advance warning.
3. Distance between signs should be increased as required to have 1/2 mile advance warning.
4. 36" x 36" ROAD WORK AHEAD (CH20-10) signs may be used on low volume roads or intersections at the discretion of the Engineer as per TMUTCD Part 5. See Note 2 under "Typical Location of Crossroad Signs".
5. Only diamond shaped warning sign sizes are indicated.
6. See sign size listing in "TMUTCD", Sign Appendix or the "Standard Highway Signs and Markings" manual for complete list of available sign design sizes.


LEGEND	
—	Type 3 Barricade
○ ○ ○	Channelizing Devices
+	Sign
X	See Typical Construction Warning Sign Size and Spacing for sign or the TMUTCD for sign spacing requirements.

SHEET 2 OF 12

BARRICADE AND CONSTRUCTION PROJECT LIMIT


BC (2) - 21

FILED	DATE	BY	REVISIONS	DATE	BY
10-001	November 2002	CHT/ACT	9-07 8-14	10-001	10-001
			7-13 5-21		




1. The Engineer will determine the types and location of any additional traffic control devices, such as flaggers or other signs, that should be used when work is being performed at or near an intersection.
 2. If construction closes the road at a T-intersection, the Contractor shall place the "CONTRACTOR NAME" (CH20-6T) sign behind the Type 3 Barricade for the road closure (see BC(2)-10) also. The "ROAD WORK NEXT 1/2 MILE" (CH20-10) sign shall be replaced by the arrow pointing in the direction of travel.

CSJ LIMITS AT T-INTERSECTION




NOTES
 The Contractor shall determine the appropriate distance to be placed on the CH20-10 series signs and "BEGIN ROAD WORK" signs for each specific project.
 This distance shall be replaced with "x" for each project to the nearest whole mile with the approval of the Engineer. No decimals shall be used.
 The "BEGIN WORK ZONE" (CH20-9T) and "END WORK ZONE" (CH20-20T) shall be used as shown on the sample layout when advance signs are required outside the CSJ limits. They inform the motorist of entering or leaving a part of the work zone lying outside the CSJ limits where traffic fines may double if workers are present.
 CSJ limit signing is required for highway construction and maintenance work, with the exception of mobile operations.
 Area for placement of "ROAD WORK AHEAD" (CH20-10) sign and other signs or devices as called for on the Traffic Control Plan.
 Contractor will install a regulatory speed limit sign at the end of the work zone.




1. The typical minimum signing on a crossroad approach should be a "ROAD WORK AHEAD" (CH20-10) sign and a "ROAD WORK NEXT 1/2 MILE" (CH20-10) sign mounted back to back.
 2. The Engineer may use the reduced size 36" x 36" ROAD WORK AHEAD (CH20-10) sign on low volume roads. See Note 4 under "Typical Location of Crossroad Signs".
 3. Information shall be shown in the plans.
 4. The "ROAD WORK NEXT 1/2 MILE" (CH20-10) sign shall be required at high volume crossroads to advise the motorist of the location of the work zone.
 5. Additional traffic control devices may be shown elsewhere in the plans for higher volume crossroads.
 6. When work occurs in the intersection area, appropriate traffic control devices, as shown elsewhere in the plans or as determined by the Engineer/Inspector, shall be in place.

WORK AREAS IN MULTIPLE LOCATIONS WITHIN CSJ LIMITS



When extended distances occur between minimal work spaces, the Engineer/Inspector should ensure additional "ROAD WORK AHEAD" (CH20-10) signs are placed in advance of these work areas to remind drivers they are still within the project limits. See the applicable TCR sheets for exact location and spacing of signs and devices.
 The "BEGIN WORK ZONE" (CH20-9T) and "END WORK ZONE" (CH20-20T) shall be used as shown on the sample layout when advance signs are required outside the CSJ limits. They inform the motorist of entering or leaving a part of the work zone lying outside the CSJ limits where traffic fines may double if workers are present.


SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING DOWNSTREAM OF THE CSJ LIMITS



TYPICAL APPLICATION OF WORK ZONE SPEED LIMIT SIGNS

Work zone speed limits shall be regulatory, established in accordance with the "Procedures for Establishing Speed Zones," and approved by the Texas Transportation Commission, or by City Ordinance when within Incorporated City Limits.

Reduced speeds should only be posted in the vicinity of work activity and not throughout the entire project. Regulatory work zone speed signs (R2-1) shall be removed or covered during periods when they are not needed.



GUIDANCE FOR USE:

LONG/INTERMEDIATE TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit should be included on the design of the traffic control plans when restricted geometrics with a lower design speed are present in the work zone and modification of the geometrics to a higher design speed is not feasible.

Long/Intermediate Term Work Zone Speed Limit signs, when approved as described above, should be posted and visible to the motorist when work activity is present. Work activity may also be defined as a change in the roadway that requires a reduced speed for motorists to safely negotiate the work area, including:

- a) rough road or damaged pavement surface
 - b) substantial alteration of roadway geometrics (diversions)
 - c) construction detours
 - d) grade
 - e) width
 - f) other conditions readily apparent to the driver
- As long as any of these conditions exist, the work zone speed limit signs should remain in place.

SHORT TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit may be included on the design of the traffic control plans when workers or equipment are not behind concrete barrier, when work activity is within 10 feet of the traveled way or actually in the traveled way.

Short Term Work Zone Speed Limit signs should be posted and visible to the motorists only when work activity is present. When work activity is not present, signs shall be removed or covered. (See Removing or Covering on BC(4)).

GENERAL NOTES

1. Regulatory work zone speed limits should be used only for sections of construction projects where speed control is of major importance.
2. Regulatory work zone speed limit signs shall be placed on supports at a 7 foot minimum mounting height.
3. Speed zone signs are illustrated for one direction of travel and are normally posted for each direction of travel.
4. Frequency of work zone speed limit signs should be:
 - 40 mph and greater 0.2 to 2 miles
 - 35 mph and less 0.2 to 1 mile
5. Regulatory speed limit signs shall have black legend and border on a white reflective background (See "Reflective Sheeting" on BC(4)).
6. Fabrication, erection and maintenance of the "ADVANCE SPEED LIMIT" (W3-51sign), "WORK ZONE" (G20-5aP) plaque and the "SPEED LIMIT" (R2-1) signs shall not be paid for directly, but shall be considered subsidiary to Item 502.
7. Turning signs from view, laying signs over or down will not be allowed, unless as otherwise noted under "REMOVING OR COVERING" on BC(4).
8. Techniques that may help reduce traffic speeds include but are not limited to:
 - A. Law enforcement.
 - B. Flagger stationed next to sign.
 - C. Portable changeable message sign (POMS).
 - D. Low-power (drone) radar transmitter.
 - E. Speed monitor trailers or signs.
9. Speeds shown on details above are for illustration only. Work Zone Speed Limits should only be posted as approved for each project.
10. For more specific guidance concerning the type of work, work zone conditions and factors impacting allowable regulatory construction speed zone reduction see TxDOT form #1204 in the TxDOT e-form system.



SHEET 3 OF 12



BARRICADE AND CONSTRUCTION WORK ZONE SPEED LIMIT

BC(3)-21

FILED	BC-21-1-001	Rev. 1-001	Rev. 1-001	Rev. 1-001	Rev. 1-001
DATE	November 2002	DATE	DATE	DATE	DATE
BY	9-07	BY	9-07	BY	9-07
REVISED	7-13	REVISED	7-13	REVISED	7-13
BY	5-21	BY	5-21	BY	5-21
DATE	DATE	DATE	DATE	DATE	DATE
BY	BY	BY	BY	BY	BY
DATE	DATE	DATE	DATE	DATE	DATE
BY	BY	BY	BY	BY	BY



1. Permanent signs are used to give notice of traffic laws or regulations, call attention to certain traffic conditions, show route designations, directional, destination, or route route designations, geographical, recreational, specific service (AAO), or cultural information. Drivers proceeding through a work zone need the same, or better route guidance as normally installed on a roadway without construction.
2. When permanent regulatory or warning signs conflict with work zone conditions, removal or covering the permanent signs until the permanent sign message conforms to the work zone conditions. For details for covering large signs see the 15-C standard.
3. When existing permanent signs are moved and relocated due to construction purposes, they shall be visible to motorists at all times.
4. If existing signs are to be relocated on their original supports, they shall be installed on crumpleworthy bases as shown on the SMO standard sheets. The signs shall be visible to motorists as shown on the BC sheets or the SMO standard sheets. This work should be paid for under the appropriate pay item for relocating existing signs.
5. If permanent signs are to be removed and relocated using temporary supports, the Contractor shall use crumpleworthy supports as shown on the BC standard sheets, TUBS standard sheets or the OETD list. The signs shall meet the required mounting heights shown on the BC, or the SMO standard sheets during construction. This work should be paid for under the appropriate pay item for relocating existing signs.
6. Any sign or traffic control device that is struck or damaged by the Contractor shall be replaced immediately. The Contractor shall be responsible for the Contractor to ensure proper guidance for the motorists. This is a subsidiary item to Item 502.

1. STOP/SLOW paddles are the primary method to control traffic by flagmen. The STOP/SLOW paddle size should be 24" x 24".
2. STOP/SLOW paddles should be illuminated with lights at night.
3. STOP/SLOW paddles may be attached to a staff with a minimum length of 6' to the bottom of the sign.
4. Any lights incorporated into the STOP or SLOW paddle faces shall only be as specifically described in Section 6E.03 Hand Signaling Devices in the MUTCD.

SHEETING REQUIREMENTS (WHEN USED AT NIGHT)		
USAGE	COLOR	SIGN FACE MATERIAL
BACKGROUND	RED	TYPE B OR C SHEETING
BACKGROUND	ORANGE	TYPE B ₉₀ OR C ₉₀ SHEETING
LEGEND & BORDER	WHITE	TYPE B OR C SHEETING
LEGEND & BORDER	BLACK	ACRYLIC NON-REFLECTIVE FILM

1. Contractor shall install and maintain signs in a straight and plumb condition and/or as directed by the Engineer.
 2. Wooden signposts shall be painted white.
 3. Berricoles shall NOT be used as sign supports.
 4. All signs shall be installed in accordance with the plans or as directed by the Engineer. Signs shall be required to regulate, warn, and advise.
 5. The Contractor may furnish either the sign design shown in the plans or as directed by the Engineer. Signs shall be required to regulate, warn, and advise. The Engineer/Inspector may require the Contractor to furnish other work zone signs that are shown in the MUTCD but may have been omitted from the plans. Any variation in the plans shall be documented by written agreement between the Engineer and the Contractor's representative. The Engineer/Inspector shall retain a copy of all such agreements. The Engineer/Inspector shall also document the changes in the Inspector's T-601 diary and having both the Inspector and Contractor initial and date the amendments documenting the changes in the plans.
 6. The Contractor shall furnish signposts listed in the "Complaint Work Zone Traffic Control Device List" (CWTCL) for small roadside signs. Supports for temporary large roadside signs shall meet the requirements detailed on the Temporary Large Roadside Signs (TLRS) sheet. The Contractor shall install the sign support in accordance with the manufacturer's recommendations. If there is a question regarding installation of the signpost, the Contractor shall provide the Engineer a copy of the manufacturer's installation recommendations so the Engineer can verify the correct procedure is being followed.
 7. The Contractor is responsible for installing signs on approved supports and replacing signs with damaged or cracked substrates and/or damaged or marred reflective sheeting as directed by the Engineer/Inspector.
 8. Signs shall be placed at least 10 feet from the back of the sign substrate. The maximum height of letters and/or category logos used for identification shall be 1 inch.
 9. The Contractor shall replace damaged wood posts. New or damaged wood sign posts shall not be spliced.
- REMARKS:** OF NOTE: As defined by the "Texas Manual on Uniform Traffic Control Devices" Part 6:
The types of signs, sign mounting height, the size of signs, and the type of sign substrates can vary based on the type of work being performed. The Engineer is responsible for selecting the appropriate size sign for the type of work being performed. The Engineer will determine the minimum mounting height and substrate meets manufacturer's recommendations. In regard to cropshelterage and section of work, responsibility for determining the appropriate sign type and placement rests with the Contractor.

- The types of sign supports, sign mounting height, the size of signs, and the type of sign substrates can vary based on the type of work being performed. The Engineer is responsible for selecting the appropriate size sign for the type of work being performed. The Contractor is responsible for ensuring the sign support, sign mounting height and substrate meets manufacturer's recommendations in regard to crashworthiness and duration of work requirements.

1. The bottom of Long-Term/Intermediate term signs shall be at least 7 feet, but not more than 9 feet, above the paved surface, except as shown for supplemental plaques mounted below other signs.
2. The top of the Short-term/Short duration sign shall be a minimum of 1 foot above the paved surface but no more than 2 feet above the top of the Short-term/Short duration sign.
3. Long-Term/Intermediate term signs may be used in lieu of Short-term/Short duration signs.
4. Short-term/Short duration signs shall be used only during daylight and shall be removed at the end of the workday or raised to the top of the signpost.
5. Regulatory signs shall be mounted at least 7 feet, but not more than 9 feet, above the paved surface regardless of work duration.

1. The Contractor shall furnish the sign sizes shown on BC (2) unless otherwise shown in the plans or as directed by the Engineer.

- The Contractor shall ensure the sign substrate is installed in accordance with the manufacturer's recommendations for the type of sign support that is being used. The CH2DH litter can substrate can be used on the different types and models of sign supports. All "type materials are NOT approved sign substrate, regardless of the tightness of the weave. The signs must be made from a minimum thickness of 1/8" plywood or thicker pre-preged chip, 1/2" thick by 6' wide, fastened to the back of the sign and extending fully across the sign. The signs must be made from a minimum thickness of 1/8" plywood or thicker pre-preged chip, 1/2" thick by 6' wide, fastened to the back of the sign and extending fully across the sign. The signs must be placed on both sides of the splice and spaced at 6" centers. The Engineer may approve other methods of splicing the sign faces.

- All signs shall be retroreflective and constructed of sheeting meeting the color and retro-reflectivity requirements of DMS-8300 for rigid signs or DMS-8310 for roll-up signs. The web address for DMS specifications is shown on BC(1). White sheeting meeting the requirements of DMS-8300 Type A, shall be used for signs with a white background.

- SIGN LETTERS** All sign letters and numbers shall be clear, and open rounded type lowercase alphabet letters as approved by the Federal Highway Administration (FHWA) and as published in the "Standard Highway Sign Design for Texas" manual. Signs, letters and numbers shall be of first class workmanship in accordance with Department Standards and Specifications.

- When sign messages may be confusing or do not apply, the signs shall be removed or completely covered. Long-term stationarity or intermediate stationarity signs installed on source material may be turned away from traffic 90 degrees when the sign message is not applicable. This technique may not be used for signs installed in the median of divided highways or near any intersections where the sign may be seen from opposing traffic.

- covered when not required.
- When signs are covered, the material used shall be opaque, such as heavy mil black plastic, or other materials which will cover the entire sign face and maintain their opaque properties under automobile headlights at night, without damaging the sign sheeting.
- Bar top shall NOT be used to cover signs.
- Duct tape or other adhesive material shall NOT be affixed to a sign face.
- Signs and marker shall be removed and holes backfilled upon completion of work.

- | | |
|--|------------------------------------|
|  Texas Department of Transportation | Traffic Signs Division
Standard |
| BARRICADE AND CONSTRUCTION TEMPORARY SIGN NOTES | |
| BC(4) - 21 | |

- | | | | |
|--|---------|-----------|-------------|
| 1. Flags may be used to draw attention to warning signs. When used, the flag shall be 16 inches square or larger and shall be orange or fluorescent red-orange in color. Flags shall not be allowed to cover any portion of the sign face. | REVISED | 9-07 8-14 | 10-07 5-21 | 11-07 5-21 | 12-07 5-21 | 13-07 5-21 | 14-07 5-21 | 15-07 5-21 | 16-07 5-21 | 17-07 5-21 | 18-07 5-21 | 19-07 5-21 | 20-07 5-21 | 21-07 5-21 | 22-07 5-21 | 23-07 5-21 | 24-07 5-21 | 25-07 5-21 | 26-07 5-21 | 27-07 5-21 | 28-07 5-21 | 29-07 5-21 | 30-07 5-21 | 31-07 5-21 | 32-07 5-21 | 33-07 5-21 | 34-07 5-21 | 35-07 5-21 | 36-07 5-21 | 37-07 5-21 | 38-07 5-21 | 39-07 5-21 | 40-07 5-21 | 41-07 5-21 | 42-07 5-21 | 43-07 5-21 | 44-07 5-21 | 45-07 5-21 | 46-07 5-21 | 47-07 5-21 | 48-07 5-21 | 49-07 5-21 | 50-07 5-21 | 51-07 5-21 | 52-07 5-21 | 53-07 5-21 | 54-07 5-21 | 55-07 5-21 | 56-07 5-21 | 57-07 5-21 | 58-07 5-21 | 59-07 5-21 | 60-07 5-21 | 61-07 5-21 | 62-07 5-21 | 63-07 5-21 | 64-07 5-21 | 65-07 5-21 | 66-07 5-21 | 67-07 5-21 | 68-07 5-21 | 69-07 5-21 | 70-07 5-21 | 71-07 5-21 | 72-07 5-21 | 73-07 5-21 | 74-07 5-21 | 75-07 5-21 | 76-07 5-21 | 77-07 5-21 | 78-07 5-21 | 79-07 5-21 | 80-07 5-21 | 81-07 5-21 | 82-07 5-21 | 83-07 5-21 | 84-07 5-21 | 85-07 5-21 | 86-07 5-21 | 87-07 5-21 | 88-07 5-21 | 89-07 5-21 | 90-07 5-21 | 91-07 5-21 | 92-07 5-21 | 93-07 5-21 | 94-07 5-21 | 95-07 5-21 | 96-07 5-21 | 97-07 5-21 | 98-07 5-21 | 99-07 5-21 | 100-07 5-21 |
|--|---------|-----------|-------------|

1. For long term stationary work zones on freeways, drums shall be used as the primary channelizing device.

1. For long term stationary work zones on freeways, drums shall be used as the primary channelizing device.
2. For intermediate term stationary work zones on freeways, drums should be used as the primary channelizing device but may be replaced in tangent sections by vertical panels, or 42" two-piece cones. In tangent sections, one-piece cones may be used with the approval of the Engineer, but only if personnel are present on the project at all times to maintain the cones in proper position and location.
3. For short-term stationary work zones on freeways, drums are the preferred channelizing device but may be replaced in tapered, transitions and tangent sections by vertical panels, two-piece cones or one-piece cones as approved by the Engineer.
4. Drums and all related items shall comply with the requirements of the current version of the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD) and the "Compliant Work Zone Traffic Control Devices List" (CMTCD).
5. Drums, boxes, and related materials shall exhibit good workmanship and shall be free from objectionable marks or defects that would adversely affect the appearance of the services.
6. The Contractor shall replace or repair within 24 hours any plastic cones identified for replacement by the Engineer/Inspector. The replacement device must be an approved device.

Pre-qualified plastic drums shall meet the following requirements:

1. Plastic drums shall be a one-piece design. The "body" of the drum shall be the top portion and the "base" shall be the bottom.
2. The body and base shall lock together in such a manner that the body separates from the base when initiated by a vehicle traveling at a speed greater than 10 mph. This prevents accidental separation due to normal handling operations.
3. Plastic drums shall be constructed of lightweight flexible, and deformable materials. The Contractor shall NOT use metal drums or single piece plastic drums as characterized on devices or sign supports.
4. Plastic drums shall be constructed of a material that will deform 10% from the 36 inch height when viewed from any direction. The height of drum unit body installed on base shall be a minimum of 36 inches and a maximum of 42 inches.
5. The drum unit shall have a built-in handle for easy pickup and shall be designed to be lifted by the handle.
6. The drum unit shall have a minimum of two widely spaced 5/16 inch diameter holes to allow attachment of a warning light, warning reflector unit, or approved camouflaged sign.
7. The drum body shall have a minimum of four alternating orange and white retroreflective circumferential stripes not less than 4 inches nor greater than 8 inches in width. Any non-retroreflected spaces between any two adjacent stripes shall not exceed 2 inches in width.
8. The drum shall have a maximum width of 35 inches, a maximum height of 40 inches, and a minimum of two moldings of sufficient size to allow base to be held down while separating the drum body from the base.
9. Plastic drums shall be constructed of ultra-violet stabilized, orange, yellow, and white plastic material.
10. Drum body shall have a maximum width of 35 inches.
11. Drum and base shall be marked with manufacturer's name and model number.

OUTLINE FACT SHEET


- The striples used on drums shall be constructed of sheeting meeting the color and retroreflectivity requirements of Departmental Materials Section on Bulletin 3300, "Sign Age Materials, Type A or Type B". The sheeting shall be supplied unless otherwise specified in the plans.

[illegible]

- Unbolts used shall be large enough to hold up to 50 lbs. of sand. This sand, when filled with the bolting material, should weigh between 35 lbs. minimum and 50 lbs. maximum. The bolts may be used in one place or several places. The bolts should be used in one place for the bolting process and in several places for the bolting process. The bolting process should be approved by the Engineer. Strapping of sandbags will be allowed, however height of sandbags above pavement surface may not exceed 12 inches.
- Boards with built-in ballast shall be constructed of an integral crane rubber base or a solid rubber base.
- Recycled truck tire shavings may be used for ballast on drums approved for this type of ballast on the CDOT list.
- Any material that is used for ballast, whether it is sand, gravel, or any other material, should become hazardous to motorists, pedestrians, or workers when the drum is struck by a vehicle.
- When used in regions susceptible to freezing, drums shall have drainage holes in the bottom so that water will not collect and freeze becoming hazardous to motorists, pedestrians, or workers.
- Ballast may not be placed on top of drums.
- Adhesives may be used to secure base of drums to pavement.



This detail is not intended for fabrication. See note 3 and the CRWTCO list for providers of approved Detectable Pedestrian



1. When existing pedestrian facilities are disrupted, closed, or removed, new facilities must be provided which are as safe as detectable and include accessibility features consistent with the features present in the existing pedestrian facility. Refer to Division 201 for Pedestrian Control requirements for Standard Divisions 201-1 through 201-6.
2. Where pedestrian safety with visual disabilities normally use the closed sidewalk, a Detectable Pedestrian Barriercade shall be placed across the full width of the closed sidewalk instead of a closed curb.
3. Detectable Pedestrian Barriercades similar to the one pictured above, longitudinal channelizing devices, some concrete barrier, one end of chain link fencing with a continuous pattern, and/or any other method to delineate a pedestrian path.
4. Tape, rope, or plastic chain strung between devices are not acceptable. The design standards for the design standards in "American with Disabilities Act Guidelines for Pedestrians" (ADAAG) and should not be used as a control for pedestrian movements.
5. Pedestrian signs shall not be attached to detectable pedestrian barriercades.
6. Detectable Pedestrian Barriercades should use 8" nominal barriercade rails as shown on A3101 provided that the road railing provides sufficient strength to resist impact from a heavy goods vehicle colliding with it.




18" x 24" Sign
(Maximum Sign Dimension)
Chevron CWI-8, Opposing Traffic Lane
Divider, Driveway Sign D70a, Keep Right
R4 series or other signs as approved
by Engineer

Plywood, Aluminum or Metal sign substrates shall NOT be used on plastic drums

DESIGNS, CHEVRONS, AND VERTICAL PANELS MOUNTED ON PLASTIC DRUMS

1. Signs used on plastic drums shall be manufactured using substrates listed on the DETCO.
2. Chevron and other work zone signs with an orange background shall be manufactured with Type III₁ or Type III₂ (orange) reflective material. All other signs with orange backgrounds of MS-8300, "Sign Face Material," unless otherwise specified in the plans.
3. Vertical Panels shall be manufactured with orange and white reflective material. All other signs with Type I or Type B diagonal arrows on Vertical Panels shall stop down toward the intended traveled lane.
4. Other sign messages (text or symbolic) may be used as long as the sign is not larger than 24" high and shall not exceed 18" across. The sign shall be of the same color as the sign series signs discussed in note 8 below.
5. Signs shall be installed using a 1/2 inch bolt (mainline) and nut, two washers, and one locking washer for each connection.
6. Mounting bolts and nuts shall be fully engaged and adequately torqued. Bolts should not extend more than 1/2 inch beyond nuts.
7. Chevrons may be placed on drums on the outside of curves, on median posts, or on signing structures. These locations, they may be placed on every drum or spaced no more than one every third drum. A minimum of three (3) should be used at each location called for in the plans.
8. R9-9, R9-10, R9-11, and R9-12 Sloped signs with orange or 24" inches wide may be mounted on plastic drums with approval of the Engineer.

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.



DRIVEABLE

1. Vertical Panels (VP's) are normally used to channelize traffic or divide opposing lanes of traffic.
2. VP's may be used in daytime or nighttime situations. VP's used in nighttime situations shall be retroreflective. Other areas such as lane transitions are positive daytime and nighttime delineation is required. The Engineer/Inspector shall refer to the Roadway Design Manual for additional requirements on the use of VP's.
3. VP's should be mounted back to back if used on the edge of cuts adjacent to two-way two lane roadways. Stripes are to be reflective orange and reflective white and reflective yellow stripes adjacent to the edge of the road.
4. VP's should have slots mounted back to back or other high speed roadways, may have more than 270 square inches of retroreflective area facing traffic.
5. Self-righting supports are available with portable base. See Department Mark Zone Traffic Control Devices List (DOTD-1000).
6. Sheeting for the VP's shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300, unless noted otherwise.
7. The VP's shall be mounted on the vertical surface of the panel is 35 inches or greater, a panel stripe of 6 inches shall be used.

FIXED


(Rigid or self-righting)

PORTABLE

(Rigid or self-righting)

VERTICAL PANELS (VP'S)


1. Opposing Traffic Lane Dividers (OTLD) are delineation devices designed to convert a normal one-way roadway section to two-way operation. OTLD's are used on temporary centerlines. The upward and downward arrows are used to indicate the direction of traffic on either side of the divider. The base is secured to the pavement with an adhesive or rubber weight to minimize movement caused by a vehicle impact or wind gust.
2. The OTLD may be used in combination with 42" cones or VPS.
3. Spacing between the OTLD shall not exceed 500 feet. 42" cones or VPS placed between the OTLD's should not exceed 100 foot spacing.
4. The OTLD shall be orange with a black non-reflective legend. Sheeting for the OTLD shall be retroreflective Type B₁ or Type C₁ conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.



OPPOSING TRAFFIC LANE DIVIDERS (OTLD)

1. The chevron shall be a vertical rectangle with a minimum size of 12 by 18 inches.
2. Chevrons are intended to give notice of a sharp change of alignment with the direction of travel and provide additional emphasis and guidance for drivers. The Engineer/Inspector shall ensure that placement is uniform and in accordance with the Texas Manual on Uniform Traffic Control Devices (TMUTCD).
3. Chevron devices shown on this sheet may have a or-vehicle, fixed or portable base. The requirement for self-righting channelizing devices must be specified in the general notes. Other plans should be used in work zone areas where retroreflective chevron devices are frequently impacted by errant vehicles or vehicle related wind gusts making alignment of the channelizing devices difficult to maintain. Locations of these devices shall be denoted easily where in the plans. These devices shall conform to the TMUTCD and the Manual on Uniform Traffic Control Devices (MUTCD).
4. The contractor shall maintain devices in a clean condition and replace damaged, nonreflective, faded, or broken devices and bases as required by the Engineer/Inspector. The Contractor shall be required to maintain proper device spacing and alignment.
5. Portable bases shall be fabricated from virgin and/or recycled rubber. The bases shall be prepared in a manner that ensures proper bonding between the adhesives, the fixed mount bases and the pavement surface. Adhesives shall be prepared and applied according to the manufacturer's recommendations.
6. The installation and removal of channelizing devices shall not cause surface deterioration or damage to the pavement. Channelizing devices shall be permitted on final pavement surfaces. The Engineer/Inspector shall approve all application and removal procedures of fixed bases.

CHEVRONS



LONGITUDINAL CHANNELIZING DEVICES (LCD)

1. LCDs are crashworthy, lightweight, deformable devices that are highly visible, have good target value and can be connected together. They are not designed to contain or redirect a vehicle on impact.
2. LCDs may be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CDOT list of approved devices.
3. LCDs shall be supplemented with retroreflective delineation as required for temporary barriers.
4. LCDs shall be placed roughly parallel to the travel lanes.
5. LCDs used as barriers placed perpendicular to traffic should have at least one row of reflective sheeting meeting the requirements for barricade rolls as shown on BC101. Place reflective sheeting near the top of the LCD along the full length of the device.

WATER BALLASTED SYSTEMS USED AS BARRIERS

1. Water ballasted systems used as barriers shall not be used solely to channelize road users, but also to protect the work space per the appropriate Manual for Assessing Safety Hardware (MASH) crashworthiness requirements based on the appropriate speed.
2. Water ballasted systems used to channelize vehicular traffic shall be supplemented with retroreflective delineation or channelizing devices to improve daytime/nighttime visibility. They may also be supplemented with pavement markings.
3. Water ballasted systems used as barriers shall be placed in accordance to application and installation requirements.
4. Water ballasted systems used as barriers should not be used for a merging taper except in low speed (less than 45 mph) urban areas. When used in a low speed urban area, the taper shall be delineated and the taper length should be designed to optimize road user operations considering the available geometric conditions.
5. When water ballasted systems used as barriers have blunt ends exposed to traffic, they should be attenuated as per manufacturer recommendations or flared to a point outside the clear zone.

If used to channelize pedestrians, longitudinal channelizing devices or water ballasted systems must have a continuous detectable bottom for users of long cones and the top of the unit shall not be less than 32 inches in height.

HOLLOW OR WATER BALLASTED SYSTEMS USED AS LONGITUDINAL CHANNELIZING DEVICES OR BARRIERS

GENERAL NOTES

1. Mark zone channelizing devices illustrated on this sheet may be installed in close proximity to traffic and are subject to impact. The Engineer/Inspector shall ensure that placement is uniform and in accordance with the Texas Manual on Uniform Traffic Control Devices (TMUTCD).
2. Channelizing devices shown on this sheet may have a or-vehicle, fixed or portable base. The requirement for self-righting channelizing devices must be specified in the general notes. Other plans should be used in work zone areas where retroreflective chevron devices are frequently impacted by errant vehicles or vehicle related wind gusts making alignment of the channelizing devices difficult to maintain. Locations of these devices shall be denoted easily where in the plans. These devices shall conform to the TMUTCD and the Manual on Uniform Traffic Control Devices (MUTCD).
3. The contractor shall maintain devices in a clean condition and replace damaged, nonreflective, faded, or broken devices and bases as required by the Engineer/Inspector. The Contractor shall be required to maintain proper device spacing and alignment.
4. The contractor shall maintain devices in a clean condition and replace damaged, nonreflective, faded, or broken devices and bases as required by the Engineer/Inspector. The Contractor shall be required to maintain proper device spacing and alignment.
5. Portable bases shall be fabricated from virgin and/or recycled rubber. The bases shall be prepared in a manner that ensures proper bonding between the adhesives, the fixed mount bases and the pavement surface. Adhesives shall be prepared and applied according to the manufacturer's recommendations.
6. The installation and removal of channelizing devices shall not cause surface deterioration or damage to the pavement. Channelizing devices shall be permitted on final pavement surfaces. The Engineer/Inspector shall approve all application and removal procedures of fixed bases.

Posted Speed	Formula	Minimum Desirable Taper Lengths (ft.)	Suggested Maximum Spacing of Channelizing Devices (ft.)
30	$L = \frac{WS}{205}$	150' 165' 180' 200'	On a Tangent 30' 60'
35	$L = \frac{WS}{205}$	205' 225' 245' 265'	On a Tangent 35' 70'
40	$L = \frac{WS}{205}$	265' 295' 320' 350'	On a Tangent 40' 80'
45	$L = \frac{WS}{205}$	350' 395' 440' 480'	On a Tangent 45' 90'
50	$L = \frac{WS}{205}$	480' 530' 590' 650'	On a Tangent 50' 100'
55	$L = \frac{WS}{205}$	650' 710' 780' 850'	On a Tangent 55' 110'
60	$L = \frac{WS}{205}$	850' 920' 1000' 1100'	On a Tangent 60' 120'
65	$L = \frac{WS}{205}$	1100' 1200' 1300' 1400'	On a Tangent 65' 130'
70	$L = \frac{WS}{205}$	1400' 1550' 1700' 1850'	On a Tangent 70' 140'
75	$L = \frac{WS}{205}$	1850' 2050' 2250' 2500'	On a Tangent 75' 150'
80	$L = \frac{WS}{205}$	2500' 2800' 3100' 3500'	On a Tangent 80' 160'

***Taper lengths have been rounded off.
L=Length of Taper (ft.)
S=Speed (mph)

SUGGESTED MAXIMUM SPACING OF CHANNELIZING DEVICES AND MINIMUM DESIRABLE TAPER LENGTHS

SHEET 9 OF 12



BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC (9) - 21

FILED	BC-21-001	Rev. 1-007	On 1-007	On 1-007	On 1-007
REVISED	REVISED	REVISED	REVISED	REVISED	REVISED
9-07	9-14	9-21	9-21	9-21	9-21
1-13	1-13	1-13	1-13	1-13	1-13

1. Refer to the Compliant Work Zone Traffic Control Devices List (CWZTCD) for details of the Type 3 Barricodes and a list of all materials

- Used in the construction of Type 3 Barricades.
- Barricade components shall be placed on each end of construction projects closed to all traffic.
- Barricades extending across a roadway should have struts that slope downward in the direction toward which traffic must turn in detouring. When both right and left turns are provided, the diversion strutting may be angled to allow vehicles to make either type of turn. Barricades where no turns are permitted at a closed road, strutting should slope downward in both directions toward the center of roadway.
- Stripping of rolls, for the right side of the roadway, should slope downward to the left. For the left side of the roadway, strutting should slope downward to the right.
- Identification markings may be placed only on the back of the barricade rolls. The maximum height of letters and/or company logos used for identification shall be 1".
- Barricades shall not be placed parallel to traffic unless an adequate warning lights shall be installed on barricades.
- Barricade lights shall NOT be installed on barricades.
- The use of sandbags requires the use of weights to keep from turning over, therefore sandbags with dry, cohesionless sand is recommended. The sandbags will be tied shut to keep the sand from spilling out and to ensure they remain inflated. Sandbags shall be fastened in a manner that covers any portion of a barricade roll's identification marking. Rock, concrete, iron, steel or other solid objects will NOT be permitted. Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs. Sandbags shall be made of a durable material that tears under impact. Sandbags shall be filled with sand. They shall not be used for sandbags. Sandbags shall only be placed along the roadway supports of the device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners.
- Sheeting for barricades shall be retroreflective Type A or Type B sheeting as specified in Department Material Specification DMS-801 unless otherwise noted.


Diagram illustrating the cross-section of the reflective sheeting. The sheeting is shown with a 45° angle and a 6° angle, indicating the geometry of the reflective surface.


4" min., 8" max.




**TYPICAL PANEL DETAIL
FOR SKID OR POST TYPE BARRICADES**

(





28" Cones shall have a minimum weight of 9 1/2 lbs.
42" 2-piece cones shall have a minimum weight of 30 lbs. including base.





BC(10)-21

[illegible]


 Texas Department of Transportation
 Traffic Safety Division Standard

BC(10)-21

[illegible]



28" Cones shall have a minimum weight of 9 1/2 lbs.
42" 2-piece cones shall have a minimum weight of 30 lbs. including base.



BC(10)-21

[illegible]

 Texas Department of Transportation
 Traffic Safety Division Standard

BC(10)-21

[illegible]

WORK ZONE PAVEMENT MARKINGS

GENERAL

1. The Contractor shall be responsible for maintaining work zone and setting up and maintaining the work zone in accordance with the specifications and special provisions on all roadways open to traffic within the CSU limits unless otherwise stated in the plans.
2. Color, patterns and dimensions shall be in accordance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
3. Additional supplemental pavement marking details may be found in the plans or specifications.
4. Pavement markings shall be installed in accordance with the TMUTCD and as shown on the plans.
5. When short term markings are required on the plans, short term markings shall conform with the TMUTCD, the plans and details as shown on the Standard Plan Sheet RE(5)PMU.
6. When standard pavement markings are not in place and the roadway is opened to traffic, DO NOT PASS signs shall be erected to mark the beginning of the sections where passing is prohibited and PASS WITH CARE signs at the beginning of sections where passing is permitted.
7. All work zone pavement markings shall be installed in accordance with Item 662, "Work Zone Pavement Markings."

RAISED PAVEMENT MARKERS

1. Raised pavement markers are to be placed according to the patterns on BC(12).
2. All raised pavement markers used for work zone markings shall meet the requirements of Item 672, "RAISED PAVEMENT MARKERS" and Departmental Material Specification DMS-4200 or DMS-4300.

PREFABRICATED PAVEMENT MARKINGS

1. Removable prefabricated pavement markings shall meet the requirements of DMS-8241.
2. Non-removable prefabricated pavement markings (full back) shall meet the requirements of DMS-8240.


MAINTAINING WORK ZONE PAVEMENT MARKINGS

1. The Contractor will be responsible for maintaining work zone pavement markings within the work limits.
2. Work zone pavement markings shall be inspected in accordance with the specifications and special provisions on all roadways open to traffic device inspections as required by Form 598.
3. The markings should provide a visible reference for a minimum of 100 feet when illuminated by automobile low-beam headlights at night, unless sight distance is restricted by roadway geometrics.
4. Markings failing to meet this criteria within the first 30 days after placement shall be replaced at the expense of the Contractor as per Specification Item 662.

- ## REMOVAL OF PAVEMENT MARKINGS
1. Pavement markings that are no longer applicable, could create confusion or direct a motorist toward or into the closed portion of the roadway shall be removed or obliterated before the roadway is opened to traffic.
 2. The above shall not apply to detours in place for less than three days, where flaggers and/or sufficient channelizing devices are used in lieu of markings to outline the detour route.
 3. Pavement markings shall be removed to the fullest extent possible, so as not to leave a discernable marking. This shall be by any method approved by the Engineer. Item 677 for "Eliminating Existing Pavement Markings and Markers".
 4. The removal of pavement markings may require resurfacing or seal coating portions of the roadway as described in Item 677.
 5. Subject to the approval of the Engineer, any method that proves to be successful on a particular type pavement may be used.
 6. Blast cleaning may be used but will not be required unless specifically shown in the plans.
 7. Over-painting of the markings SHALL NOT be permitted.
 8. Removal of raised pavement markers shall be as directed by the Engineer.
 9. Removal of existing pavement markings and markers will be paid for directly in accordance with Item 677, "ELIMINATING EXISTING PAVEMENT MARKINGS AND MARKERS", unless otherwise stated in the plans.

10. Black-out marking tape may be used to cover conflicting existing markings for periods less than two weeks when approved by the Engineer.

Temporary Flexible-Reflective Roadway Marker Tabs



Height of sheeting is usually more than 1/4" and less than 1".

STAPLES OR NAILS SHALL NOT BE USED TO SECURE TEMPORARY FLEXIBLE-REFLECTIVE ROADWAY MARKER TABS TO THE PAVEMENT SURFACE

1. Temporary flexible-reflective roadway marker tabs used as guidemarks shall meet the requirements of DMS-8242.
2. Tabs installed on this sheet are to be inspected and accepted by the Engineer or designated representative. Sampling and testing is not normally required, however at the option of the Engineer, either "A" or "B" below may be imposed to assure quality before placement on the roadway.
 - A. Select five (5) or more tabs at random from each lot or shipment and submit to the Construction Division, Materials and Pavement Section to determine specification compliance.
 - B. Select five (5) tabs and perform the following test. Affix five (5) tabs at 24 inch intervals on an asphaltic pavement in a straight line. Using a medium size passenger vehicle or pickup, run over the markers with the front and rear tires at a speed of 30 mph. The tabs shall not be lost or dislodged. If the tabs are lost or dislodged, more than one (1) out of the five (5) reflective surfaces shall be lost or dislodged as a result of this test.
3. Soil design variances may be noted between tab manufacturers.
4. See Standard Sheet RE(5)PMU for tab placement on new pavements. See Standard Sheet TCR(7-1) for tab placement on seal coat work.

RAISED PAVEMENT MARKERS USED AS GUIDEMARKS


1. Raised pavement markers used as guidemarks shall be from the approved product list, and meet the requirements of DMS-4200.
2. All temporary construction raised pavement markers provided on a project shall be of the same manufacturer.
3. Adhesive for guidemarks shall be bituminous material not applied or buried rubber pad for all surfaces, or thermoplastic for concrete surfaces.

Guidemarks shall be designated as:
YELLOW - (two amber reflective surfaces with yellow body).
WHITE - (one silver reflective surface with white body).

DEPARTMENTAL MATERIAL SPECIFICATIONS	
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
TRAFFIC BUTTONS	DMS-4300
EPXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240
TEMPORARY REMOVABLE, PREFABRICATED PAVEMENT MARKINGS	DMS-8241
TEMPORARY FLEXIBLE REFLECTIVE ROADWAY MARKER TABS	DMS-8242

A list of prequalified reflective raised pavement markers, non-reflective traffic buttons, roadway marker tabs and other pavement markings can be found at the Material Producer List web address shown on BC(11).

SHEET 11 OF 12






BARRICADE AND CONSTRUCTION PAVEMENT MARKINGS

BC(11)-21

FILE#	BC-21-000	REV	1-000	REV	1-000	REV	1-000
DATE	1-000	DATE	1-000	DATE	1-000	DATE	1-000
REVISIONS	2-88	9-07	5-21	1-02	7-13	11-02	8-14
BY	REVISIONS	DATE	DATE	DATE	DATE	DATE	DATE
BY	DATE	BY	DATE	BY	DATE	BY	DATE
BY	DATE	BY	DATE	BY	DATE	BY	DATE

STANDARD WORK ZONE PAVEMENT MARKINGS DETAILS



Texas Department of Transportation
SHEET 12 OF 12





BARRICADE AND CONSTRUCTION PAVEMENT MARKING PATTERNS

Raised pavement markers used as standard pavement markings shall be from the approved products list and meet the requirements of Item 672 "RAISED PAVEMENT MARKERS."

BC(112)-21

FILE	BC-21, 200	REV	1/2007	REV	1/2007	REV	1/2007
DATE	1-27-97	DATE	1-27-97	DATE	1-27-97	DATE	1-27-97
BY	2-88	BY	2-88	BY	2-88	BY	2-88
CHKD	7-13	CHKD	7-13	CHKD	7-13	CHKD	7-13
APP'D	11-02	APP'D	11-02	APP'D	11-02	APP'D	11-02
SHEET NO.	12	SHEET NO.	12	SHEET NO.	12	SHEET NO.	12

PAVEMENT MARKING PATTERNS



DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose, and no liability is assumed by TxDOT for the conversion of this standard to other formats or for incorrect results or for damages resulting from its use.

DATE: FILE:

LEGEND	
	Type 3 Barricade
	Heavy Work Vehicle
	Trailer Mounted Flashing Arrow Board
	Sign
	Flag
	Channelizing Devices
	Truck Mounted Attenuator (TMA)
	Portable Changeable Message Sign (PCMS)
	Traffic Flow
	Fogger

Posted Speed	Formula	Minimum Taper Lengths	Suggested Maximum Spacing of Channelizing Devices	Minimum Spacing of Sign	Suggested Maximum Spacing of Sign	Stopping Sight Distance
30	WS^2	150' 165' 180'	30' 30'	60'	120'	200'
35	L^2	205' 225' 245'	35' 35'	70'	160'	250'
40	L^2	265' 295' 320'	40' 40'	80'	240'	305'
45	L^2	450' 495' 540'	45' 45'	90'	320'	360'
50	L^2	550' 605' 660'	50' 50'	100'	400'	425'
55	L^2	650' 715' 780'	55' 55'	110'	500'	495'
60	L^2	800' 880' 960'	60' 60'	120'	600'	570'
65	L^2	900' 1000' 1100'	65' 65'	130'	700'	645'
70	L^2	1000' 1100' 1200'	70' 70'	140'	800'	730'
75	L^2	1100' 1200' 1300'	75' 75'	150'	900'	820'

* Conventional Roads Only
 ** Taper lengths have been rounded off.
 L = Length of Taper (FT) W = Width of Offset (FT) S = Posted Speed (MPH)

TYPICAL USAGE		
MOBILE	SHORT TERM STATIONARY	LONG TERM STATIONARY
✓	✓	✓

GENERAL NOTES

- Flags attached to signs where shown are REQUIRED.
- All traffic control devices illustrated are REQUIRED, except if project signing is present, END ROAD WORK (G20-2) sign is optional with approval by the Engineer.
- Sign spacing may be increased or an additional ROAD WORK AHEAD (CW20-1D) sign may be used if advance warning ahead of the flagger sign is less than 1500 feet.
- Flaggers should use two-way radios or other methods of communication at all times for traffic control coordination.
- Flaggers should use 24" STOP (CW20-8) / SLOW (CW20-8A) paddles to control traffic.
- Flaggers should be limited to emergency situations.
- If the work space is located near a horizontal or vertical curve, the buffer distances should be increased in order to maintain adequate stopping sight distance to the flagger and a queue of stopped vehicles (see table above).
- If the seal coat operation crosses intersections, traffic in these areas must be controlled. Care must be taken to prevent vehicles from crossing the asphalt before the aggregate is placed. This may require positioning additional traffic control personnel (flaggers) at the intersection.
- Temporary rumble strips are not required on seal coat operations.
- The pilot car is used to guide vehicles through traffic control zone. The pilot car shall have an identification name displayed and PILOT CAR, FOLLOW ME (G20-4) sign or message board mounted in a conspicuous position on rear.

SHEET 1 OF 8

Texas Department of Transportation
 Division
 Standard


TRAFFIC CONTROL PLAN SEAL COAT OPERATIONS ONE-LANE TWO-WAY

TCP (SC-1) - 22

FILE	DATE	BY	CHK	APP	DATE	BY	CHK	APP
017001	October 2022	REVISING			4-21	REVISING		
10-22								

TCP (SC-1a)

- Channelizing devices on the centerline are not required when a pilot car is leading traffic, unless directed by the Engineer.



TCP (SC-1b)

ONE LANE TWO-WAY (THREE LANES) CONTROL WITH PILOT VEHICLE AND CHANNELIZING DEVICES

TCP (SC-1a)

ONE LANE TWO-WAY (TWO LANES) CONTROL WITH PILOT VEHICLE

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever, including liability for the consequences of any use of this standard to other formats or for incorrect results or damages resulting from its use.

DATE:

